

BIDDER SIGNATURE PAGE

Rev. 9/20/05

1. If doing business under a trade name, partnership or a sole proprietorship, you must submit the bid under exact title of the trade name, partnership, or proprietorship, and the bid must be signed by either the owner or a partner and witnessed by a notary public.
2. If a Corporation, the bid must be signed by the President or Vice President and witnessed by Corporate Secretary, (Corporate title must be exact) and affix corporate seal.
3. Other persons authorized by Corporate Resolution to execute agreements in its behalf may also sign the bid documents (pages).
4. The Person who signs this bid form must also sign the Non-Collusion Affidavit.
5. You cannot witness your own signature.

The Sherwin-Williams Company
NAME OF BIDDER

101 Prospect Ave, 720 GH
ADDRESS OF BIDDER

Cleveland, OH 44115

SIGNATURE
CORPORATE SECRETARY

PRINT NAME AND TITLE
CORPORATE SECRETARY

TELEPHONE: 800-597-2929

FAX: 216-774-1875

EMAIL: hwyinsidesales@sherwin.com

BY: John Palomba
SIGNATURE

5/30/17
DATE

AFFIX CORPORATE SEAL

John Palomba / Director
PRINT OR TYPE NAME AND TITLE

WARNING: FAILURE TO FULLY, ACCURATELY, AND COMPLETELY SUPPLY THE INFORMATION REQUESTED ON THIS PAGE MAY RESULT IN THE REJECTION OF YOUR BID AS NON-RESPONSIVE

BID FORM – Page 1 of 2

HAVING CAREFULLY READ THE PROPOSAL, SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS THE UNDERSIGNED HEREBY AGREES TO FURNISH AND DELIVER TRAFFIC PAINT FOR THE DIVISION OF PUBLIC WORKS OF THE COUNTY OF UNION AND, IF AGREED, THE UNION COUNTY COOPERATIVE PRICING SYSTEM, IN ACCORDANCE WITH THE SPECIFICATIONS. DO NOT ALTER THE FORMAT OF THE BID FORM PAGE IN ANY MANNER UNDER THE PENALTY OF DISQUALIFICATION.

All quantities represent estimated usage for 24 months.

SECTION 1 – COUNTY OF UNION

	<u>QUANTITY</u> (MORE OR LESS)			<u>UNIT PRICE</u>		<u>SUBTOTAL</u>
Item #1	100	Pcs.	X	\$ 47.50	=	\$ 4,750.00
Item #2	100	Pcs.	X	\$ 46.25	=	\$ 4,625.00
Item #3	10	Pcs.	X	\$ 47.50	=	\$ 475.00
Item #4	10	Pcs.	X	\$ 75.00	=	\$ 750.00
Item #5	50	Pcs.	X	\$ 715.00	=	\$ 35,750.00
Item #6	15	Pcs.	X	\$ 715.00	=	\$ 10,725.00
GRAND TOTAL (SECTION 1-UNION COUNTY)						\$ 57,075.00 (NOT TO EXCEED)

VENDOR MUST BID ALL ITEMS

Partial Delivery can begin 30 Days after Award of contract
(May be a factor in award)

Delivery F.O.B. Various Locations in Union County
Samples provided prior to award must be received within 72 hours of request

NAME OF BIDDER: The Sherwin-Williams Company



STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE

Taxpayer Name: THE SHERWIN-WILLIAMS COMPANY

Trade Name:

Address: 101 PROSPECT AVE. N. W.
CLEVELAND, OH 44115

Certificate Number: 0091819

Effective Date:

Date of Issuance: May 29, 2009

For Office Use Only:

20090529125850764

COUNTY OF UNION
ACKNOWLEDGEMENT OF RECEIPT OF ADDENDA

The undersigned Bidder hereby acknowledges receipt of the following Addenda(s):

<u>Addendum Number</u>	<u>Dated</u>	<u>Acknowledge Receipt</u> (Initial)
<u>None received</u>	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Acknowledged for: The Sherwin-Williams Company
(Name of Bidder)

By: 
(Signature of Authorized Representative)

Name: John Palomba
(Print or Type)

Title: Director

Date: 5/30/17

Please Do Not submit if you did not receive Addenda(s)

NAME OF BIDDER: The Sherwin-Williams Company

CERTIFICATE OF AVAILABILITY
AS PER 1.4.1

N/A - We are the manufacturer

NAME OF BIDDER: The Sherwin-Williams Company

CERTIFICATE OF COMPLAINE
AS PER 1.4.2

Please see attached

NAME OF BIDDER: The Sherwin-Williams Company



HIGHWAY PRODUCTS

101 Prospect Ave, 720 GH
Cleveland, OH 44115
800-597-2929


CERTIFICATION

Customer	County of Union	<i>Comments:</i>
Address		Bid #: BA# UCCP 37-2017
Phone		Traffic Paint
email		
Reference	Certification	

<u>Product</u>	<u>Description</u>
TM2138	FAST DRY WB WHT
TM2139	FAST DRY WB YEL

We hereby certify that the above listed products comply with the specifications as outlined in BA# UCCP 37-2017, Traffic Paint.

These products contain less than 150 grams per liter and are in compliance with NJ VOC required regulations.



Joanna Carr, Inside Sales Rep

PROOF OF COMPLIANCE FROM NJ & NYC VOC & NJDOT

Please see attached

NAME OF BIDDER: The Sherwin-Williams Company



View Database

-- Select a Product -- ▼

-- Select an Asphalt Binder Supplier -- ▼

-- Select a Cement Supplier -- ▼

-- Select an Aggregate -- ▼

-- Select a Plant -- ▼

[All Approved Concrete Plants](#) | [All Approved HMA Plants](#)

[All Approved Precast & Prestressed Concrete Plants](#)

GO BACK

View of selected database entries.

SPREAD SHEET

Selected Database:	QPL_APPROVED_MATERIALS.DB	
Material Name:	PAINTS, ORGANIC ZINC SYSTEM	
Specification Reference:	912.01.01	
Date/Time:	Tuesday, May 30, 2017 at 11:51:24	
Product Name	Manufacturer/Supplier	General Comments
OEU-37 CARBOLINE SYSTEM	CARBOLINE CO. - MAPLE SHADE, NJ	Carbozinc 859 - Primer Carbogard 893 - Intermediate Carbothane 133 VOC - Top
OEU-32 CARBOLINE SYSTEM	CARBOLINE CO. - ST. LOUIS, MO	CARBOZINC 859 ORGANIC ZINC RICH EPOXY PRIMER CARBOGUARD 888 EPOXY POLYIMIDE CARBOTHANE 133 LH ALIPHATIC POLYURETHANE CAN ONLY BE USED ON JOBS STARTED WITH IT. OFF NEPCOAT LIST 10/06/2015.
OEU-35 INTERNATIONAL PAINT SYSTEM	INTERNATIONAL PAINT - HOUSTON, TX	INTERZINC 315 B EPOXY ZINC RICH INTERGUARD 475 HS EPOXY INTERTHANE 870 UHS
OEU-28 PPG / AMERON SYSTEM	PPG / AMERON PROTECTIVE AND MARINE COATINGS	AMERCOAT 68 HS ZINC RICH PRIMER AMERCOAT 399 FAST DRYING EPOXY AMERCOAT 450 H GLOSS ALIPHATIC POLYURETHANE
OEU-29 SHERWIN WILLIAMS SYSTEM	SHERWIN WILLIAMS CO. - MALVERN, PA	ZINC CLAD III HS ORGANIC ZINC RICH PRIMER MACROPOXY 646 FAST CURE EPOXY ACROLIN 218 HS ACRYLIC POLYURETHANE
OEU-36 SHERWIN WILLIAMS SYSTEM	SHERWIN WILLIAMS CO., ZELIENOPLE, PA	ZINC CLAD 111 HS ORGANIC ZINC RICH EPOXY PRIMER STEEL SPEC EPOXY INTERMEDIATE HI-SOLIDS POLYURETHANE



[Contact Us](#) | [Privacy Notice](#) | [Legal Statement & Disclaimers](#) | [Accessibility Statement](#)



Union County Cooperative Pricing System Extension Form

BIDDERS MUST CHECK & INITIAL WHERE INDICATED ONE OF THE FOLLOWING SELECTIONS


] Check Here and initial if **willing** to provide the goods and services herein bid upon to registered members of the County of Union Cooperative Pricing System (State of New Jersey Identifier #: 8-UCCP) who have submitted estimates, without substitution or deviation from specifications, size, features, quality, price or availability as herein set forth. It is understood that orders will be placed directly by the registered member identified herein by separate contracts, subject to the overall terms of the master contract to be awarded by the County of Union, and that no additional service or delivery charges will be allowed except as permitted by these specifications.

[] Check Here and initial if **not willing** to extend prices to registered members of the County of Union Cooperative Pricing System (State of New Jersey Identifier #: 8-UCCP) who have submitted estimates as described above. It is understood that this will not adversely affect consideration of this bid with respect to the needs of County of Union.

In the event that the lowest responsible bidder, in the bid document, declines to extend prices to the registered members who submitted estimates the following procedure will be followed as required by N.J.A.C. 5:34-7.10(a)(2): The contract for the needs of the lead agency will be awarded to the lowest responsible bidder, and a master contract for the registered members who have submitted estimates will be awarded to the next lowest bidder whose bid agrees to extend.

Bid prices may be extended to registered members who have not submitted estimates prior to the advertisement for bids with the written approval of the lead agency and the contractor.

THE COUNTY RESERVES THE RIGHT TO TERMINATE THIS AGREEMENT WITH WRITTEN NOTICE TO THE CONTRACTOR THIRTY (30) DAYS PRIOR TO SUCH ACTION.


Initial

NAME OF BIDDER: The Sherwin-Williams Company

1.0 **GENERAL REQUIREMENTS**

ALL products shall conform to:
New Jersey and New York City VOC requirements

Exact Compliance YES *NO

*Deviation _____

Requirements set forth 1989 New Jersey Department of Transportation "Standard Specifications of Road and Bridge Construction", including any subsequent revisions.

Exact Compliance YES *NO

*Deviation _____

There will be six items specified for purchase and use:

ITEM # 1 - Traffic Paint
Container size: 5 gallons
Color: Yellow
Type: Acrylic Latex, Water-Based and Lead Free

Exact Compliance YES *NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

ITEM #2 - Traffic Paint

Container size: 5 gallons

Color: White

Type: Acrylic Latex, Water-Based and Lead Free

Exact Compliance

YES

*NO

*Deviation _____

ITEM #3 - Traffic Paint

Container size: 5 gallons

Color: Black

Type: Acrylic Latex, Water-Based and Lead Free

Exact Compliance

YES

*NO

*Deviation _____

ITEM #4 - Traffic Paint

Container size: 5 gallons

Color: Blue

Type: Acrylic Latex, Water-Based and Lead Free

Exact Compliance

YES

*NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

ITEM #5 - Traffic Paint

Container size: 55 gallons

Color: Yellow

Type: Acrylic Latex, Water-Based and Lead Free

With Rhoplex Fastrack 2706 Resin with Tamol 901 Or Equal

Exact Compliance

YES

*NO

*Deviation _____

ITEM #6 - Traffic Paint

Container size: 55 gallons

Color: White

Type: Acrylic Latex, Water-Based and Lead Free

With Rhoplex Fastrack 2706 Resin with Tamol 901 Or Equal

Exact Compliance

YES

*NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 4 of 15

ALL ITEMS MUST MEET THE FOLLOWING SPECIFICATIONS UNLESS OTHERWISE NOTED.

- 2.1 **IDENTIFICATION:** Each container must bear a label with the following information thereon: Name and address of manufacturer, production batch number, date of manufacture, shipping point, trade name and/or identification number, number of gallons, contract number, use intended, directions for application and formula. All containers shall be labeled in accordance with the current code of federal regulations and shall contain all information necessary to comply with N.J.S.A. 34:5A-1, "N.J. Worker and Community Right to Know Act". Improperly labeled samples and deliveries will be rejected.

Exact Compliance

YES

*NO

*Deviation _____

- 2.2 **QUALIFICATION OF BIDDER:** No bid will be considered unless the firm submitting the bid can meet the following conditions:

- 2.2.1 That it has in operation a plant adequate for and devoted to the manufacture of the pavement marking compound that it proposes to furnish and is capable of producing batch sizes consistent with the quantities to be delivered.

Exact Compliance

YES

*NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 5 of 15

2.2.2 That it maintains a laboratory to scientifically control the product bid upon to assure accuracy and quality of formulation.

Exact Compliance

YES

*NO

*Deviation _____

2.2.3 That it has produced fast-drying material over the past three (3) years with a successful application record.

Exact Compliance

YES

*NO

*Deviation _____

2.3 **FIELD TEST:** The County of Union Division of Engineering, reserves the right to make field tests of material prior to award to determine its suitability for application in its equipment and for purposes of determining compliance with drying time requirements of this specification. Therefore, the vendor will be responsible for providing the County of Union with said material samples, prior to award, in the following quantities:

Two- 1 quart size metal friction lid containers of white paint;

Two- 1 quart size metal friction lid containers of yellow paint.

Two- 1 quart size metal friction lid container of black paint.

Two- 1 quart size metal friction lid container of blue paint.

In addition, a 3/4 inch air space shall be provided at the top of the container. No payment will be made for these samples. The County reserves the right to select the testing laboratory for the purpose of testing the samples. Upon completion of testing, the County shall forward copies of the invoices used for testing to the supplier. The supplier shall pay all invoices within ten business days from receipt.

Exact Compliance

YES

*NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 6 of 15

2.4 CERTIFICATION REQUIRED:

2.4.1 **CERTIFICATION OF AVAILABILITY:** A supplier who is not a prime manufacturer of the product being offered, must submit a notarized certificate issued by the manufacturer that the pavement marking material being offered as a sample will be available to the supplier and guarantee delivery of that type of material during the subsequent year, if required by the Division of Engineering.

Exact Compliance

YES



*NO

*Deviation _____

2.4.2 **CERTIFICATE OF COMPLIANCE:** The manufacturer shall submit a notarized Certificate of Compliance certifying that product meets all the requirements in this specification.

Exact Compliance

YES



NO

2.5 SUBMISSION OF SAMPLES AND CERTIFICATION: Certificates of Compliance and Certificate of Availability shall accompany the bid proposal.

Furnishing this certificate **will not** relieve the vendor responsibility to furnish paint in full compliance with this specification. In the event the contract material does not meet these specifications, the vendor shall be required to replace all such materials at his own expense, including handling and transportation charges, with material that does comply within 10 days after rejection.

2.6 RANDOM SAMPLES: Random field samples may be selected in order to assure conformance with this specification throughout the term of the contract.

NAME OF BIDDER: The Sherwin-Williams Company

3.0 APPLICABLE SPECIFICATIONS AND STANDARDS

3.1 GENERAL: The following specifications and publications of the issue in effect shall form a part of the specification to the extent specified herein.

3.2 FEDERAL SPECIFICATION: (Reference specification only. See Item 4 for complete test requirements.)

3.2.1 TT-P-1952b., using Tamol 901.

3.2.2 Federal Test Method Standard 141b, dated February 1, 1979. Paint, Varnish, Lacquer and related materials, Method of Inspection, Sampling and Testing.

3.2.3 TT-P-115e, June 11, 1975.

3.2.4 Current ASTM Test Methods.

4.0 DETAILED REQUIREMENTS

4.1 FORMULATION AND MANUFACTURING: The paint shall be formulated and manufactured from first grade raw materials and shall be free from defects and imperfections that might adversely affect the serviceability of the finished product. Where required, the paint shall contain the dispersant agent Tamol 901 as recommended by the Rohm and Hass Co. The paint shall not contain any of the materials listed in the Environmental Protection Agency Code of Regulations (CFR) 40, Section 261.24, Table 1. The paint shall be furnished ready for use. No additional thinner shall be added.

Exact Compliance YES ✓ *NO _____

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 8 of 15

4.2 COMPOSITION:

4.2.1 **PIGMENT:** The prime pigment for yellow paint should be a non-toxic organic pigment yellow, No. 75 or equal pre-approved by the N.J.D.O.T., with excellent exterior durability and color permanence. The prime pigment should also contain a minimum 0.2 pounds per gallon of titanium dioxide conforming to ASTM D476, Type IV, 94 percent purity.

The prime pigment for white paint should be titanium dioxide conforming to ASTM D476, Type IV, with a minimum titanium dioxide content of 94 percent and shall be used at a minimum rate of 1 pound per gallon. The percent pigment by weight of the finished product should not be less than 60 or more than 62 percent.

Exact Compliance YES *NO

*Deviation _____

4.2.2 **TOTAL SOLIDS:** The total non-volatile should be a minimum of 77.5% by weight, when tested in accordance with ASTM D2369.

Exact Compliance YES *NO

*Deviation _____

4.2.3 **VOLUME OF SOLIDS:** The finished paint are not to be less than 61 percent solids by volume.

Exact Compliance YES *NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 9 of 15

4.2.4 ISOLATED VEHICLE SOLIDS: The vehicle solids percent on vehicle are not to be less than 45% when determined by Federal Test Method Standard 141b, 100% Acrylic Emulsion.

Exact Compliance YES *NO

*Deviation _____

4.2.5 VOLATILE ORGANIC CONTENT: Under one pound per gallon maximum (120 grams per liter).

Exact Compliance YES *NO

*Deviation _____

4.2.6 VISCOSITY: The consistency of the paint is to be between 75-85 Krebs Units at 77°F when tested in accordance with ASTM D562.

Exact Compliance YES *NO

*Deviation _____

4.2.7 DRY CAPACITY: The minimum contrast ratio when drawn down with a .005 Bird applicator shall be 0.95.

Exact Compliance YES *NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 10 of 15

4.2.8 DIRECTIONAL REFLECTANCE: The daylight directional reflectance when tested in accordance with Method 6121 of Federal Test Standard 141b should be 85 percent minimum for white paint and 54 percent minimum for yellow paint.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.9 COLOR: The color of yellow, white, and black traffic paint is to match color No.33538 , No. 37886, and No. 37038 respectively, of the latest edition of Federal Standard No. 595A.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.10 WEIGHT PER GALLON: The weight of the finished paint should be 14 pounds plus or minus 0.2 pounds.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.11 FLEXIBILITY: The paint should show no cracking or flaking when tested in accordance with Federal Specification TT-P-1952b, Section 4.3.7.

Exact Compliance YES _____ *NO _____

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 11 of 15

4.2.12 BLEEDING: The paint should have a minimum bleeding ratio of 0.97 when tested in accordance with Federal Specification TT-P-1952b, Section 4.5.13. The asphalt saturated felt is to conform to Federal Specification HH-R-590.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.13 ABRASION RESISTANCE: No less than 210 liters of sand should be required for removal of the paint film when tested in accordance with TT-P-1952b, Section 4.3.8.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.14 WET ADHESION: Over 5000 cycles when tested in accordance with Federal Specification TT-P-1511A, Paragraph 4.3.9.2.

Exact Compliance YES _____ *NO _____

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 12 of 15

4.2.15 SHELF LIFE: All paint furnished should have a minimum shelf life of 9 months at temperatures above 35 degrees F. When tested, the paint should conform to the physical requirement specified herein. In addition, the paint should show no skinning, gelling or hardening on the surface, nor hard settling upon storage in the sealed containers, that will affect the performance of the product.

Exact Compliance YES *NO

*Deviation _____

4.2.16 FREEZE-THAW STABILITY: When tested in accordance with TT-P-1952b, Section 4.5.7, the paint should not show coagulation or change in consistency greater than 5 Krebs Units.

Exact Compliance YES *NO

*Deviation _____

4.2.17 STATIC HEAT STABILITY: When tested in accordance with TT-P-1952b, Section 4.5.8, the paint should show no coagulation, discoloration, or change in consistency greater than plus or minus 5 Krebs Units.

Exact Compliance YES *NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

4.2.18 GASOLINE RESISTANCE: Apply the paint on a clean glass plate at a wet film thickness of .0015 inches and allow to dry in a horizontal position at standard conditions for seventy-two (72) hours. Immerse one-half of the painted panel in unleaded gasoline at 25°C (±) 1°C. After eighteen (18) hours, remove the panel and allow to dry for two (2) hours at standard conditions. The paint film should not soften, blister, wrinkle, or lose adhesion.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.19 GRIND: The grind should not be less than 2 Hegman when tested in accordance with Federal Test Standards No. 141b, Method 4411.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.20 DRYING TIME: Field no-tracking time: The paint should dry to a no-tracking condition under traffic in 120 seconds maximum when the ambient temperature is 77° F and when applied at 14-16 mils wet film thickness and at 140° F with six pounds per gallon of glass beads.

A line showing no visual deposition of the paint to the pavement surface when viewed from a distance of fifty (50) feet to be considered non-tracking and conforming to the requirement for field drying conditions.

Exact Compliance YES _____ *NO _____

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages
Page 14 of 15

4.2.21 WATER RESISTANCE: The paint should conform to federal specification TT-P-1952b, Section 4.5.6. There should be no blistering or appreciable loss of adhesion, softening, or other deterioration after examination.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.22 DILUTION TEST: The paint should be capable of dilution with water at all levels without curdling or precipitation such that the wet paint can be readily cleaned up with only water.

Exact Compliance YES _____ *NO _____

*Deviation _____

4.2.23 DRY THROUGH (EARLY WASHOUT): The "dry through" time of a 15 mil wet film placed immediately in a humidity chamber maintained at 72.5 plus or minus 2.5 degrees F and 90 plus or minus 5 percent relative humidity to be within 2 hours of the department laboratory reference film when tested in accordance with ASTM D1640, except that the pressure exerted should be the minimum needed to maintain contact with the thumb and film.

Exact Compliance YES _____ *NO _____

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

Compliance Pages

Page 15 of 15

4.2.24 COLOR APPEARANCE AFTER AGING: The white, and black paint should show no more than slight discoloration and the yellow paint should be within the limits of the color tolerance chart for standard highway yellow, after accelerated weathering in accordance with Federal Specification TT-P-115d, Section 3.5.9.1.

Exact Compliance YES ✓ *NO

*Deviation _____

5.0 PACKAGING

The paint is to be shipped in five (5) gallon plastic containers or fifty-five (55) gallon returnable drums, in compliance with the code of Federal Regulations, Revised 1-70.

The 55 gallon drums should be new metal, 17H, 18 gauge metal for body and bottom head sheet, and have welded side seams. The drums should be of the open end type. All containers, after being filled, shall be closed with tight fitting covers that will assure leak-proof seals. The removable top head sheet should be 14 gauge; 16 gauge is authorized provided there are one or more corrugations in the cover near the periphery.

The 55 gallon drums should be coated on the inside of the body and head sheets with a lacquer type rust inhibiting coating, free of pin holes, scratches, or other defects that may allow contamination of the paint from corrosion of the container.

Exact Compliance YES ✓ *NO

*Deviation _____

NAME OF BIDDER: The Sherwin-Williams Company

6.0 INSPECTION

All delivered paint will be subject to a detailed laboratory analysis. If material does not comply with specifications, it will be returned to the vendor at their expense.

7.0 RECYCLING

The vendor shall, at no expense to the County of Union, be responsible for the recycling of all paint containers, including the pick-up and transport of empty drums regardless of the number of trips required within two weeks of request by the County. The County will contact the vendor to schedule pick-ups when drums are ready to be transported. There shall be no time restriction imposed by the vendor on the County for picking up containers.

8.0 PAYMENT

The Vendor shall not be paid for freight and/or delivery charges for either the original order or the supplemental order.

Payment to vendor is to be made within forty-five (45) days after the receipt of vendor's invoice and a signed County voucher attesting to the delivery of the goods and services by some officer or duly designated employee of the using County entity and after approval of the appropriate department head. The vendor shall prepare invoices and shall submit them to the office/designated employee of the using county entity.

Nothing contained in any of the bid documents shall be construed to guarantee or warrant an amount of the commodity that the County shall purchase. The quantities set forth herein constitute either historic information or estimates of future needs and may not be indicative of the actual quantities to be used in the future.

SECTION 1

ESTIMATED QUANTITIES FOR UNION COUNTY

ITEM # 1 100 – 5 gallon pails – Yellow

ITEM # 2 100 - 5 gallon pails – White

ITEM # 3 10 – 5 gallon pails – Black

ITEM # 4 10 – 5 gallon pails – Blue

ITEM # 5 50 – 55 gallon drums – Yellow

ITEM # 6 15 – 55 gallon drums – White

SECTION 2

ESTIMATED QUANTITIES FOR COOPERATIVE MEMBERS AS PER SPECIFICATIONS.

1. BERKELEY HEIGHTS

29 PARK AVE
BERKELEY HEIGHTS NJ 07922

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 25
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 48
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 5
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 5

2. TOWNSHIP OF CLARK

430 WESTFIELD AVENUE
CLARK NJ 07066

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 5
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 2
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 2

3. TOWNSHIP OF CRANFORD

8 SPRINGFIELD AVE
CRANFORD NJ 07016

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 30
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 40
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 1
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 1

4. CITY OF ELIZABETH

50 WINFIELD SCOTT PLACE
ELIZABETH NJ 07201

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 50
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 50
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 10
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 10

5. BOROUGH OF FANWOOD

75 NO MARTINE AVENUE
FANWOOD NJ 07023

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 40
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 40

SECTION 2

ESTIMATED QUANTITIES FOR COOPERATIVE MEMBERS AS PER SPECIFICATIONS.

6. **BOROUGH OF GARWOOD**
403 SOUTH AVENUE
GARWOOD NJ 07027

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 6
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 6

7. **BOROUGH OF KENILWORTH**
567 BOULEVARD
KENILWORTH NJ 07033

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 60
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 120
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 0
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 10

8. **CITY OF LINDEN**
302 N. WOOD AVE
LINDEN NJ 07036

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 60
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 20
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 4
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 4

9. **TOWNSHIP OF MAPLEWOOD**
574 VALLEY STREET
MAPLEWOOD NJ 07040

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 10
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 5
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 5

10. **TOWNSHIP OF SCOTCH PLAINS**
430 PARK AVE
SCOTCH PLAINS NJ 07076

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 16
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 32
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 0
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 10

SECTION 2

ESTIMATED QUANTITIES FOR COOPERATIVE MEMBERS AS PER SPECIFICATIONS.

11. **TOWNSHIP OF SPRINGFIELD**
100 MOUNTAIN AVE.
SPRINGFIELD NJ 07081

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 12
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 12
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 2
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 1

12. **CITY OF SUMMIT**
512 SPRINGFIELD AVE
SUMMIT NJ 07901

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 60
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 60
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 0
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 4

13. **TOWNSHIP OF UNION**
1 SWANSTROM PLACE
UNION NJ 07083

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 10
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 20
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 5



COUNTY OF UNION
BID SUBMISSION CHECKLIST

TRAFFIC PAINT
BA# UCCP 37-2017

1. Bid Form Page(s)
2. Bidder Signature Page – *follow instructions and fill out completely*
3. Stockholder Disclosure Certification (2 pages) - *fill out completely and notarize*
4. Non-Collusion Affidavit – *fill out completely and notarize*
5. Affirmative Action Requirement
6. Americans with Disabilities Form
7. Disclosure of Investment Activities in Iran
8. Copy of a State of New Jersey **Business Registration Certificate (“BRC”)** issued in the company name of the bidder and in the names of any subcontractors, if applicable
9. Extension Form for Union County Cooperative Contract Purchasing System
10. Compliance Pages
11. Certificate of Availability
12. Certificate of Compliance
13. Proof of Compliance from NJ & NY VOC & NJDOT
13. Addenda Receipt Form – ONLY INCLUDE IF ADDENDA(S) WERE RECEIVED

Each bidder should complete this form, initial each entry, sign and date at the bottom and submit with bid.

NAME OF BIDDER The Sherwin-Williams Company

DATE 5/30/17