

## COUNTY OF UNION

The purpose and intent of this public bid is the acquisition for the County of Union of a reputable and experience vendor who can furnish and deliver **Traffic Paint** to various locations in Union County as per the following specifications.

In addition, please be advised that the work, materials or supplies requested in the specifications are being obtained through the County of Union cooperative pricing system approved and registered with the State of New Jersey. (State of N.J. Identifier #8-UCCP) The County of Union is the Lead Agency in the System and there are a number of governmental agencies participating in this contract. The specifics of which governmental agencies are seeking what quantities are listed elsewhere in these specifications.

The cooperative pricing system is a straightforward arrangement. The County of Union advertises for and receives bids for its self and on behalf of all participating contracting units. Following the receipt of bids, the County of Union reviews said bids and upon certifying a lowest responsible and responsive bidder makes an award of a master contract for the County of Union alone. The County of Union shall enter into a formal written contract directly with the successful bidder only after it has certified the funds available for its own needs.

After recommendation of award of the County master contract by the using department of the County, the cooperative members will be provided the bid proposal information and decide individually whether or not to contract with the lowest responsible and responsive bidder subject to the specifications and prices set forth in the cooperative bid.

Each participating cooperative member shall also certify the funds available only for its own needs; meet any and all statutory requirements of the Local Public Contract Law & Rules; issue purchase orders in its own name directly to successful bidder; accept its own deliveries; be invoiced by and receive statements from the successful bidder; make payments directly to the successful bidder, and be responsible for any tax liability.

No participating contracting unit in the Cooperative Pricing System shall be responsible for payment for any items ordered or for performance generally, by any other participating contracting unit. Each participating contracting unit shall accordingly be liable only for its own performance and for items ordered and received by it and none assumes any additional responsibility or liability.

Bid price shall be firm for the duration of the 24 consecutive months of the contract. Contracts will be awarded to the bidder with the lowest bid price.

## SPECIFICATIONS

**INTENT:** It is the purpose and intent of this specification to provide for the purchase and delivery of **TRAFFIC PAINT** for the County of Union (The County) for a 24 month period. The County has evaluated different types of **TRAFFIC PAINT** and has determined that a product blended with the specified ingredients and constitution is best suited for the needs of the County pertaining to safety, quality, performance, and long term operational costs. This specification is not to be interpreted as restrictive, but rather as a measure of the safety, quality and performance against which all bids will be compared. The County reserves the right to reject any or all bids or any part thereof, and to waive any minor technicalities.

**EQUIVALENT PRODUCT:** Bids will be accepted for consideration on any make or model that is equal to or superior to the **TRAFFIC PAINT** specified. Further, equivalent products for all ingredients carrying a brand name will also be considered. Variations of any features of a proposed equivalent product from the features of any specified brand name may be acceptable if judged to be in the best interest of The County. Decisions of equivalency will be at the sole interpretation of the The County. A blanket statement that products proposed will meet all requirements will not be sufficient to establish equivalence. Brochures published by the original manufacturer of the proposed product should be submitted with the proposal. Bidder must be prepared to demonstrate a product similar to the one proposed, post bid.

**STANDARD:** The specification herein states the minimum requirements of The County. Unauthorized conditions, limitations, or provisions will be cause for rejection. The County may consider as “irregular” or “non-responsive” and reject any bid not prepared and submitted in accordance with the bid document and specification, or any bid lacking sufficient technical literature to enable The County to make a reasonable determination of compliance to the specification. It will be the bidder’s responsibility to carefully examine each item of the specification. Failure to offer a completed bid or failure to respond to each section of the technical specification (COMPLY: YES/NO) will cause the proposal to be rejected without review as “non-responsive”. All variances, exceptions and/or deviations should be fully described in the appropriate section.

**OPEN END CONTRACT:** Please not that ensuing contract is intended to be an open end contract as allowed under N.J.A.C. 5:30 et seq. and, in accordance with the rules, the minimum number set on the bid for each item shall be zero (0) and the maximum shall be number on the bid page listed for each item.

Nothing contained in any of the bid documents shall be construed to guarantee or warrant an amount of the commodity that the County shall purchase. The quantities set forth herein constitute either historic information or estimate of future needs and may not be indicative of the actual quantities to be used in the future.

**AWARD OF CONTRACT:** Contract shall be awarded by Grand Total. Bidders must bid all items to be considered.

**PAYMENT TO VENDOR:** Payment to vendor is to be made within forty-five (45) days after the receipt of vendor’s invoice and a signed County voucher attesting to the delivery of the goods and services by some officer or duly designated employee of the using County entity and after approval of the appropriate department head. The vendor shall prepare invoices and shall submit them to the office/designated employee of the using county entity.

The vendor will not provide any goods and/or services without a valid and current purchase order from the County unit indicating account number and encumbrance.

**OTHER:** The unit price shall include freight and/or delivery charges. There shall be no minimum purchase obligation on the part of the County or the cooperative members.

Any questions regarding the bid can be emailed to [ucbids@ucnj.org](mailto:ucbids@ucnj.org) or faxed to the Division of Purchasing, clearly marked with the BID # and BID NAME, at (908) 558-2548. If necessary, the Purchasing Director will then issue a clarification.

**1.0 GENERAL REQUIREMENTS**

ALL products shall conform to:  
New Jersey and New York City VOC requirements

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

Requirements set forth 1989 New Jersey Department of Transportation "Standard Specifications of Road and Bridge Construction", including any subsequent revisions.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

There will be six items specified for purchase and use:

**ITEM # 1 - Traffic Paint**

**Container size: 5 gallons**  
**Color: Yellow**  
**Type: Acrylic Latex, Water-Based and Lead Free**

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 2 of 15

**ITEM #2 - Traffic Paint**

**Container size: 5 gallons**

**Color: White**

**Type: Acrylic Latex, Water-Based and Lead Free**

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**ITEM #3 - Traffic Paint**

**Container size: 5 gallons**

**Color: Black**

**Type: Acrylic Latex, Water-Based and Lead Free**

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**ITEM # 4 - Traffic Paint**

**Container size: 5 gallons**

**Color: Blue**

**Type: Acrylic Latex, Water-Based and Lead Free**

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER: \_\_\_\_\_**

**Compliance Pages**

Page 3 of 15

**ITEM #5 - Traffic Paint**

**Container size: 55 gallons**

**Color: Yellow**

**Type: Acrylic Latex, Water-Based and Lead Free**

**With Rhoplex Fastrack 2706 Resin with Tamol 901 Or Equal**

Exact Compliance

YES \_\_\_\_\_

\*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**ITEM #6 - Traffic Paint**

**Container size: 55 gallons**

**Color: White**

**Type: Acrylic Latex, Water-Based and Lead Free**

**With Rhoplex Fastrack 2706 Resin with Tamol 901 Or Equal**

Exact Compliance

YES \_\_\_\_\_

\*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER: \_\_\_\_\_**

**Compliance Pages**

**ALL ITEMS MUST MEET THE FOLLOWING SPECIFICATIONS UNLESS OTHERWISE NOTED.**

1.1 **IDENTIFICATION:** Each container must bear a label with the following information thereon: Name and address of manufacturer, production batch number, date of manufacture, shipping point, trade name and/or identification number, number of gallons, contract number, use intended, directions for application and formula. All containers shall be labeled in accordance with the current code of federal regulations and shall contain all information necessary to comply with N.J.S.A. 34:5A-1, "N.J. Worker and Community Right to Know Act". Improperly labeled samples and deliveries will be rejected.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1.2 **QUALIFICATION OF BIDDER:** No bid will be considered unless the firm submitting the bid can meet the following conditions:

1.2.1 That it has in operation a plant adequate for and devoted to the manufacture of the pavement marking compound that it proposes to furnish and is capable of producing batch sizes consistent with the quantities to be delivered.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1.2.2 That it maintains a laboratory to scientifically control the product bid upon to assure accuracy and quality of formulation.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 5 of 15

1.2.3 That it has produced fast-drying material over the past three (3) years with a successful application record.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

1.3 **FIELD TEST:** The County of Union Division of Engineering, reserves the right to make field tests of material prior to award to determine its suitability for application in its equipment and for purposes of determining compliance with drying time requirements of this specification. Therefore, the vendor will be responsible for providing the County of Union with said material samples, prior to award, in the following quantities:

- Two- 1 quart size metal friction lid containers of **white** paint;
- Two- 1 quart size metal friction lid containers of **yellow** paint.
- Two- 1 quart size metal friction lid container of **black** paint.
- Two- 1 quart size metal friction lid container of **blue** paint.

In addition, a 3/4 inch air space shall be provided at the top of the container. No payment will be made for these samples. The County reserves the right to select the testing laboratory for the purpose of testing the samples. Upon completion of testing, the County shall forward copies of the invoices used for testing to the supplier. The supplier shall pay all invoices within ten business days from receipt.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_



**Compliance Pages**

Page 6 of 15

**1.4 CERTIFICATION REQUIRED:**

**1.4.1 CERTIFICATION OF AVAILABILITY:** A supplier who is not a prime manufacturer of the product being offered, must submit a notarized certificate issued by the manufacturer that the pavement marking material being offered as a sample will be available to the supplier and guarantee delivery of that type of material during the subsequent year, if required by the Division of Engineering.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**1.4.2 CERTIFICATE OF COMPLIANCE:** The manufacturer shall submit a notarized Certificate of Compliance certifying that product meets all the requirements in this specification.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**1.5 SUBMISSION OF SAMPLES AND CERTIFICATION: Certificates of Compliance and Certificate of Availability shall accompany the bid proposal.**

Furnishing this certificate **will not** relieve the vendor responsibility to furnish paint in full compliance with this specification. In the event the contract material does not meet these specifications, the vendor shall be required to replace all such materials at his own expense, including handling and transportation charges, with material that does comply within 10 days after rejection.

**1.6 RANDOM SAMPLES: Random field samples may be selected in order to assure conformance with this specification throughout the term of the contract.**

**NAME OF BIDDER:** \_\_\_\_\_



**Compliance Pages**

Page 8 of 15

**3.2 COMPOSITION:**

**3.2.1 PIGMENT:** The prime pigment for **yellow paint** should be a non-toxic organic pigment yellow, No. 75 or equal pre-approved by the N.J.D.O.T., with excellent exterior durability and color permanence. The prime pigment should also contain a minimum 0.2 pounds per gallon of titanium dioxide conforming to ASTM D476, Type IV, 94 percent purity.

The prime pigment for **white paint** should be titanium dioxide conforming to ASTM D476, Type IV, with a minimum titanium dioxide content of 94 percent and shall be used at a minimum rate of 1 pound per gallon. The percent pigment by weight of the finished product should not be less than 60 or more than 62 percent.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**3.2.2 TOTAL SOLIDS:** The total non-volatile should be a minimum of 77.5% by weight, when tested in accordance with ASTM D2369.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**3.2.3 VOLUME OF SOLIDS:** The finished paint are not to be less than 61 percent solids by volume.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 9 of 15

3.2.4 ISOLATED VEHICLE SOLIDS: The vehicle solids percent on vehicle are not to be less than 45% when determined by Federal Test Method Standard 141b, 100% Acrylic Emulsion.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3.2.5 VOLATILE ORGANIC CONTENT: Under one pound per gallon maximum (120 grams per liter).

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3.2.6 VISCOSITY: The consistency of the paint is to be between 75-85 Krebs Units at 77°F when tested in accordance with ASTM D562.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3.2.7 DRY CAPACITY: The minimum contrast ratio when drawn down with a .005 Bird applicator shall be 0.95.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 10 of 15

3.2.8 DIRECTIONAL REFLECTANCE: The daylight directional reflectance when tested in accordance with Method 6121 of Federal Test Standard 141b should be 85 percent minimum for white paint and 54 percent minimum for yellow paint.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.9 COLOR: The color of yellow, white, and black traffic paint is to match color No.33538 , No. 37886, and No. 37038 respectively, of the latest edition of Federal Standard No. 595A.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.10 WEIGHT PER GALLON: The weight of the finished paint should be 14 pounds plus or minus 0.2 pounds.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.11 FLEXIBILITY: The paint should show no cracking or flaking when tested in accordance with Federal Specification TT-P-1952b, Section 4.3.7.

Exact Compliance YES \_\_\_\_\_ \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 11 of 15

3.2.12 BLEEDING: The paint should have a minimum bleeding ratio of 0.97 when tested in accordance with Federal Specification TT-P-1952b, Section 4.5.13. The asphalt saturated felt is to conform to Federal Specification HH-R-590.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.13 ABRASION RESISTANCE: No less than 210 liters of sand should be required for removal of the paint film when tested in accordance with TT-P-1952b, Section 4.3.8.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.14 WET ADHESION: Over 5000 cycles when tested in accordance with Federal Specification TT-P-1511A, Paragraph 4.3.9.2.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 12 of 15

3.2.15 **SHELF LIFE:** All paint furnished should have a minimum shelf life of 9 months at temperatures above 35 degrees F. When tested, the paint should conform to the physical requirement specified herein. In addition, the paint should show no skinning, gelling or hardening on the surface, nor hard settling upon storage in the sealed containers, that will affect the performance of the product.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3.2.16 **FREEZE-THAW STABILITY:** When tested in accordance with TT-P-1952b, Section 4.5.7, the paint should not show coagulation or change in consistency greater than 5 Krebs Units.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

3.2.17 **STATIC HEAT STABILITY:** When tested in accordance with TT-P-1952b, Section 4.5.8, the paint should show no coagulation, discoloration, or change in consistency greater than plus or minus 5 Krebs Units.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_

**Compliance Pages**

Page 13 of 15

**3.2.18 GASOLINE RESISTANCE:** Apply the paint on a clean glass plate at a wet film thickness of .0015 inches and allow to dry in a horizontal position at standard conditions for seventy-two (72) hours. Immerse one-half of the painted panel in unleaded gasoline at 25°C ( $\pm$ ) 1°C. After eighteen (18) hours, remove the panel and allow to dry for two (2) hours at standard conditions. The paint film should not soften, blister, wrinkle, or lose adhesion.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**3.2.19 GRIND:** The grind should not be less than 2 Hegman when tested in accordance with Federal Test Standards No. 141b, Method 4411.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**3.2.20 DRYING TIME: Field no-tracking time:** The paint should dry to a no-tracking condition under traffic in 120 seconds maximum when the ambient temperature is 77° F and when applied at 14-16 mils wet film thickness and at 140° F with six pounds per gallon of glass beads.

A line showing no visual deposition of the paint to the pavement surface when viewed from a distance of fifty (50) feet to be considered non-tracking and conforming to the requirement for field drying conditions.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF BIDDER:** \_\_\_\_\_



**Compliance Pages**  
Page 14 of 15

3.2.21 WATER RESISTANCE: The paint should conform to federal specification TT-P-1952b, Section 4.5.6. There should be no blistering or appreciable loss of adhesion, softening, or other deterioration after examination.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.22 DILUTION TEST: The paint should be capable of dilution with water at all levels without curdling or precipitation such that the wet paint can be readily cleaned up with only water.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

3.2.23 DRY THROUGH (EARLY WASHOUT): The "dry through" time of a 15 mil wet film placed immediately in a humidity chamber maintained at 72.5 plus or minus 2.5 degrees F and 90 plus or minus 5 percent relative humidity to be within 2 hours of the department laboratory reference film when tested in accordance with ASTM D1640, except that the pressure exerted should be the minimum needed to maintain contact with the thumb and film.

Exact Compliance                      YES \_\_\_\_\_                      \*NO \_\_\_\_\_

\*Deviation \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_



**5.0 INSPECTION**

All delivered paint will be subject to a detailed laboratory analysis. If material does not comply with specifications, it will be returned to the vendor at their expense.

**6.0 RECYCLING**

The vendor shall, at no expense to the County of Union, be responsible for the recycling of all paint containers, including the pick-up and transport of empty drums regardless of the number of trips required within two weeks of request by the County. The County will contact the vendor to schedule pick-ups when drums are ready to be transported. There shall be no time restriction imposed by the vendor on the County for picking up containers.

**7.0 OTHER**

The quantities specified are derived from historical purchasing records of the County and the respective cooperative members and are given for the information of the bidder and the purpose of bid evaluation. The bidder should understand the quantities estimated in these specifications are in no way guaranteed as minimum or maximum quantities.

SECTION II

**ESTIMATED QUANTITIES FOR COOPERATIVE MEMBERS AS PER SPECIFICATIONS.**

1. **TOWNSHIP OF CLARK**  
430 WESTFIELD AVENUE  
CLARK NJ 07066

ITEM # 1      YELLOW      5 GALLON PAIL                      QUANTITY: 10

2. **CITY OF ELIZABETH**  
50 WINFIELD SCOTT PLACE  
ELIZABETH NJ 07201

ITEM # 1      YELLOW      5 GALLON PAIL                      QUANTITY: 125  
ITEM # 2      WHITE        5 GALLON PAIL                      QUANTITY: 50  
ITEM # 3      BLACK         5 GALLON PAIL                      QUANTITY: 5  
ITEM # 4      BLUE          5 GALLON PAIL                      QUANTITY: 10

3. **BOROUGH OF FANWOOD**  
75 NO MARTINE AVENUE  
FANWOOD NJ 07023

ITEM # 1      YELLOW      5 GALLON PAIL                      QUANTITY: 40  
ITEM # 2      WHITE        5 GALLON PAIL                      QUANTITY: 40

4. **BOROUGH OF GARWOOD**  
403 SOUTH AVENUE  
GARWOOD NJ 07027

ITEM # 1      YELLOW      5 GALLON PAIL                      QUANTITY: 20  
ITEM # 2      WHITE        5 GALLON PAIL                      QUANTITY: 20

5. **TOWNSHIP OF HILLSIDE**  
274 HILLSIDE AVENUE  
HILLSIDE, NJ 07205

ITEM # 1      YELLOW      5 GALLON PAIL                      QUANTITY: 40  
ITEM # 2      WHITE        5 GALLON PAIL                      QUANTITY: 30

SECTION II

ESTIMATED QUANTITIES FOR COOPERATIVE MEMBERS AS PER SPECIFICATIONS

6. **BOROUGH OF KENILWORTH**  
567 BOULEVARD  
KENILWORTH NJ 07033

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 20
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 70
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 5
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 5

7. **BOROUGH OF NEW PROVIDENCE**  
360 ELKWOOD AVENUE  
NEW PROVIDENCE NJ

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 10
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 10

8. **TOWNSHIP OF SPRINGFIELD**  
100 MOUNTAIN AVENUE  
SPRINGFIELD NJ 07081

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 10
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 10
ITEM # 3	BLACK	5 GALLON PAIL	QUANTITY: 2
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 1

9. **CITY OF SUMMIT**  
512 SPRINGFIELD AVENUE  
SUMMIT, NJ 07901

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 25
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 25
ITEM # 4	BLUE	5 GALLON PAIL	QUANTITY: 2

10. **PARKING AUTHORITY OF THE CITY OF ELIZABETH**  
233 COMMERCE PLACE  
ELIZABETH, NJ 07201

ITEM # 1	YELLOW	5 GALLON PAIL	QUANTITY: 20
ITEM # 2	WHITE	5 GALLON PAIL	QUANTITY: 5