



COUNTY OF UNION
BID SUBMISSION CHECKLIST
FORESTRY TRUCK
BA 4-2018

- _____ 1. Bid Form Page(s)
- _____ 2. Bidder Signature Page – *follow instructions and fill out completely*
- _____ 3. Statement of Ownership (4 pages) – *fill out completely and notarize*
- _____ 4. Non-Collusion Affidavit – *fill out completely and notarize*
- _____ 5. Affirmative Action Requirement
- _____ 6. Americans with Disabilities Form
- _____ 7. Disclosure of Investment Activities in Iran
- _____ 8. Copy of a State of New Jersey **Business Registration Certificate (“BRC”)** issued in the company name of the bidder and in the names of any subcontractors, if applicable
- _____ 9. Warranty
- _____ 10. Vehicle Manufacturer’s Statement of Acknowledgement
- _____ 11. Authorized Dealer Proof
- _____ 12. New Jersey State Diesel Emissions Certificate
- _____ 13. Federal DOT Inspection Certificate
- _____ 14. Map
- _____ 15. NJ Motor Vehicle Commission License
- _____ 16. Addenda Receipt Form – **ONLY INCLUDE IF ADDENDA(S) WERE RECEIVED**

Each bidder should complete this form, initial each entry, sign and date at the bottom and submit with bid.

NAME OF BIDDER: _____ DATE: _____

COUNTY OF UNION

Invitation to Bid

SEALED BIDS will be received by the Director of the Division of Purchasing of the County of Union, New Jersey or her designee on **January 18, 2018** at **2:30 p.m.** prevailing time in the **3rd Floor Conference Room**, U.C. Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey for:

FORESTRY TRUCK BA# 4-2018

in accordance with the specifications and forms of the bid packages furnished by the Division of Purchasing. The County reserves the right to reject any and all bids and to waive any and all informalities in the bid.

Bids shall be submitted in a sealed envelope and clearly marked with the subject of the bid, name and address of the bidder, phone & fax number, and date of the bid opening. Each bid must be delivered to reach the Division of Purchasing prior to the stated time of the opening of the bids. The County will not be responsible for late delivery by the U.S. Mail or any other carrier. If hand delivered, please note that parking and security access at the County Complex may cause delays and bidders should take them into consideration in order to submit a timely bid. **No** late bids will be accepted.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et. seq. and N.J.A.C. 17:27.

Bid packages may be obtained by registering and downloading at <http://ucnj.org/bid-specs> or in person from the Division of Purchasing (3rd floor), Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey or via U.S. Mail per request. Fax requests for bid packages to 908-558-2548 or call 908-527-4130.

Laura M. Scutari, Director of Purchasing.

**UNION COUNTY BOARD
OF CHOSEN FREEHOLDERS**

We're Connected to You!

GENERAL SPECIFICATIONS

Revised 10/06/14
Commodities

1. RECEIPT OF BIDS

The Division of Purchasing will receive sealed bids for this work at the Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey 07207 on the date and time and in the room noted on the sheet marked "Notice to Bidders".

Bids for this work should be enclosed in a sealed envelope addressed to the Purchasing Division, County of Union, New Jersey, Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey 07207, with the full name of the bid and the bid opening date and time clearly marked on the outside. Any outer shipping container must be marked in the same way. Refer to the sheet marked "Notice to Bidders" for the correct name of the bid and the bid opening date.

The County will not assume responsibility for bids forwarded by U.S. mail or any other delivery service. It is the bidder's responsibility to see that the bids are presented to the Purchasing Division at the time and place designated. Under no circumstances will a bid be accepted after the time designated for the bid opening.

All Bid Form pages are to be filled out with a typewriter or pen and ink. The bidder in ink must initial erasures or alterations. Bid prices will be accepted only on the Bidding Sheet supplied. Unit prices and totals must be inserted in the space provided. In the event of a discrepancy between the unit price given and the extended total, the unit price shall govern.

All delivery costs (FOB: Union County Ship To Address) shall be included in the total bid prices, unless the bid specifications specifically state otherwise.

Alternate bids will not be accepted unless specifically requested.

N.J.S.A. 54:32B-1 et seq. exempts all materials sold to the County of Union from sales or use taxes and these should not be included in the prices provided on the Bidding Sheet.

The Bidder's Signature Page, Non-Collusion Affidavit, and Bidder's Disclosure Statement must be completely filled out and submitted in the sealed bid. If specified, Equipment Statement, Experience Statement, Bid Bond, Consent of Surety, N.J. Public Works Contractor's Registration Certificate, a State of New Jersey Department of the Treasury Business Registration Certificate and List of Subcontractors must also be included in the sealed bid. Refer to the Bid Document Submission Checklist for all required documents.

Bidders shall be required to furnish their literature and or samples where feasible and specifications of the items proposed to be supplied along with the sealed bid.

2. BID AND PERFORMANCE GUARANTEE

If specified, each bidder must furnish a guarantee in the form of a Bid Bond, Certified Check or Bank Cashier's Check in the required amount as specified on the Bid Document Submission Checklist page. Checks shall be drawn to the order of the County of Union, New Jersey.

If specified, each bidder must furnish with the bid, the Consent of Surety form signed by a Surety Company stating that if the bid is accepted the Surety Company which provides the Consent shall be required to furnish a Performance Bond in the amount as specified on the Bid Document Submission Checklist page. Such Surety Company will provide the Contractor with Bonds guaranteeing the faithful performance of the work in accordance with the specifications, and the payment for labor, materials, and all other indebtedness which may accrue on the account of this work. The Performance Bond will be required at the time of the signing of the Contract and will be written by a firm authorized to issue the bonds under the laws of the State of New Jersey and be in a form acceptable to the County Counsel. The County of Union has provided its Consent of Surety form for your use. The use of this form by your Surety Company will expedite the bid review process and eliminate the possibility of having your bid rejected. If, however, you should need to use another form, please use language similar to that used on the Union County form and avoid making any additions or deletions to the Union County form language. The Performance Bond will have a term equal to the entire contract period. In lieu of the Consent of Surety, the Bidder **MAY** submit a Certified Check for the required amount

The County will return all bid guarantees after the bids have been opened, read, tabulated and checked except those of the three (3) bidders whose bids are considered the lowest, responsible, responsive bids. The bid guarantees of the low three (3) bidders will be returned within ten (10) days of the date of the award of the contract.

If the successful bidder refuses or neglects to sign the said Agreement and/or fails to furnish the required performance bond, the Surety of such bidder will be held and used by the County as liquidated damages for such refusal or neglect.

3. QUALIFICATION OF BIDDERS

The County of Union **MAY** make such investigation, as it deems necessary to determine the ability of bidder to perform the work. The County of Union reserves the right to reject any bid if investigation of such bidder fails to satisfy the County of Union that such bidder is properly qualified to carry out obligations of Contract, and to complete work contemplated therein.

Bidders are required to submit the names and addresses of the officers or principals of the Corporation, firm or partnership submitting a proposal or bid. Failure to comply will result in the rejection of such bid as non-responsive.

The County of Union has the right to reject any and all bids from any bidder that is in, or contemplates bankruptcy of any chapter or nature. Said bidder shall notify the County, in writing, of any condition or knowledge of the same.

4. RESERVATIONS

The County reserves the right to reject any or all bids and also reserves the right to waive any non-material defects in the bids received. The contractor shall not assign, transfer, convey, sublet or otherwise dispose of the contract or any part thereof to anyone without the written consent of the County of Union, New Jersey.

5. AWARD AND EXECUTION OF CONTRACTS

The County of Union, in accordance with N.J.S.A. 40A:11-24, shall award the contract or reject all bids within 60 days; except that the bids of any bidders who consent thereto **MAY**, at the request of the County be held for consideration for such longer periods as may be agreed.

When two or more low bids are equal in all respects, awards will be made according to the provisions of N.J.S.A 40A:11-6.1(d).

6. BRAND NAMES

Whenever an item specified by manufacturer's model number, brand or trade name, it is understood that such description is only for the purpose of defining the level of quality desired, and does not in any way restrict bidding to the named brand. Bids on other brands **MAY** be submitted by any responsible supplier, provided such brands are equal to or better than the one named in the specifications. However, the burden of proof as to the comparative quality and suitability of alternate or substitute equipment, articles or materials lies with bidder and, he shall furnish, at his own expense, all information necessary or related thereto as required by the County of Union. The County of Union shall be the sole judge as to the comparative quality and suitability of alternate or substitute equipment, articles or materials, and the decision shall be final.

The trade name(s) or brand name(s) offered must be shown on the vendor's response bid form pages.

7. PATENT CLAIMS

The successful bidder (contractor) shall protect and save the County harmless from all and every demand for damages, royalties, or fees on any patented invention used by it in connection with the supplies furnished under this contract hereunder, and it shall be the duty of the contractor, if so demanded by the County, to furnish said County with a proper legal release or indemnity from and against all such claims and any and all payments due under such contract are furnished if the County so elects.

8. PREFERENCE FOR DOMESTIC PRODUCTS

Each local unit shall provide, in the specifications for all contracts for county or municipal work or for work for which it will pay any part of the cost, or work which by contract or ordinance it will ultimately own and maintain, that only manufactured and farm products of the United States, wherever available, be used in such work.

9. INSURANCE REQUIREMENTS

Vendor shall procure and maintain at all times while the contract is in full force and effect, the following insurance coverage with an insurance company or companies acceptable to the County, with limits not less than those shown below. A Certificate of Insurance shall be filed with the County prior to commencement of the work reflecting the following:

- a) **Commercial General Liability (CGL):** Coverage for all operations including, but not limited to, contractual, products and completed operations, and personal injury with limits no less than \$1,000,000 per occurrence/\$2,000,000 aggregate. The County of Union, its Board of Chosen Freeholders, officers, employees, agents, servants and the State of New Jersey; are included as Additional Insured. The General Liability Insurance coverage is provided on primary and non-contributory basis to the County of Union, et al.
- b) **Automobile Liability:** Coverage for all owned, non-owned and hired vehicles with limits not less than \$1,000,000 per occurrence, combined single limits (CSL) or its equivalent.
- c) **Workers Compensation:** As required by the State of New Jersey and Employers Liability with limits not less than \$1,000,000 per accident for bodily injury or disease.

Where applicable, a waiver of subrogation in favor of the County of Union, its Board of Chosen Freeholders, officers, employees, agents, servants is to be included in those policies of insurance where permitted by law.

Notice of Cancellation: Each insurance policy required above shall provide that coverage shall not be canceled, except with notice to the Entity.

***Special Risks or Circumstances:** The County reserves the right to modify these requirements, including limits, based on the nature of the risk, prior experience, insurer, coverage, or other special circumstances.

10. INDEMNIFICATION REQUIREMENTS

The Supplier shall indemnify and hold harmless the County and its agents and employees from and against all claims, damages, losses and expenses, including attorney's fees, arising out of or resulting from the performance of the contract which is attributable to personal injury, including bodily injury, property damage and the loss of use resulting therefrom, or the loss of use of tangible property, which has not been physically injured or destroyed, and is caused in whole or in part by an act or omission of the Supplier, any subcontractor of the supplier, any one directly or indirectly employed by any of them or anyone for whose acts any of them may be liable.

11. NON-DISCRIMINATION

The parties to this contract do hereby agree to comply with the provisions of N.J.S.A. 10:2-1 through 10:2-4, N.J.S.A. 10:5-31 through 10:5-38, et seq. (P.L. 1975, c. 127), dealing with discrimination in employment on public contracts and the rules and regulations promulgated pursuant thereunto are hereby made a part of this contract and are binding on them. The bidder agrees that it will not discriminate against any employee who is employed in the work to be covered by any contract resulting from this bid because of color, race, creed, religion, national origin or ancestry.

12. AMERICANS WITH DISABILITIES ACT OF 1990

Discrimination on the basis of disability in contracting for the delivery of services is prohibited. Respondents are required to read the Americans with Disabilities language that is part of the documents attached hereto and agree that the provisions of Title II of the Act are made part of the contract. The contractor is obligated to comply with the Act and hold the owner harmless.

13. INVESTMENT ACTIVITIES WITH IRAN

Pursuant to P.L. 2012, c.25, codified as NJSA 52:32-55 *et seq.*, prohibits State and local public contracts with persons or entities engaging in certain investment activities in energy or finance sectors of Iran.

14. AFFIRMATIVE ACTION REQUIREMENT

REQUIRED AFFIRMATIVE ACTION EVIDENCE – General Requirements of P.L. 1975, c. 127. You are hereby put on notice that:

- A. Procurement, Professional & Service Contracts; all successful vendors must submit within seven (7) days of the notice of intent to award or the signing of the contract one of the following:
1. A photocopy of your Federal Letter of Affirmative Action Plan Approval.
 2. A photocopy of your Certificate of Employee Information Report.
 3. A completed Affirmative Action Employee Information Report (AA302).

If the successful vendor does not submit the affirmative action document within the seven (7) days, the County of Union will declare the vendor as being non-responsive and award the contract to the next lowest bidder.

15. TERMINATION OF CONTRACT

If, through any cause, the successful Supplier fails to fulfill in timely and proper manner its contractual obligations, or if the Supplier violates any of the warranties or stipulations of its contract, the County will thereupon have the right to terminate such contract by giving ten days written notice to the Supplier of such termination and cause therefore, and specifying the effective date of such termination.

In addition, Union County may terminate the Contract without cause by first giving thirty (30) days prior written notice of its intent to do so. Notice hereunder shall be deemed to have been sufficiently given if given in person to the Supplier, or sent by registered mail at the addresses specified in the Contract.

16. RIGHT TO KNOW ACT

The provisions of N.J.S.A. 34:5A-1 *et seq.* and N.J.A.C 5:89-5 *et seq.*, which require the labeling of all containers of hazardous substances are applicable to this contract. Therefore, all goods offered for purchase to the County or used by a contractor in the course of any construction, maintenance, repair or performance of a concession must be labeled and stored by the contractor in compliance with the provisions of the Act. Containers that the law and rules require to be labeled shall show the Chemical Abstracts Service number of all the components and the chemical name. Further, all applicable Material Safety Data Sheets (MSDS) aka hazardous substance fact Sheet, must be furnished.

EXHIBIT A

MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE
N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)
N.J.A.C. 17:27

GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.

In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

Letter of Federal Affirmative Action Plan Approval

Certificate of Employee Information Report

Employee Information Report Form AA302 (electronically provided by the Division and distributed to the public agency through the Division's website at www.state.nj.us/treasury/contract_compliance)

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Public Contracts Equal Employment Opportunity Compliance as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Public Contracts Equal Employment Opportunity Compliance for conducting a compliance investigation pursuant to **Subchapter 10 of the Administrative Code at N.J.A.C. 17:27.**

BUSINESS REGISTRATION CERTIFICATE

New Mandatory Requirement – Effective 1/18/2010

The recently enacted P.L. 2009, c.315, requires that effective January 18, 2010; a contracting agency must receive proof of the Proposer's business registration prior to the award of a contract. However, the proof must show that the Proposer was in fact registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

If subcontractors are named on the bid, proof of the business registration for each must be provided prior to the award of a contract. Similarly to the Proposer, the proof must show that each subcontractor was registered with the State of New Jersey Department of the treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

Proof of business registration shall be:

- A copy of a Business Registration Certificate issued by the Department of the Treasury, Division of Revenue; or
- A copy of the web printed version provided by the NJ Division of Revenue

Register online at www.nj.gov/treasury/revenue/busregcert.shtml. Click the "online" link and then select "Register for Tax and Employer Purposes or call the Division at 609-292-1730.

Note: A N.J. Certificate of Authority is not acceptable.

FAILURE to submit proof of registration of the Proposer or any subcontractor named on the bid is considered a **MANDATORY REJECTION** of bids (A **NON-WAIVABLE DEFECT**). This covers construction work as well as non-construction bids.

IN ADDITION:

The contractor shall provide written notice to all **subcontractors and suppliers** not specifically named on the bid of the responsibility to submit proof of business registration to the contractor. The requirement of proof of business registration extends down through all levels (tiers) of the project.

Before final payment on the contract is made by the contracting agency, the contractor shall submit an accurate list and the proof of business registration of each subcontractor or supplier used in the fulfillment of the contract, or shall attest that no subcontractors were used.

For the term of the contract, the contractor and each of its affiliates and a subcontractor and each of its affiliates [N.J.S.A. 52:32-44(g)(3)] shall collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the Sales and Use Tax Act on all sales of tangible personal property delivered into this State, regardless of whether the tangible personal property is intended for a contract with a contracting agency.

A business organization that fails to provide a copy of a business registration as required pursuant to section 1 of P.L.2001,c.134 (C.52:32-44 et al.) or subsection e. or f. of section 92 of P.L.1977,c.110 (C.5:12-92), or that provides false business registration information under the requirements of either of those sections, shall be liable for a penalty of \$25 for each day of violation, not to exceed \$50,000 for each business registration copy not properly provided under a contract with a contracting agency.

INTENT: It is the intent of this specification to provide for the purchase and delivery of **one (1) NEW 2017 OR NEWER 70 ft. FORESTRY TRUCK** for the County of Union (the County). The County has evaluated different types of forestry trucks and has determined that the NEW 2017 OR NEWER MACK MODEL GU 432 and all specified accessories and features is best suited for the County's needs in needs in safety, quality, performance, and long term operational costs. This specification is not to be interpreted as restrictive, but rather as a measure of the safety, quality and performance against which all bids will be compared. The COUNTY OF UNION reserves the right to reject any or all bids or any part thereof, and to waive any minor technicalities.

EQUIVALENT PRODUCT: Bids will be accepted for consideration on any make or model that is equal to or superior to the passenger vans specified. Further, equivalent products for all accessories carrying a brand name will also be considered. Variations of any features of a proposed equivalent product from the features of the specified brand name may be acceptable if judged to be in the best interest of the County. Decisions of equivalency will be at the sole interpretation of the County. A blanket statement that products proposed will meet all requirements will not be sufficient to establish equivalence. Brochures published by the original manufacturer of the proposed unit should be submitted with the proposal. Bidder must be prepared to demonstrate a unit similar to the one proposed, post bid.

STANDARD: The specification herein states the minimum requirements of the County. Unauthorized conditions, limitations, or provisions will be cause for rejection. The County may consider as "irregular" or "non-responsive" and reject any bid not prepared and submitted in accordance with the bid document and specification, or any bid lacking sufficient technical literature to enable the County to make a reasonable determination of compliance to the specification. It will be the bidder's responsibility to carefully examine each item of the specification. Failure to offer a completed bid or failure to respond to each section of the technical specification (COMPLY: YES/NO) will cause the proposal to be rejected without review as "non-responsive". All variances, exceptions and/or deviations should be fully described in the appropriate section.

AWARD OF CONTRACT: A contract will be awarded to bidder submitting the lowest responsible and responsive bid meeting the requirements of this specification pursuant to N.J.S.A. 40A:11-13.

Payment to Vendor is to be made within forty-five (45) days after the receipt of Vendor's invoice and a signed County voucher attesting to the delivery of the goods and services by some officer or duly designated employee of the using County entity and after approval of the appropriate Department head. The Vendor shall prepare invoices and shall submit them to the office/designated employee of the using County entity.

The vendor will not provide any goods and/or services without a valid and current purchase order from the County unit indicating account number and encumbrance.

PRE-DELIVERY INSPECTION: There will be a pre-delivery inspection by a Union County representative at a site designated by the Vendor when the vehicle is finished. Cost will be covered by the County.

DELIVERY: Delivery will be to Union County Division of Public Works, 2371 South Avenue, Scotch Plains, NJ 07076. Hours of Operation are 7:30 am to 4:00 pm Monday through Friday. Delivery may be scheduled by contacting Public Works at (908) 789-3680.

DELIVERY TIME: Delivery time after award of contract **MUST BE WITHIN 120-160 DAYS** of award of contract.

CERTIFICATE OF OWNERSHIP: At time of delivery the winning bidder will provide the following. The manufactures certificate of origin along with a check in the amount of \$60.00 (sixty dollars) PER VEHICLE payable to NJ-MVC. No other arrangements or considerations will be accepted. Vendor MAY NOT hold Certificate of Origin until payment is received.

POST AWARD MEETING: A meeting will be held between the successful vendor and Union County Motor Vehicles to review the vehicle build specification prior to commencement to building the vehicle.

OPTIONS: In the case of a discrepancy/contradiction between the standard equipment and the optional equipment specified, the optional equipment indicated shall always prevail.

OTHER: The bid price shall include all items of labor, material, tools, equipment and other costs necessary to fully complete the manufacture and delivery of the vehicle pursuant to these specifications. It is the intent of these specifications to provide and require a complete vehicle of the type prescribed ready for operation.

Any questions regarding the bid can be emailed to ucbids@ucnj.org or faxed to the Division of Purchasing, clearly marked with the BID # and BID NAME, at (908) 558-2548. If necessary, the Purchasing Director will then issue a clarification

SPECIFICATIONS FOR ONE NEW 2017 OR NEWER MACK MODEL GU 432

ENGINE EQUIPMENT:

ISL9-D 350 CUMMINS 350HP@2200RPM (Gov) 1150 lb-ft. US'17

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

INSIDE AND OUTSIDE AIR INTAKE WITH IN-CAB CONTROL USED WHEN SNOWPLOWING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALTERNATOR: DELCO 12V 160A BRUSH TYPE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERIES: (3) MACK 12 VOLT GROUP 31 650/1950 CCA THREADED STUD TYPE TERMINALS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BUG SCREEN: WINTERFRONT COVER OVER RADIATOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TEXACO LONG LIFE ENGINE COOLANT # 7998 WITH NITRITES (50/50 MIX) TO - 34 DEGREES F.

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SPIN ON CANISTER W/O CHEMICAL FOR USE W/TEXACO EXTENDED LIFE COOLANT ONLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ENGINE BRAKE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FAN DRIVE: KYSOR – ON/OFF

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FLY WHEEL HOUSING: LIGHT WEIGHT ALUMINUM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HEATED DAVCO 382 FUEL-WATER SEPARATOR WITH MANUAL DRAIN VALVE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRIC ENGINE PREHEATER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SILICONE RADIATOR & HEATER HOSES WITH BREEZE CLAMPS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALUMINUM RADIATOR CORE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STARTER: 12 VOLT DELCO 39 MT-MXT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FURNISH A TETHER DEVICE FOR CAP RETAINER FOR OIL FILL & RADIATOR OVERFLOW TANK AND BATTERY BOX

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SILICONE ENGINE HOSES AND TUBING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TRANSMISSION:

ALLISON RD3000 RDS (6) SPEED AUTOMATIC, VOCATIONAL PACKAGE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FURNISH FOR ALLISON TRANSMISSION W/DIRECT MOUNTED COOLER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SYNTHETIC LUBRICANT FOR TRANSMISSION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DRIVELINE- MAIN: MERITOR 176 MXL "XTENDED LUBE"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DRIVESHAFT GUARD FOR CENTER BEARING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EXHAUST/EMISSIONS:

DPF: RH SIDE UNDER CAB AND BEHIND STEP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EXHAUST AFTER TREATMENT SYSTEM: CERAMIC DIESEL PARTICULATE FILTER PASSIVE REGEN

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DPF SMART SWITCH: NO INHIBIT DPF REGENERATION SWITCH

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EXHAUST - SINGLE CAB MTD, VERT EXHAUST WITH LOWER VENTURI DIFFUSER TURNED OUT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SINGLE HEAT SHIELD AND STACK WITH GRAB HANDLE ATTACHED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT AXLE/TIRES:

FRONT AXLE: 14,600 LBS. CAPACITY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT BRAKE DUST SHIELDS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT WHEELS STEEL (2) 22.5 X 9.0 10-HOLE HUB PILOTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BRAKES – FRONT 16.5” X 5” Q PLUS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BRAKE DRUMS FRONT: CAST OUTBOARD MOUNTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TIRES FRONT: 315/80R22.5 L BRIDGESTONE M860A

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT HUBS: FERROUS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GREASE TYPE FRONT OIL SEALS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT SHOCK ABSORBERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SLACK ADJUSTERS – FRONT – AUTOMATIC DUST SHIELDS FRONT BRAKES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SPRINGS – FRONT: TAPERLEAF SPRING, 14,600 GROUND LOAD RATING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STEERING: THP60 TRW-PWR (INTEGRAL)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

REAR AXLE:

REAR AXLE: 21,000 MERITOR RS-21-145

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

2S/2M SYSTEM FOR WHEEL END SENSORS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TIRES REAR: 11R22.5 BRIDGESTONE M726EL 14 PLY TRACTION TYPE
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

REAR AXLE RATIO: 5.57
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

WHEELS REAR: STEEL DISC 22.5 x 8.25 (10 HOLE) POWDER COATED
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

BRAKES, REAR: 16.5 "X 7
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

BRAKE DRUMS REAR: CAST OUTBOARD MOUNTED
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

DUST SHIELDS: - REAR BRAKES
EXACT COMPLIANCE: YES NO*
*DEVIATIONS:

REAR HUBS: FERROUS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

REAR AXLE OIL SEAL: PREMIUM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SLACK ADJUSTERS: REAR AUTOMATIC

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SUSPENSION: 23,000 LBS CAP. MULTILEAF TYPE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BRAKE CHAMBERS: 2 MGM TAMPER RESISTANT CHAMBERS RECLOCK INLET PORTS TO 2 & 10 O'CLOCK POSITIONS FOR MAXIMUM GROUND CLEARANCE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SPRING BRAKE CHAMBERS SIZE: TYPE 30/30 REAR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SYNTHETIC LUBRICANT FOR REAR AXLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRAME/WHEELBASE/PLATFORM:

CAB/CHASSIS BIDDER TO PROVIDE A PROPER WHEELBASE AND CAB TO AXLE DIMENSION TO THE SUCCESSFUL BODY BIDDER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRAME RAILS: 11.811 X 3.54" X .37" STEEL SECTION MODULUS: 20.6CU.IN/ RBM 2,470,000 IN LBS.PER RAIL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRAME REINFORCEMENT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRAME EQUIPMENT/ FUEL TANKS:

FRONT BUMPER: FLUSH MOUNTED STEEL CHANNEL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CROSSMEMBERS: BOC AND INTERMEDIATE CROSSMEMBERS,STEEL HEAVY DUTY BACK TO BACK CHANNEL TYPE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT FRAME EXTENSIONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TOWING DEVICE: FRONT HOOKS (2)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FUEL TANK: L H 66 GALLON ALUMINUM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STAINLESS STEEL FUEL TANK STRAPS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DEF TANK: 6.6 GALLON L H MOUNTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AIR BRAKE:

AIR DRYER: MERITOR/WABCO HEATED AIR DRYER, 1200 W/COALESCING OIL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TRAILER AIR CONNECTIONS AT THE END OF THE FRAME SWIVEL TYPE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AIR CONTROL VALVES – MERITOR SWITCHES AND VALVES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DRAIN VALVES: MANUAL VALVES WITH LANYARD ON SUPPLY TANK ONLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

NEVER SEEZE ON ALL INTERNAL MOVING BRAKE PARTS PRIOR TO ASSEMBLY BENDIX ANTI LOCK BRAKE SYSTEM WITH TRACTION CONTROL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CAB:

INTEGRAL HEATER & DEFROSTER WITH AIR CONDITIONER

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

LH/RH LED STEP MOUNTED WORK LIGHTS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

DASH CONTROL & POWER SUPPLY

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

CAB MOUNTING: AIR SUSPENSION

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

SIX (6) ASSIGNABLE BODY BUILDER DASH SWITCHES (5 ON /OFF, 1 MOMENTARY) DAYTIME RUNNING LIGHTS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

DOOR INTERIOR TRIM PANELS: PADDED VINYL WITH ARM REST PADS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

FRONT FENDER EXTENSIONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

5 LB FIRE EXTINGUISHER BETWEEN LH SEAT BASE AND DOOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GAUGES: EXHAUST PYROMETER TRANSMISSION OIL TEMPERATURE GAUGE, MANIFOLD PRESSURE, AIR APPLICATION, ENGINE COOLANT TEMPERATURE, OIL PRESSURE AND ENGINE OIL TEMPERATURE, VOLTMETER SEPARATE ENGINE HOUR GAUGE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SPEEDOMETER W/TRIP ODOMETER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ENGINE TACHOMETER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GEAR SHIFT: DASH MOUNTED SHIFTER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GLASS – HEATED TINTED WINDSHIELD, ARTIC OR SNOW TYPE WIPER BLADES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DIAGONAL GRAB HANDLE MOUNTED TO THE FRONT OF DRIVER’S DOOR TO ASSIST IN ENTRY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GRILLE: HOOD AIR INTAKE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

VINYL COVERED FOAM PADDED HEADLINER POLYURETHANE HEAVY DUTY FLOOR MATS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HOOD AND FENDER: COMPOSITE MATERIAL - TILT TYPE WITH STATIONARY GRILLE -----

HOOD INSULATION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BUMPER TO BACK OF CAB DIMENSION MINIMUM 120”

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AIR HORN: (2) RECTANGULAR SINGLE TRUMPET (ONE EACH SIDE OF CAB ROOF) WITH SNOW SHIELDS

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

ELECTRIC HORN

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

CLEARANCE LIGHTS (5) ICC LED LAMPS CAB MOUNTED

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

INSTRUMENT CLUSTER DISPLAY: CO-PILOT DRIVE DISPLAY ENHANCED 4.5" DIAGONAL GRAPHIC LCD DISPLAY WITH 4-BUTTON STALK CONTROL

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

INTERIOR TRIM: SLATE GRAY VINYL HEADLINER & SEAT COVERING.

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

MIRRORS EXTERIOR: WEST COAST RH & LH BRIGHT FINISH, HEATED MIRRORS: CONVEX TYPE, BRIGHT FINISH LH & RH 8.0" DIA HEATED, MOUNTED BELOW ARM OF WEST COAST MIRROR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

OVERHEAD CONSOLE: (2) COMPARTMENTS W/NETTING AND CENTER COMPARTMENT FOR RADIO

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

POWER OUTLETS: (2) 12 VOLT AUXILIARY POWER OUTLETS – DASH MOUNTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AM/FM /CD STEREO RADIO WITH WEATHER BAND & BLUETOOTH

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SAFETY REQUIREMENTS: RADIO SHUTOFF: AUTOMATIC SHUTOFF FOR RADIO SYSTEM WHEN OPERATOR SHIFTS TRANSMISSION TO REVERSE-- EMERGENCY TRIANGLE KIT INSIDE CAB AT BASE OF RIDER SEAT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SEAT DRIVER: MID BACK AIR SUSPENSION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SEAT RIDER: FIXED MID BACK NON-SUSPENSION W/STORAGE COMPARTMENT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SEAT ARM RESTS: INBOUND MOUNTED ARM REST, DRIVERS SEAT ONLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SEAT COVERING ALL VINYL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

LAP & SHOULDER BELTS W/FIXED D-RING FOR DRIVERS & RIDERS SEATS TO BE ORANGE IN COLOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STEERING COLUMN: ADJUSTABLE TILT AND TELESCOPING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STORAGE POUCH: REAR CAB WALL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SUN VISOR: EXTERIOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

INTERIOR SUN VISOR: BOTH SIDES VINYL PADDED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WINDSHIELD, 2 PIECE WINDSHIELD HEATED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WINDSHIELD WIPERS: 2 SPEED ELECTRIC MOTOR W/ INTERMITTENT FEATURE AND ARTIC BLADES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRICAL:

LED REAR TAIL LAMPS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERY BOX: STEEL POWDER COATED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERY BOX COVERS: MOLDED PLASTIC

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CHASSIS & POWER HARNESS WITH HEAVY DUTY CASING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERY BOX: MOUNTING RIGHT HAND BEHIND SCR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERY DISCONNECT SWITCH: FLAMING RIVER BIG SWITCH WIRED ON POSITIVE SIDE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BATTERY BOX SHOCK PADS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DASH MOUNTED INDICATOR FOR BODY HOIST UP "BODYBUILDER LAMP"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRIC CIRCUIT PROTECTION PACKAGE, ALL CIRCUITS FUSE/BREAKER PROTECTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

INTERFACE CONNECTOR: WATERPROOF ELECTRICAL CONNECTORS SPRAYED
W/PROTECTIVE COATING "BODY LINK" III WITH CAB PASS THRU

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO EXTRA DASH MOUNTED TOGGLE SWITCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SOLID STATE TRUCKLITE HEAVY DUTY SIGNAL FLASHER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EMERGENCY TRIANGLE KIT INSIDE CAB

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PTO/SPECIALTY/ADDITIONAL EQUIPMENT:

PTO CONTROL: PTO SWITCH AND LIGHT WITH WIRING AND PIPING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GENERAL AERIAL DEVICE:

THE HEIGHT FROM THE GROUND TO BOTTOM OF THE PLATFORM FLOOR (BASED ON A 41" CHASSIS HEIGHT) IS NO LESS THAN 70'3"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE WORKING HEIGHT IS NO LESS THAN 75'3" (BASED ON A 41" CHASSIS HEIGHT)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE MAXIMUM REACH TO EDGE OF PLATFORM WITH UPPER BOOM NON- OVERCENTER IS NO LESS THAN 44'8" AT 28'7" PLATFORM HEIGHT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE MAXIMUM REACH TO EDGE OF PLATFORM WITH UPPER BOOM OVERCENTER IS NO LESS THAN 48'4" AT 9'8" PLATFORM HEIGHT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE BOOMS ARE MOUNTED IN A SIDE BY SIDE CONFIGURATION FOR LOW TRAVEL HEIGHT AND EASY PLATFORM ACCESS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PEDESTAL:

THE PEDESTAL IS DESIGNED WITH A 33 INCH REVERSE TAPERED OFFSET MAST ASSEMBLY AND A HEAVY DUTY BASE AND TUBULAR SUB-FRAME ASSEMBLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A PILOT OPERATED RELIEF AND HYDRAULIC LOCKING VALVE IS INSTALLED DIRECTLY ONTO THE HYDRAULIC ROTATION MOTOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ROTATION BEARING SUPPORT RING IS 1-5/8 INCHES THICK

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE TURNTABLE IS FABRICATED FROM 3/4 INCH THICK REINFORCED SIDE PLATES WELDED TO A 1 INCH THICK RING GEAR MOUNTING PLATE, PROVIDING A 36 INCH OFFSET BETWEEN THE LOWER PIVOT AND THE CENTER-LINE OF ROTATION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR EASE OF MAINTENANCE, THE HYDRAULIC RESERVOIR IS MOUNTED ON THE BASE PLATE OF THE UNIT OUTSIDE OF THE PEDESTAL AND PROTECTED WITH A HINGED COVER. SINCE CRACKS AND LEAKS CAN EASILY DEVELOP FROM ALL OF THE FORCES PLACED ON THE PEDESTAL AREA DURING OPERATION, UNITS WITH RESERVOIRS LOCATED INSIDE THE PEDESTAL WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

THE HYDRAULIC RESERVOIR INCLUDES A 100 MESH SUCTION STRAINER WITH BYPASS, AND A 10 MICRON RETURN LINE FILTER WITH REPLACEABLE TYPE ELEMENT

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

ROTATION IS FULLY CONTINUOUS, ACCOMPLISHED BY WORM GEAR DRIVE, EQUIPPED WITH EXTENDED SHAFT FOR MANUAL ROTATION, DRIVING A SHEAR BALL BEARING ROTATION GEAR

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

THE FULLY ADJUSTABLE ROTATION DRIVE ASSEMBLY INCLUDES AN EXTERNAL ECCENTRIC RING ADJUSTMENT OF THE GEARBOX PINION GEAR TO THE MAIN ROTATION BEARING, PERMITTING THE ABILITY TO EASILY ADJUST BACKLASH, REDUCE BOOM SIDE PLAY AND ENSURE PROPER TOOTH CONTACT OVER THE LIFE OF THE UNIT

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

PEDESTAL IS FABRICATED FROM A 16-INCH OUTSIDE DIAMETER X 0.5 INCH WALL (406 X 13 MM) STEEL TUBE WELDED INTO A FABRICATED ELEVATOR STRUCTURE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALL BEARING ATTACHMENT BOLTS ARE EASILY ACCESSED FROM OUTSIDE THE PEDESTAL AND INSIDE THE TURNTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SYSTEM IS CAPABLE OF ROTATING FULL RATED PLATFORM CAPACITY UP A 50 SLOPE (9% GRADE)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GEAR BOX IS RATED AT NO LESS THAN 22,378 INCH POUNDS USING 0.75 INCH ATTACHMENT BOLTS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A REMOVABLE MAGNETIC FILTER PLUG IS TO BE INCORPORATED INTO THE RESERVOIR FOR REMOVAL OF ANY METAL THAT MAY FLOW THROUGH THE HYDRAULIC SYSTEM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BOLT ON GRAB HANDLE FOR TURNTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELEVATOR:

ELEVATOR COMPRISED OF A SUBBASE SECTION, A LOWER LINKAGE, A RISER, AN UPPER LINKAGE, AND A PEDESTAL SECTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELEVATOR LINK ARMS ARE MECHANICALLY COMPENSATED TO PROVIDE 10 FEET OF DIRECTLY VERTICAL LIFT TO THE AERIAL DEVICE, WITH ARTICULATION OF THE ELEVATOR ARMS FROM STOWED TO 90 DEGREES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MOUNTED PARALLEL WITH THE CHASSIS FRAME RAILS PROVIDING MAXIMUM USE OF THE SPACE AVAILABLE FOR BODY BINS, LOWER CONTROL PLATFORM, ETC ON THE ELEVATOR SECTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE ELEVATOR ASSEMBLY ATTACHES TO THE CHASSIS FRAME BY MEANS OF 0.5 INCH THICK STEEL SHEAR PLATES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GREASELESS PIVOT BEARINGS, WITH ONLY 4 GREASE FITTINGS REQUIRED FOR THE ELEVATOR LIFT CYLINDERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WHEN THE ELEVATOR IS FULLY EXTENDED (VERTICAL), IT PROVIDES AN ADDITIONAL 10 FEET OF WORKING HEIGHT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

OPERATING THE UNIT WITH THE ELEVATOR PARTIALLY OR FULLY EXTENDED WILL NOT REDUCE ANY POSTED PERFORMANCE RANGES OR CAPACITIES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

LOWER BOOM:

BOOM TO BE MANUFACTURED FROM 12" X 12" X 1/4" WALL STEEL TUBING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LENGTH OF THE LOWER BOOM FROM CENTER LINE LOWER PIVOT TO THE CENTER-LINE OUTER PIVOT TO BE 276 INCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER BOOM HYDRAULIC CYLINDER TO BE EQUIPPED WITH INTERNAL HOLDING VALVES WHICH LOCK AND HOLD THE BOOM IN POSITION IN THE EVENT OF A HYDRAULIC LINE FAILURE OR LOSS OF POWER. UNITS USING EXTERNAL HOLDING VALVES WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER BOOM HYDRAULIC CYLINDER TO BE EQUIPPED WITH A CUSHION VALVE FOR CONTROLLED DECELERATION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A FILAMENT WOUND FIBERGLASS INSERT; 11-3/8" SQUARE X 5/8" WALL THICKNESS IS LOCATED IN THE LOWER END OF THE BOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE INSULATION IN THE LOWER BOOM PROVIDES A 15" CLEAR ISOLATION GAP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE INSULATING VALUE OF THE INSTALLED INSERT, AND ALL COMPONENTS CROSSING IT, TO BE RATED AT 50 KV-AC FOR A DURATION OF THREE MINUTES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELEVATION OF THE LOWER BOOM CONTROLLED BY A SINGLE CYLINDER INSTALLED BETWEEN THE BASE OF THE LOWER BOOM AND THE PEDESTAL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ARTICULATION OF THE LOWER BOOM 0 TO 125 DEGREES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER BOOM ELEVATION CYLINDER TO HAVE TWO PAD MOUNTED, PILOT OPERATED HYDRAULIC LOCK VALVES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER BOOM ELEVATION CYLINDER TO BE SECURED BY TWO 1-3/8 INCHES PINS INSTALLED THROUGH BEARING LINED BOSSES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HEAVY DUTY BEARINGS AND A 2-1/2 INCHES O.D. ANCHOR PIN TO BE INSTALLED TO SUPPORT THE LOWER BOOM TO THE PEDESTAL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

LOWER BOOM INSULATOR IS 15 INCHES OF ISOLATION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

UPPER BOOM:

CYLINDRICAL, MADE OF FILAMENT WOUND FIBERGLASS HAVING A 10 INCH INSIDE DIAMETER CONTAINS INSULATED CONDUIT FOR ROUTING OF HYDRAULIC LINES AND FULLY CONTAINS UPPER BOOM LEVELING SYSTEM. THE COUNTY HAS EVALUATED BOTH CYLINDRICAL AND RECTANGULAR BOOM DESIGN AND HAS DETERMINED THAT THE CYLINDRICAL DESIGN HAS A GREATER DEGREE OF DEFLECTION AFFORDING A GREATER MARGIN OF SAFETY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE UPPER BOOM LEVELING SYSTEM TO BE CONTAINED WITHIN THE BOOM AND TO BE FULLY INSULATED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE UPPER BOOM TO BE EQUIPPED WITH HEAVY DUTY CYLINDERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE UPPER BOOM WILL BE ARTICULATED BY (2) SINGLE ACTING HYDRAULIC CYLINDERS WITH A WALKING DRIVE LINK SYSTEM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SERVICEABILITY AND EASE OF MAINTENANCE THE UPPER BOOM DRIVE SYSTEM WILL BE MAINTENANCE FREE, HAVING NO GREASE FITTINGS. UNITS REQUIRING GREASE OF THE UPPER BOOM DRIVE SYSTEM WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE UPPER BOOM GUARD WILL BE EASY TO INSPECT ON A DAILY BASIS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE HYDRAULIC CYLINDER WILL BE EQUIPPED WITH INTERNAL PILOT OPERATED HOLDING VALVES WHICH LOCK AND HOLD THE BOOM IN POSITION IN THE EVENT OF A HYDRAULIC LINE FAILURE OR LOSS OF POWER. UNITS USING EXTERNAL HOLDING VALVES WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER END OF THE UPPER BOOM WILL HAVE A STEEL TUBE BASE WELDED TO A CAST STEEL CABLE SHEAVE SUPPORT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE UPPER BOOM ARTICULATION WILL BE 0 TO 270 DEGREES IN RELATION TO LOWER BOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MANUAL UPPER BOOM STOW SECURING SYSTEM WITH SUPPORT CRADLE AND TIE DOWN STRAP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BOLTRON UPPER BOOM COVERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TO IMPROVE DIELECTRIC INTEGRITY BY KEEPING MOISTURE FROM WICKING ALONG THE HOSES, AND TO RETAIN THE HOSES FROM KEEPING THEM FROM HITTING THE LEVELING RODS AND CAUSING OR BEING DAMAGED, ALL HYDRAULIC LINES WILL BE PLACED ALONG THE INSIDE OF THE BOOM INTO BRACKETS WHICH CLAMP THE HOSES TO THE INSIDE OF THE BOOM STRUCTURE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

END OF BOOM SHAFT HAS RING FOR ATTACHMENT OF FALL PROTECTION SYSTEM LANYARD

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PLATFORM ASSEMBLY:

THE PLATFORM WILL BE DESIGNED FOR ONE PERSON AND BE MANUFACTURED OF MOLDED FIBERGLASS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM CAPACITY WILL BE 400 LBS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM WILL BE SIDE-MOUNTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE INTERIOR DIMENSIONS WILL BE 24 X 24 X 39 INCHES DEEP MAXIMUM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PLATFORM CONTROLS WITH SAFETY INTERLOCK AND INTERLOCK GUARD WILL BE SHAFT MOUNTED NEAREST THE UPPER BOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM CONTROL WILL OPERATE FORWARD/BACK OPERATES LOWER BOOM DOWN/UP, TILLER OPERATES ROTATION CW/CCW, AND UP/DOWN OPERATES UPPER BOOM UP/DOWN

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE TILLER CONTROL WILL CONTROL ALL BOOM FUNCTIONS. RAISING OF THE ELEVATOR WILL BE ACCOMPLISHED BY TWISTING THE HANDLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE PLATFORM MOUNTING BRACKET WILL BE WOVEN INTO THE FIBERGLASS OF THE UPPER BOOM. UNITS USING FLANGE HEAD MOUNTING STUDS INSTALLED THROUGH THE SIDE WALLS OF THE PLATFORM AND GLUED IN PLACE FOR BOTH THE PLATFORM MOUNTING AND THE CONTROL MOUNTING WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A PLATFORM STEP WILL BE LOCATED ON THE SIDE OF THE PLATFORM NEAREST THE ELBOW IN THE STOWED POSITION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM HYDRAULIC CONTROL VALVE WILL BE HOUSED WITHIN A MOLDED FIBERGLASS REMOVABLE COVER, MOUNTED TOWARD THE FRONT SIDE OF THE PLATFORM ASSEMBLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A HYDRAULIC DUMP VALVE WILL BE LOCATED AT A POSITION EASILY ACCESSIBLE TO THE PLATFORM OPERATOR. IN CASE OF EMERGENCY, THE OPERATOR WILL BE ABLE TO ACTIVATE THE HYDRAULIC DUMP VALVE STOPPING ALL HYDRAULIC FUNCTIONS CREATED BY OPERATION OF THE PLATFORM HYDRAULIC CONTROL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALL HYDRAULIC HOSES WILL BE ROUTED INSIDE THE BOOM AND COVERED TO PROTECT THEM FROM CONTACT WITH TREE LIMBS, TOOLS, AND SIMILAR HAZARDS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO (2) SETS OF TOOL COUPLERS FOR OPEN CENTER TOOLS, ONE (1) SET LOCATED ON EACH SIDE OF THE PLATFORM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TOOL SYSTEM RELIEF PRESSURE SET AT 2,250 PSI

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM WILL BE COVERED BY A NEOPRENE-NYLON SHOWER CAP TYPE COVER, HAVING A SEWN-IN ELASTIC RETAINER AND SAFETY CORD AND SNAP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE PLATFORM WILL BE ABLE TO REACH THE GROUND FROM EITHER THE OVER-CENTER OR UNDER-CENTER IN ORDER TO REMOVE AN INJURED OPERATOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM WILL BE DESIGNED TO USE DUMP PINS TO ATTACH IT TO THE PLATFORM SHAFT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE PLATFORM WILL TIP TO THE GROUND BELOW HORIZONTAL BY THE RELEASE OF A SINGLE PIN, ENABLING EASY CLEANOUT OR THE REMOVAL OF AN INJURED OPERATOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PLATFORM LEVELING:

PLATFORM LEVELING, ACHIEVED BY A SINGLE LEVELING CHAIN AND 3/4" FIBERGLASS RODS IN THE UPPER AND LOWER BOOMS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ADJUSTMENT OF THE PLATFORM WILL BE ACCOMPLISHED BY TURNBUCKLES LOCATED INSIDE THE LEVELING COVER ON THE LOWER BOOM AND BY ADJUSTING STUDS ACCESSIBLE FROM THE LOWER END OF THE UPPER BOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A MECHANICAL, PARALLELOGRAM TENSION SYSTEM WILL MAINTAIN THE PLATFORM LEVEL RELATIVE TO PEDESTAL BASE PLATE DURING ALL NORMAL OPERATIONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BOTH THE UPPER BOOM AND LOWER BOOM LEVELING SYSTEM WILL BE SEPARATELY ADJUSTABLE

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

PLATFORM LEVEL ADJUSTMENT IS EASILY ACCESSIBLE FROM EXTERNAL LOCATION ON LOWER PIVOT

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

A MECHANICAL PIN TYPE ALLOWS EASY REMOVAL OF WATER OR DEBRIS FROM THE PLATFORM

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

PLATFORM INSULATING LINER:

AN EASILY REMOVABLE PLATFORM LINER

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

THE LINER WILL BE FABRICATED OF POLYETHYLENE, 24 X 24 X 39 INCHES

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

EACH LINER WILL BE CAPABLE OF WITHSTANDING AN IMMERSION DIELECTRIC PROOF TEST OF 50 KV-AC FOR 60 SECONDS WITHOUT PUNCTURE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EACH LINER WILL BE IDENTIFIED ACCORDING TO SERIAL NUMBER, TEST DATE AND TEST VOLTAGE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A THERMOPLASTIC, NON-SKID FLOOR LINER WITH MOLDED STEP WILL BE INSTALLED WITHIN THE LINER TO PROTECT THE LINER FLOOR AND PROVIDE A NON-SKID SURFACE FOR THE OPERATOR TO STAND ON

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

24 X 24 INCHES SCUFF PAD WITH STEP INSERT FOR PROTECTION OF THE PLATFORM LINER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FALL PROTECTION SYSTEM:

A FALL PROTECTION SYSTEM MOUNTED TO THE BOOM SHAFT SO A PLATFORM OPERATOR CAN CONNECT HIS SYSTEM DIRECTLY ONTO THE PLATFORM END OF THE UPPER BOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE ATTACHMENT EYE WILL MAINTAIN ITS VERTICAL POSITION RELATIVE TO THE PLATFORM THROUGH ALL BOOM MOVEMENTS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FALL PROTECTION SYSTEM TO INCLUDE ONE BODY HARNESS AND DECELERATING TYPE LANYARD

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HARNESS WILL INCLUDE ADJUSTABLE SLIDE BUCKLE ON SHOULDER STRAPS, VELCRO CHEST STRAP, AND INTERLOCKING BUCKLES ON LEG STRAPS AND NYLON WEB LOOP FALL ARREST ATTACHMENT ON BACK

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PLATFORM STRUCTURE HAS RING FOR ATTACHMENT OF FALL PROTECTION SYSTEM LANYARD

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HYDRAULIC SYSTEM:

THE HYDRAULIC SYSTEM WILL POWER THE AERIAL LIFT UNIT, HYDRAULIC TOOL CIRCUITS, AND DUMP-CHIP BODY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE HYDRAULIC SYSTEM WILL BE OPEN CENTER (FULL PRESSURE), MAXIMUM FLOW OF 6.0 TO 6.5 GPM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE HYDRAULIC PUMP WILL HAVE A MAXIMUM OPERATING PRESSURE OF 3,000 PSI. UNITS USING GEAR PUMPS HAVE BEEN EVALUATED BY THE COUNTY AND HAVE BEEN DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE SYSTEM WILL HAVE A RELIEF VALVE PRESET TO RELIEVE AT 3,000 PSI

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE RESERVOIR CAPACITY WILL BE NOT LESS THAN 30 GALLONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SIGHT AND TEMPERATURE GAUGE FOR HYDRAULIC RESERVOIR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE HYDRAULIC OUTRIGGER CONTROL VALVES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE LOWER CONTROL VALVES WILL BE ONE SINGLE SPOOL SELECTOR VALVE AND ONE THREE SPOOL OPEN CENTER MONO-BLOC VALVE WITH OVERRIDE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EACH BOOM SPOOL WILL BE CONNECTED INTERNALLY TO ALLOW OPERATION OF TWO OR MORE FUNCTIONS SIMULTANEOUSLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TO PREVENT THE EVACUATION OF OIL FROM ANY HYDRAULIC LINE, CREATING THE POTENTIAL FOR ELECTRICAL ARCING, A VACUUM FLASHOVER PROTECTION SYSTEM WILL BE PROVIDED PER ANSI A92.2

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HVI-22 HYDRAULIC OIL

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A HOT SHIFT PTO FOR AUTOMATIC TRANSMISSION

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

A STANDARD PUMP FOR PTO

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

STANDARD PTO/TRANSMISSION FUNCTIONALITY FOR AUTOMATIC TRANSMISSIONS. IF CHASSIS IS IN GEAR, AND PTO SWITCH IS ACTIVATED, PTO WILL NOT ENGAGE AND CHASSIS WILL REMAIN IN GEAR. IF CHASSIS IS ALREADY IN NEUTRAL WITH PTO ENGAGED AND OPERATOR TRIES TO SHIFT INTO GEAR, PTO WILL DISENGAGE AND TRANSMISSION WILL SHIFT INTO GEAR

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

THE PTO WILL BE SUITABLE FOR USE WITH AN ELECTRONIC TYPE TRANSMISSION

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

THERE WILL BE TWO (2) HYDRAULIC TOOL OUTLETS AT THE PLATFORM

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

BOTH SETS OF HYDRAULIC TOOL OUTLETS AT THE PLATFORM WILL BE ENGAGED BY A LEVER CONTROL, PROPERLY LABELED FOR FUNCTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALL HYDRAULIC CONTROL KNOBS WILL BE LABELED FOR THEIR FUNCTION AND DIRECTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A SET OF OVERRIDING CONTROLS WILL BE LOCATED AT THE PEDESTAL TURNTABLE TO OVERRIDE ALL PLATFORM CONTROL FUNCTIONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A SELECTOR LEVER AT THE PEDESTAL CONTROLS WILL SELECT THE UPPER OR LOWER VALVE OPERATION. THIS CONTROL KNOB OF THE LEVER WILL BE PAINTED RED FOR EMERGENCY IDENTIFICATION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALL HYDRAULIC HOSE INSTALLED IN THE AERIAL DEVICE BOOMS WILL BE INSULATED, ORANGE COLORED, HIGH PRESSURE ALL BONDED CONSTRUCTED HOSE, MANUFACTURED TO RIGID QUALITY STANDARDS FOR DIELECTRIC INTEGRITY, SUPERIOR STRENGTH, AND PRECISION SIZED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, ALL HOSES WILL BE HOUSED WITHIN BOOMS, HAVING PROPERLY SUPPORTED PROTECTIVE COVERS. EXPOSED HOSES AROUND THE UPPER BOOM OR THE OUTER PORTION OF THE LOWER BOOM WILL NOT BE ACCEPTED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ALL HOSE ENDS WILL BE EQUIPPED WITH CRIMPED FACE SEAL FITTINGS, CAPABLE OF BEING HAND TIGHTENED TO WITHSTAND 3,000 PSI

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PUMP SUCTION LINE WILL BE A SYNTHETIC RUBBER HOSE REINFORCED WITH HEAVY-DUTY HOSE CLAMPS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

OUTRIGGER STABILIZERS:

PRIMARY A-FRAME OUTRIGGERS WITH 5-DEGREE SWIVEL SHOE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

OUTRIGGER STABILIZERS AND SUB-FRAME ASSEMBLY WILL BE CONSTRUCTED OF RECTANGULAR STEEL TUBING AND WELDED INTO ONE ASSEMBLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE OUTRIGGER ASSEMBLY WILL BE EASILY ATTACHED TO THE CHASSIS FRAME AND WILL HAVE SQUARE TUBING TELESCOPING INNER TUBES OPERATED BY HYDRAULIC CYLINDERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EACH CYLINDER WILL HAVE A DUAL PILOT CHECK VALVE INCORPORATED INTO THE TOP OF THE CYLINDER. ONE CHECK VALVE WILL PREVENT THE OUTRIGGER FROM COLLAPSING IN THE EVENT OF LINE FAILURE; THE OTHER WILL PREVENT THE OUTRIGGER FROM CREEPING OUT WHEN STOWED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GROUND CONTACT WILL BE FROM TWO (2) ONE PIN UNIVERSAL SWIVEL PADS (12 IN. X 12 IN.)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE SPREAD BETWEEN THE SWIVEL PAD PINS AT GROUND LEVEL WILL BE 140 INCHES BASED ON A 41" CHASSIS FRAME RAIL HEIGHT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GROUND PENETRATION WILL BE 7 TO 11 INCHES DEPENDING ON CHASSIS FRAME RAIL HEIGHT. FOR OPERATOR SAFETY ON UNEVEN OR SOFT GROUND, UNITS WITH LESS PENETRATION WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

EACH OUTRIGGER STABILIZER WILL HAVE A HYDRAULIC CONTROL LEVER, HAVING A PROPERLY LABELED KNOB FOR FUNCTION AND DIRECTION

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

IN COMPLIANCE WITH ANSI A92.2, EACH CONTROL WILL BE MOUNTED AT THE OUTRIGGER FOR SAFE AND EASY ACCESS FROM THE GROUND BY THE OPERATOR. THE OPERATOR WILL BE CAPABLE OF VISUALLY OBSERVING EACH OUTRIGGER PAD AS IT NEARS THE GROUND, WHILE OPERATING THE CONTROL VALVE

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

THE OUTRIGGER WILL HAVE A UNIT SELECTOR CONTROL LOCATED NEAR THE OUTRIGGER CONTROLS, ALLOWS OPERATOR TO DIVERT HYDRAULIC OIL FROM MACHINE CIRCUIT FOR OUTRIGGER OPERATION. THIS REDUCES THE POTENTIAL FOR INADVERTENT OUTRIGGER MOVEMENT DURING MACHINE OPERATION IF OUTRIGGER CONTROLS ARE BUMPED

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

AN OUTRIGGER INTERLOCK SYSTEM THAT IT WILL NOT ALLOW THE UNIT TO BE OPERATED UNTIL THE OUTRIGGERS HAVE BEEN AT LEAST PARTIALLY DEPLOYED

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

PLASTIC OUTRIGGER PADS WITH HANDLE (18" X 18" X 1")

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

OUTRIGGER PAD HOLDERS (20" L X 20" W X 3" H)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN OUTRIGGER MOTION ALARM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRICAL ACCESSORIES:

LIGHTS AND REFLECTORS IN ACCORDANCE WITH FMVSS #108 LIGHTING PACKAGE.
(COMPLETE LED, INCLUDING LED REVERSE LIGHTS)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AMBER LED, FRONT AND REAR GROMMET MOUNTED LIGHTS, FRONT LIGHTS MOUNTED AT
FRONT CORNERS OF CAB GUARD, WIRED HOT WITH GUARDED SWITCH

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DUAL TONE BACK-UP WITH OUTRIGGER MOTION ALARM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A 6-WAY TRAILER RECEPTACLE (PIN TYPE) WILL BE INSTALLED AT REAR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN ELECTRIC TRAILER BRAKE CONTROLLER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN ELECTRICAL PANEL AND SWITCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A PTO INDICATOR LIGHT INSTALLED IN CAB

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DIAMOND LOGIC ON CHASSIS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MISCELLANEOUS:

THE ENTIRE AERIAL UNIT WILL HAVE NO MORE THAN TEN (10) GREASE FITTINGS. UNITS HAVING MORE THAN TEN (10) GREASE FITTINGS WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE AERIAL UNIT'S SERVICE MANUAL WILL NOT REQUIRE INSPECTIONS MORE THAN ONCE A YEAR. UNITS REQUIRING INSPECTIONS, BOLTS TO BE RE-TORQUED, ETC. WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR OPERATOR SAFETY, ALL HYDRAULIC CYLINDER ROD ENDS ARE TO BE WELDED AND THREADED. UNITS PROVIDING ONLY ONE MEANS OF SECURING THE RODS ENDS WILL BE DEEMED UNACCEPTABLE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AUTOMATIC LOWER BOOM STOW SECURING SYSTEM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BOOM OUT OF STOW INDICATOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A 5 LB. FIRE EXTINGUISHER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WALKING LINK SYSTEM FEATURES UNIFORM SPEED, SMOOTH AND CONTINUOUS
ARTICULATION AND LOW MAINTENANCE OPERATION

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

A MAINTENANCE FREE ELBOW TO INCREASE HARDNESS, NITRIDE TO PREVENT RUST, AND
ELIMINATES THE NEED FOR GREASE AT THE ELBOW

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

SMALL BOOM TIP PROFILE

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

A 140" LONG CAB GUARD WITH 12 GAUGE SHEET METAL WITH NON-SKID SURFACE AND
EXPANDED METAL SECTION AT FRONT, BLACK LEXZAR COATING

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

AN ICC (UNDERRIDE PROTECTION) BUMPER INSTALLED AT REAR

EXACT COMPLIANCE: ___ YES ___ NO*

*DEVIATIONS:

A SET OF SAFETY CHAIN LOOPS, FIXED MOUNTING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DURING AERIAL LIFT OPERATIONS, THE MAXIMUM OPERATING RPM WILL NOT EXCEED 1100 RPM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, THE LOWER CONTROL VALVE WILL INCLUDE AN OVERRIDING FUNCTION WHICH PROVIDES COMPLETE TAKEOVER OF THE PLATFORM CONTROLS, ENABLING A GROUND PERSON TO OPERATE THE UNIT IN THE EVENT THE PLATFORM OPERATOR BECOMES DISABLED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN OUTRIGGER DOWN ALARM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN ELECTRIC BACKUP ALARM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE PLATFORM COVER WILL BE FOAM-FILLED, SOFT 24 X 24 INCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

LED STOP AND TURN LIGHTS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A PINTLE HOOK

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOR SAFETY, A "BOOM OUT OF REST LIGHT"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

LIGHTS INSIDE THE TOOL COMPARTMENTS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOUR (4) CORNER STROBE LIGHTS WILL BE MOUNTED ON THE UNDERSIDE OF THE CAB
GUARD

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A CAPTIVE AIR CONTROLLED REMOTE TRUCK ENGINE START/STOP SWITCH WITH A SECONDARY STOWAGE SYSTEM, WHICH INCLUDES PUMP AND MOTOR, OPERATES FROM CHASSIS BATTERY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO COMPLETE SETS OF OPERATION, MAINTENANCE AND PARTS MANUALS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AN AIR BLOW OFF SYSTEM FOR THE CLEANING OF SAWDUST FROM TOOLS. IT WILL INCLUDE A HAND HELD NOZZLE, COIL AIR HOSE AND PROPER ATTACHMENT TO THE CHASSIS AIR SYSTEM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FOUR (4) SCENE LIGHTS WILL BE MOUNTED TO THE SIDES OF THE CHIP DUMP BODY, TWO (2) EACH SIDE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A TRAFFIC CONE HOLDER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO (2) HYDRAULIC TOOL CIRCUIT

EXACT COMPLIANCE: **YES** **NO***

***DEVIATIONS:**

COMPOSITE OUTRIGGER PADS (1 SET)

EXACT COMPLIANCE: **YES** **NO***

***DEVIATIONS:**

AN ELECTRONIC ENGINE THROTTLE ASSEMBLY WILL BE INSTALLED WITHIN THE CHASSIS CAB FOR OPERATION OF THE PLATFORM

EXACT COMPLIANCE: **YES** **NO***

***DEVIATIONS:**

A WIRELESS REMOTE CONTROL MULTI-DIRECTIONAL SPOTLIGHT SYSTEM (STARBEAM OR APPROVED EQUAL), INCLUDING TWO (2) SPOTLIGHTS MOUNTED TO THE CAB GUARD PLATFORM

EXACT COMPLIANCE: **YES** **NO***

***DEVIATIONS:**

CHIP DUMP BODY (ALTEC OR EQUAL):

A CHIP DUMP BODY HAVING ALL COMPONENTS FABRICATED FROM GALVANEAL COATED STEEL, EXCEPT STRUCTURAL MEMBERS

EXACT COMPLIANCE: **YES** **NO***

***DEVIATIONS:**

THE BODY WILL BE 96" WIDE X 60 HIGH X 132" LONG, HAVING A CAPACITY OF 14.5 CUBIC YARDS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE BODY WILL INCLUDE STRUCTURAL STRINGER CHANNELS AND FLOOR CHANNELS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE BODY WILL HAVE 12 GAUGE FLOOR PLATE, 14 GAUGE SIDES AND FRONT WITH FULL LENGTH DIE FORMED REINFORCING RIBS, 14 GAUGE ROOF, REAR TOP AND SIDES OF BODY REINFORCED FOR LOWER BOOM SUPPORT, AND A 12 GAUGE REAR UNDER BODY SKIRT PANELS WITH BRACKETS FOR REMOUNTING CHASSIS LIGHTS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A 26-1/2 INCHES (673 MM) HIGH TAILGATE, HINGED CURB SIDE WITH PROVISION TO HOLD OPEN FOR DUMPING

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE INTERIOR OF CHIP BODY FINISHED WITH SCRATCH AND CORROSION RESISTANT LINER, AND THE UNDERSIDE OF CHIP BODY WILL BE UNDERCOATED (EXCEPT STRINGER CHANNELS)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE CHIP BODY HYDRAULIC DUMP HOIST INSTALLATION WILL INCLUDE A 450 DUMP ANGLE AND BODY PROP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A LED LIGHTING PACKAGE WITH WIRING HARNESS IN AUTOMOTIVE TYPE LOOM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO (2) LED STROBES MOUNTED IN THE UPPER REAR CORNERS OF THE DUMP BODY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A CURBSIDE BUILT-IN LADDER COMPARTMENT 12" WIDE X 25" HIGH WITH REAR ROLLER AND INTERNAL SECURITY CHAIN

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A 11" HIGH POLE PRUNER COMPARTMENT ABOVE LADDER COMPARTMENT WITH DUAL SHELVES AND REAR LOCKING DOOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CURBSIDE COMPARTMENTS WILL INCLUDE A SINGLE COMPARTMENT (41 INCHES LONG X 50 INCHES HIGH X 26.5 INCHES DEEP) WITH TWO (2) BARN-STYLE DOORS. LEFT SIDE HAS TWO (2) FULL WIDTH SHELVES FIXED AT 11 INCHES AND 25 INCHES FROM TOP. RIGHT SIDE HAS SIX (6) MATERIAL HOOKS (3-0-3). PLATFORM MOUNTED BEHIND COMPARTMENT 12 INCHES HIGH X 25 INCHES WIDE X 26.5 INCHES DEEP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HORIZONTAL THRU COMPARTMENT (6 INCHES HIGH) RECESSED 12 INCHES, OPEN TO STREETSIDE WITH VERTICAL PARTITIONS SPACED 10 INCHES, 6 INCHES AND 9 INCHES WIDE WITH DROP-DOWN DOOR. ACCESS STEP TO T-BOX COMPARTMENT TOP.

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A RIGID ACCESS STEP UNDER THROUGH BOX SIDE ACCESS PLATFORM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BOLT-ON ROTARY SLAM DOOR LOCKS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

GAS SHOCK DOOR HOLDERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

DOOR LOCKS WILL BE SINGLE POINT WITH LOCKING CYLINDERS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO (2) 14 GAUGE WHEEL CHOCK CARRIERS 11-1/2" WIDE X 12" DEEP WITH 15 DEGREE REARWARD TAPER FOR RETENTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A PAIR OF WHEEL CHOCKS 9.75" L X 7.75" W X 5.00" H

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A 3 GALLON WATER CASK WITH BRACKETS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TWO (2) MUD FLAPS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

A DRIVEWAY SAFETY KIT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SLOPE INDICATOR ASSEMBLY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE BODY WILL HAVE TWO (2) UNDER-BODY SIGN CARRIERS 6" HIGH X 22-3/16" WIDTH X 46" LONG WITH RETAINER CHAIN AND SNAP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CHASSIS SPECIFICATIONS:

THE CHASSIS WILL BE A CURRENT MODEL MACK (OR EQUAL) HAVING A GVWR OF 36,000 LBS. OR EQUAL AS PER THE ATTACHED SPECIFICATIONS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE CAB TO AXLE WILL BE 138 INCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE AFTER-FRAME WILL BE 75 INCHES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TEST AND CERTIFICATION:

EACH OF THE FOLLOWING TESTS ARE TO BE COMPLETED AND DOCUMENTED AND SUBMITTED AT THE TIME OF DELIVERY

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STABILITY TEST 1: 1-1/2 TIMES RATED LOAD ON LEVEL GROUND

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STABILITY TEST 2: 1-1/3 TIMES RATED LOAD ON A 50 SLOPE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

STATE THE NAME AND ADDRESS OF THE FACILITY WHERE THE STABILITY TESTS REQUIRED BY THE BID SPECIFICATION WERE PERFORMED.

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRICAL TEST 1: UPPER BOOM @ 100 KVAC FOR THREE MINUTES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ELECTRICAL TEST 2: LOWER BOOM @ 50 KVAC FOR FIVE MINUTES

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

ELECTRICAL TEST 3: COMBINED UPPER AND LOWER BOOM @ 100 KVAC FOR THREE MINUTES

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

ELECTRICAL TEST 4: BASKET LINER @ 50 KVAC FOR ONE MINUTE

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

STATE THE NAME AND ADDRESS OF THE FACILITY WHERE THE ELECTRICAL TEST REQUIRED BY THIS SPECIFICATION WERE PERFORMED

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

HOLDING VALVE TEST 1: UPPER BOOM BOTH DIRECTIONS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

HOLDING VALVE TEST 2: LOWER BOOM BOTH DIRECTIONS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

HOLDING VALVE TEST 3: ROTATION BOTH DIRECTIONS

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

SPEED TEST 1: UPPER BOOM

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

SPEED TEST 2: LOWER BOOM

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

SPEED TEST 3: ROTATION

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

PAINT:

PAINT – CAB EXTERIOR SINGLE STAGE - LIME YELLOW (L2739)

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

PAINT – CAB, URETHANE CLEAR COAT FINISH

EXACT COMPLIANCE: YES NO*

***DEVIATIONS:**

PAINT – CHASSIS RUNNING GEAR, BLACK (URETHANE)

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

FRONT WHEELS PRE-FINISHED - POWDER COATED WHITE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

REAR WHEEL PRE-FINISHED – POWDER COATED WHITE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AERIAL DEVICE WILL BE PAINTED WITH A POWDER COAT PROCESS WHICH PROVIDES A FINISH-PAINTED SURFACE THAT IS HIGHLY RESISTANT TO CHIPPING, SCRATCHING, ABRASION AND CORROSION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

PAINT IS TO BE ELECTRO-STATICALLY APPLIED TO THE INSIDE AS WELL AS OUTSIDE OF FABRICATED PARTS THEN HIGH TEMPERATURE CURED PRIOR TO ASSEMBLY ENSURING MAXIMUM COVERAGE AND PROTECTION

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

COLOR OF CAB WILL BE THE COUNTY OF UNION'S COLOR OF "ORANGE"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

COLOR OF BODY WILL BE THE COUNTY OF UNION'S COLOR OF "ORANGE"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

COLOR OF BOOM WILL BE THE COUNTY OF UNION'S COLOR OF "WHITE"

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TRAINING:

A QUALIFIED TECHNICIAN WILL PROVIDE COMPLETE TRAINING TO COUNTY PERSONNEL AT THE COUNTY GARAGE. TRAINING WILL INCLUDE SAFETY, OPERATION, MAINTENANCE AND SERVICE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WARRANTY:

ENGINE WARRANTY 5 YEARS 100% PARTS AND LABOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

TRANSMISSION: 5 YEAR 100% PARTS AND LABOR

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

CAB AND CHASSIS DEALER MUST BE LICENSED BY THE N J MOTOR VEHICLE COMMISSION, AS A NEW AND USED MOTOR VEHICLE DEALER. BIDDER MUST INCLUDE A COPY, WITH THE BID, OF THEIR MOTOR VEHICLE COMMISSION LICENSE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BIDDER TO PROVIDE A CHASSIS CONFORMING TO THE EPA REQUIREMENTS FOR ALL MODEL YEAR 2017 ENGINES

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BIDDER TO PROVIDE COPY OF MANUFACTURER'S MSO TO CONFIRM THEY ARE AN AUTHORIZED DEALER OF THE CHASSIS BEING BID BY THEM

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SUCCESSFUL BIDDER WILL HAVE THE NEW JERSEY STATE DIESEL EMISSIONS TEST PERFORMED ON THE TRUCK BY A CERTIFIED NEW JERSEY STATE DIESEL EMISSIONS CENTER AND PROVIDE A TWO YEAR STICKER

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SUCCESSFUL BIDDER WILL PERFORM A FEDERAL DOT INSPECTION BEFORE THE TRUCK IS DELIVERED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

SUCCESSFUL BIDDER WILL HAVE A FACTORY AUTHORIZED SERVICE CENTER WITHIN TWENTY FIVE (25) MILES OF PUBLIC WORKS, TO PERFORM ANY AND ALL WARRANTY AND SERVICE CLAIMS

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

IF A BIDDER IS NOT WITHIN TWENTY FIVE (25) MILES OF PUBLIC WORKS IT WILL BE THEIR RESPONSIBILITY, TO PICK UP THE TRUCK, FOR ALL WARRANTY WORK INCLUDING THE BODY , AT THERE EXPENSE , THE NEXT BUSINESS DAY, AFTER BEING NOTIFIED BY PUBLIC WORKS, AND RETURN IT TO PUBLIC WORKS WHEN COMPLETED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MANUFACTURER'S WARRANTY ON AERIAL DEVICE BY MANUFACTURER TO PROVIDE LIFETIME WARRANTY ON STRUCTURAL INTEGRITY OF THE FOLLOWING MAJOR COMPONENTS IS TO BE WARRANTED FOR SO LONG AS THE INITIAL PURCHASER OWNS THE PRODUCT: BOOMS, BOOM ARTICULATION LINKS, HYDRAULIC CYLINDER STRUCTURES, OUTRIGGER WELDMENTS, PEDESTALS, SUBBASES AND TURNTABLES. DISTRIBUTOR'S WARRANTIES WILL BE REJECTED WITHOUT FURTHER REVIEW

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MANUFACTURER'S WARRANTY ON AERIAL DEVICE AND COMPONENTS WILL BE ONE FOR (1) YEAR ON PARTS, LABOR AND TRAVEL TIME

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

MANUFACTURER'S WARRANTY WITH STIPULATIONS REQUIRING EXPENSIVE ANNUAL INSPECTIONS BY A DISTRIBUTOR WILL BE REJECTED WITHOUT FURTHER REVIEW

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

WARRANTY COMPLIANCE IS MANDATORY. BIDS TAKING ANY EXCEPTION TO THE FULL TERMS OF THE WARRANTY WILL BE REJECTED WITHOUT FURTHER REVIEW

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

ANNUAL SAFETY INSPECTION:

AN ON-SITE ANNUAL SAFETY INSPECTION AND DIELECTRIC TESTING PROGRAM FOR EACH OF THE FIRST THREE YEARS OF OWNERSHIP

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE DEVICE WILL BE GIVEN A COMPREHENSIVE SAFETY INSPECTION AND DIELECTRIC TEST. THE COUNTY WILL BE PROVIDED WITH A FULL WRITTEN REPORT AND CERTIFICATION BY THE INSPECTING FACTORY CERTIFIED TECHNICIAN WHILE HE IS ON-SITE

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

THE INSPECTION WILL INCLUDE ALL PREVENTIVE MAINTENANCE ITEMS, PLATFORM CONTROL COVERS, "D"-RING LANYARD SAFETY BELT, TRUCK ENGINE/AUXILIARY ENGINE INTERLOCK SWITCH, PLATFORM EMERGENCY SHUT-OFF SWITCH, PLATFORM STEP, AND ALL OSHA-MADDAC REQUIRED DECALS. MISSING DECALS WILL BE REPLACED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

AT THE TIME OF INSPECTION THE INSPECTOR WILL ALSO CHANGE THE HYDRAULIC OIL FILTER, TOP OFF FLUID LEVELS, LUBRICATE BOOM AND OTHER APPROPRIATE POINTS, ADJUST THE LEVELING SYSTEM, AND CHECK/ADJUST ALL HYDRAULIC PRESSURES. PARTS AND LABOR INCLUDED

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BIDDER WILL SUBMIT WITH HIS PROPOSAL A SAMPLE COPY OF THE INSPECTION REPORT

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

BIDDER WILL SUBMIT A LIST OF NEW JERSEY GOVERNMENTAL ENTITIES FOR WHICH A SIMILAR 3-YEAR SAFETY INSPECTION PROGRAM HAS BEEN (OR IS BEING) PERFORMED. SUCH LIST WILL INCLUDE CONTACT NAME, PHONE AND EQUIPMENT COVERED. IF NONE, STATE SO

EXACT COMPLIANCE: YES NO*

*DEVIATIONS:

HAVING CAREFULLY READ THE NOTICE TO BIDDERS, SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS, THE UNDERSIGNED HEREBY AGREES TO PROVIDE AND DELIVER A **FORESTRY TRUCK** FOR THE COUNTY OF UNION IN ACCORDANCE TO THE SPECIFICATIONS. DO NOT ALTER THE FORMAT OF THE BID FORM PAGE IN ANY MANNER UNDER THE PENALTY OF DISQUALIFICATIONS.

<u>ITEM #</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>	<u>UNIT PRICE</u>	<u>SUB-TOTAL</u>
1	FORESTRY TRUCK	1	X \$ _____	= \$ _____

BRAND: _____

MAKE, MODEL & YEAR: _____

DELIVERY* _____ DAYS AFTER AWARD

(MAY BE A FACTOR IN AWARD)

*NOTE: DELIVERY MUST BE WITHIN 120-160 DAYS

GRAND TOTAL \$ _____
(NOT TO EXCEED)

SERVICE SHOP LOCATION: _____

NAME OF BIDDER: _____

BIDDER SIGNATURE PAGE

Rev. 9/20/05

1. If doing business under a **trade name, partnership** or a **sole proprietorship**, you must submit the bid under **exact title** of the trade name, partnership, or proprietorship, and the bid must be signed by either the **owner** or a **partner** and **witnessed** by a **notary public**.
2. If a **Corporation**, the bid must be signed by the **President** or **Vice President** and **witnessed** by **Corporate Secretary**, (Corporate title must be exact) and **affix corporate seal**.
3. Other persons **authorized** by **Corporate Resolution** to execute agreements in its behalf may also sign the bid documents (pages).
4. The Person who signs this bid form **must also sign** the **Non-Collusion Affidavit**.
5. You **cannot** witness your own signature.

NAME OF BIDDER

SIGNATURE
CORPORATE SECRETARY

ADDRESS OF BIDDER

PRINT NAME AND TITLE
CORPORATE SECRETARY

TELEPHONE: _____

FAX: _____

EMAIL: _____

BY: _____
SIGNATURE

DATE

AFFIX CORPORATE SEAL

PRINT OR TYPE NAME AND TITLE

WARNING: FAILURE TO FULLY, ACCURATELY, AND COMPLETELY SUPPLY THE INFORMATION REQUESTED ON THIS PAGE MAY RESULT IN THE REJECTION OF YOUR BID AS NON-RESPONSIVE

BUSINESS REGISTRATION

Mandatory Requirement

P.L. 2009, c.315, requires that effective January 18, 2010; a contracting agency must receive proof of the bidder's business registration prior to the award of a contract. However, the proof must show that the bidder was in fact registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

If subcontractors are named on the bid, proof of the business registration for each must be provided prior to the award of a contract. Similarly to the bidder, the proof must show that each subcontractor was registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

Proof of business registration shall be:

- A copy of a Business Registration Certificate issued by the Department of Treasury, Division of Revenue; or
- A copy of the web printed version provided by the NJ Division of Revenue



STATE OF NEW JERSEY
BUSINESS REGISTRATION CERTIFICATE
FOR STATE AGENCY AND CASINO SERVICE CONTRACTORS


TAXPAYER NAME: TAX REGISTRATION TEST ACCOUNT
TAXPAYER IDENTIFICATION: 870-087-382/389
ADDRESS: 847 ROEBLING AVE, TRENTON NJ 08611
EFFECTIVE DATE: 09/01/01
FORM BRC(09-01)

TRADE NAME: CLIENT REGISTRATION
SEQUENCE NUMBER: 0107330
ISSUANCE DATE: 07/14/04

DEPARTMENT OF TREASURY
DIVISION OF REVENUE
TREASURY B / 884-6100

John S. Tully
Acting Director

This Certificate is NOT assignable or transferable. It must be continuously verified at stated address.



STATE OF NEW JERSEY
BUSINESS REGISTRATION CERTIFICATE

Taxpayer Name: TAX REG TEST ACCOUNT
Trade Name:
Address: 847 ROEBLING AVE, TRENTON, NJ 08611
Certificate Number: 1093907
Date of Issuance: October 14, 2004

For Office Use Only:
1004101-0112825633

ATTACH BRC HERE

STATEMENT OF OWNERSHIP DISCLOSURE

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

This statement shall be completed, certified to, and included with all bid and proposal submissions. Failure to submit the required information is cause for automatic rejection of the bid or proposal.

Name of Organization: _____

Organization Address: _____

Part I Check the box that represents the type of business organization:

- Sole Proprietorship (skip Parts II and III, execute certification in Part IV)
- Non-Profit Corporation (skip Parts II and III, execute certification in Part IV)
- For-Profit Corporation (any type) Limited Liability Company (LLC)
- Partnership Limited Partnership Limited Liability Partnership (LLP)
- Other (be specific): _____

Part II

The list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be. **(COMPLETE THE LIST BELOW IN THIS SECTION)**

OR

No one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be. **(SKIP TO PART IV)**

(Please attach additional sheets if more space is needed):

Name of Individual or Business Entity	Home Address (for Individuals) or Business Address

Part III DISCLOSURE OF 10% OR GREATER OWNERSHIP IN THE STOCKHOLDERS, PARTNERS OR LLC MEMBERS LISTED IN PART II

If a bidder has a direct or indirect parent entity which is publicly traded, and any person holds a 10 percent or greater beneficial interest in the publicly traded parent entity as of the last annual federal Security and Exchange Commission (SEC) or foreign equivalent filing, ownership disclosure can be met by providing links to the website(s) containing the last annual filing(s) with the federal Securities and Exchange Commission (or foreign equivalent) that contain the name and address of each person holding a 10% or greater beneficial interest in the publicly traded parent entity, along with the relevant page numbers of the filing(s) that contain the information on each such person. Attach additional sheets if more space is needed.

Website (URL) containing the last annual SEC (or foreign equivalent) filing	Page #'s

Please list the names and addresses of each stockholder, partner or member owning a 10 percent or greater interest in any corresponding corporation, partnership and/or limited liability company (LLC) listed in Part II other than for any publicly traded parent entities referenced above. The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member exceeding the 10 percent ownership criteria established pursuant to N.J.S.A. 52:25-24.2 has been listed. Attach additional sheets if more space is needed.

Stockholder/Partner/Member and Corresponding Entity Listed in Part II	Home Address (for Individuals) or Business Address

Part IV Certification

I, being duly sworn upon my oath, hereby represent that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I acknowledge: that I am authorized to execute this certification on behalf of the bidder/proposer; that the *County of Union* is relying on the information contained herein and that I am under a continuing obligation from the date of this certification through the completion of any contracts with *County of Union* to notify the *County of Union* in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I am subject to criminal prosecution under the law and that it will constitute a material breach of my agreement(s) with the, permitting the *County of Union* to declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):		Title:	
Signature:		Date:	

NON-COLLUSION AFFIDAVIT

Rev. 1/22/93

STATE OF _____

SS:

COUNTY OF _____

I _____ of the City of _____, in the County of _____ and the State of _____, of full age, being duly sworn according to law, on my oath depose and say that: I am _____ of the firm of _____, the bidder making the Proposal for the above named project, and that I executed the said Proposal with full authority to do so; that said bidder has not, directly or indirectly, entered into any agreement, participation in any collusion, or otherwise taken any action in restraint of free, competitive bidding in connection with the above named project; and that all statements contained in said Proposal and in this Affidavit are true and correct, and made with full knowledge that the COUNTY OF UNION, NEW JERSEY relies upon the truth of the statements contained in said Proposal and in the statements contained in the affidavit in awarding the contract for the said project.

I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies maintained by _____ (N.J.S.A. 52:34-15).

NAME OF CONTRACTOR

Sign Name Here

(Original signature only; stamped signature not accepted)

Subscribed and sworn to before
Me this _____ day of _____, 20____.

Notary Public of the State of _____

My Commission expires _____

NOTE TO NOTARY: WHEN COMPLETING THIS JURAT, ALL NOTARIES MUST:

- 1. Indicate date. 2. Indicate State. 3. Sign name. 4. Affix name by Printing it, typing it, using a rubber stamp, using an impression seal or using a mechanical stamp.

Note: The person who signed the bid form for the bidder should sign this form also.

WARNING: IF YOU FAIL TO FULLY, ACCURATELY AND COMPLETELY FILL OUT THIS AFFIDAVIT OF NON-COLLUSION, YOU BID WILL BE REJECTED.

AFFIRMATIVE ACTION REQUIREMENT

Rev. 6/29/93

REQUIRED AFFIRMATIVE ACTION EVIDENCE

General Requirements of P.L. 1975, c. 127: You are hereby put on notice that:

A. Procurement, Professional & Service Contracts

All successful vendors must submit within seven days of the notice of intent to award or the signing of the contract one of the following: **PLEASE CHECK ONE**

A photocopy of your Federal Letter of Affirmative Action Plan Approval

OR

A photocopy of your Certificate of Employee Information Report

OR

A completed Affirmative Action Employee Information Report (AA302)

If successful vendor does not submit the affirmative action document within the seven days the County of Union will declare the vendor as being non-responsive and award the contract to the next lowest bidder.

Print or type FIRM NAME here

Sign NAME and TITLE here
(Original signature only, stamped signature not accepted)

Print or type NAME and TITLE here

Print or type DATE

AMERICANS WITH DISABILITIES ACT

EQUAL OPPORTUNITY FOR INDIVIDUALS WITH DISABILITIES

The contractor and the County of Union (hereafter "Owner") do hereby agree that the provisions of Title II of the Americans With Disabilities Act of 1990 (the "Act") (42 U.S.C. S12.101 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant therunto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the Owner pursuant to this contract, the contractor agrees that the performance shall be in strict compliance with the Act. In the event the contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the contractor shall defend the Owner in any action or administrative proceeding commenced pursuant to this Act. The contractor shall indemnify, protect, and save harmless the Owner, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The contractor shall, at its own expense, appear, defend, any pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the Owner's grievance procedure, the contractor agrees to abide by any decision of the Owner which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the Owner, or if the Owner incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the contractor shall satisfy and discharge the same at its own expense.

The Owner shall, as soon as practicable after a claim has been made against it, give written notice thereof to the contractor along with full and complete particulars of the claim. If any action or administrative proceeding is brought against the Owner or any of its agents, servants, and employees, the Owner shall expeditiously forward or have forwarded to the contractor every demand, complaint, notice, summons, pleading, or other process received by the Owner or its representatives.

It is expressly agreed and understood that any approval by the Owner of the services provided by the contractor pursuant to this contract will not relieve the contractor of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the Owner pursuant to this paragraph.

It is further agreed and understood that the Owner assumes no obligation to indemnify or save harmless the contractor, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the contractor's obligations assumed in this Agreement, nor shall they be construed to relieve the contractor from any liability, nor preclude the Owner from taking any other actions available to it under any other provisions of this Agreement or otherwise at law.

Name _____ (Please print or type)

Signature _____ Date _____

NAME OF BIDDER: _____

COUNTY OF UNION NEW JERSEY
Division of Purchasing
DISCLOSURE OF INVESTMENT ACTIVITIES IN IRAN FORM

Solicitation Number: _____ Vendor/Bidder: _____

PART 1
CERTIFICATION

VENDOR/BIDDER MUST COMPLETE PART 1 BY CHECKING ONE OF THE BOXES
FAILURE TO CHECK ONE OF THE BOXES WILL RENDER THE PROPOSAL NON-RESPONSIVE

Pursuant to Public Law 2012, c. 25, any person or entity that submits a bid or proposal or otherwise proposes to enter into or renew a contract must complete the certification below to attest, under penalty of perjury, that neither the person nor entity, nor any of its parents, subsidiaries, or affiliates, is identified on the State of New Jersey, Department of the Treasury's Chapter 25 list as a person or entity engaged in investment activities in Iran. The Chapter 25 list is found on the Department's website at <http://www.state.nj.us/treasury/pdf/Chapter25List.pdf>. Vendors/Bidders must review this list prior to completing the below certification. Failure to complete the certification will render a Vendor's/Bidder's proposal non-responsive. If the Director of the Division of Purchase and Property finds a person or entity to be in violation of the law, s/he shall take action as may be appropriate and provided by law, rule or contract, including but not limited to, imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the party.

CHECK THE APPROPRIATE BOX

- A. I certify, pursuant to Public Law 2012, c.25, that neither the Vendor/Bidder listed above nor any of its parents, subsidiaries, or affiliates is listed on the N.J. Department of Treasury's list of entities determined to be engaged in prohibited activities in Iran pursuant to P.L. 2012, c. 25 ("Chapter 25 List"). Disregard Part 2 and complete and sign the Certification below.
- OR**
- B. I am unable to certify as above because the Vendor/Bidder and/or one or more of its parents, subsidiaries, or affiliates is listed on the Department's Chapter 25 list. I will provide a detailed, accurate and precise description of the activities in Part 2 below and sign and complete the Certification below. Failure to provide such information will result in the proposal being rendered as non-responsive and appropriate penalties, fines and/or sanctions will be assessed as provided by law.
-

PART 2

PLEASE PROVIDE ADDITIONAL INFORMATION RELATED TO INVESTMENT ACTIVITIES IN IRAN

If you checked Box "B" above, provide a detailed, accurate and precise description of the activities of the Vendor/Bidder, or one of its parents, subsidiaries or affiliates, engaged in investment activities in Iran by completing the information below.

ENTITY NAME: _____
RELATIONSHIP TO VENDOR/BIDDER: _____
DESCRIPTION OF ACTIVITIES: _____
DURATION OF ENGAGEMENT: _____
ANTICIPATED CESSATION DATE: _____
VENDOR/BIDDER CONTACT NAME: _____
VENDOR/BIDDER CONTACT PHONE#: _____
Attach Additional Sheets If Necessary

CERTIFICATION

I, the undersigned, certify that I am authorized to execute this certification on behalf of the Vendor/Bidder, that the foregoing information and any attachments hereto, to the best of my knowledge are true and complete. I acknowledge that the County of Union, New Jersey is relying on the information contained herein, and that the Vendor/Bidder is under a continuing obligation from the date of this certification through the completion of any contract(s) with the County of Union to notify the County of Union in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification. If I do so, I will be subject to criminal prosecution under the law, and it will constitute a material breach of my agreement(s) with the County of Union, permitting the County of Union to declare any contract(s) resulting from this certification void and unenforceable.

Signature

Date

Print Name and Title

Revised 10/19/17

WARRANTY

Attach copy or provide description of warranties on all components of vehicles.

NAME OF BIDDER: _____

VEHICLE MANUFACTURER'S STATEMENT OF ACKNOWLEDGEMENT

Attach vehicle manufacturer's statement of acknowledgement for floor construction for vehicle being bid on.

NAME OF BIDDER: _____

AUTHORIZED DEALER PROOF

Attach proof of authorized dealership and copy of New Jersey State license for the sale of vehicle being bid on.

NAME OF BIDDER: _____

NEW JERSEY STATE DIESEL EMISSIONS CERTIFICATE

Attach copy of certificate or proof for the New Jersey State Diesel Emissions Test.

NAME OF BIDDER: _____

FEDERAL DOT INSPECTION CERTIFICATE

Attach a copy of the Certificate or proof of completed Federal DOT Inspection.

NAME OF BIDDER: _____

MAP

Attach copy of Google Map or Mapquest from address of service facility to 2371 South Avenue, Scotch Plains, NJ 07076

NAME OF BIDDER: _____

NJ MOTOR VEHICLE COMMISSION LICENSE

Attach copy of Motor Vehicle Commission License.

NAME OF BIDDER: _____

COUNTY OF UNION
ACKNOWLEDGEMENT OF RECEIPT OF ADDENDA

The undersigned Bidder hereby acknowledges receipt of the following Addenda(s):

<u>Addendum Number</u>	<u>Dated</u>	<u>Acknowledge Receipt (Initial)</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Acknowledged for: _____
(Name of Bidder)

By: _____
(Signature of Authorized Representative)

Name: _____
(Print or Type)

Title: _____

Date: _____

Please Do Not submit if you did not receive Addenda(s)

NAME OF BIDDER: _____