



**COUNTY OF UNION**  
*BID SUBMISSION CHECKLIST*

**PRISONER TRANSPORT  
CARGO VAN INSERTS  
BA# 51-2017**

- \_\_\_\_\_ 1. Bid Form Page(s)
- \_\_\_\_\_ 2. Bidder Signature Page – *follow instructions and fill out completely*
- \_\_\_\_\_ 3. Statement of Ownership Disclosure (2 pages)
- \_\_\_\_\_ 4. Non-Collusion Affidavit – *fill out completely and notarize*
- \_\_\_\_\_ 5. Affirmative Action Requirement
- \_\_\_\_\_ 6. Americans with Disabilities Form
- \_\_\_\_\_ 7. Disclosure of Investment Activities in Iran
- \_\_\_\_\_ 8. Copy of a State of New Jersey **Business Registration Certificate (“BRC”)** issued in the company name of the bidder and in the names of any subcontractors, if applicable
- \_\_\_\_\_ 9. Compliance Pages
- \_\_\_\_\_ 10. Original Manufacturer’s Brochures
- \_\_\_\_\_ 11. Addenda Receipt Form – ONLY INCLUDE IF ADDENDA(S) WERE RECEIVED

***Each bidder should complete this form, initial each entry, sign and date at the bottom and submit with bid.***

NAME OF BIDDER: \_\_\_\_\_ DATE: \_\_\_\_\_

# COUNTY OF UNION

## Invitation to Bid

SEALED BIDS will be received by the Director of the Division of Purchasing of the County of Union, New Jersey or her designee on **June 29, 2017**, at **2:30 p.m.** prevailing time in the **3<sup>rd</sup> Floor Conference Room**, U.C. Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey 07207 for:

### **PRISONER TRANSPORT CARGO VAN INSERTS BA# 51-2017**

in accordance with the specifications and forms of the bid packages furnished by the Division of Purchasing. The County reserves the right to reject any and all bids and to waive any and all informalities in the bid.

Bids shall be submitted in a sealed envelope and clearly marked with the subject of the bid, name and address of the bidder, phone & fax number, and date of the bid opening. Each bid must be delivered to reach the Division of Purchasing prior to the stated time of the opening of the bids. The County will not be responsible for late delivery by the U.S. Mail or any other carrier. If hand delivered, please note that parking and security access at the County Complex may cause delays and bidders should take them into consideration in order to submit a timely bid. **No** late bids will be accepted.

Bidders are required to comply with the requirements of N.J.S.A. 10:5-31 et. seq. and N.J.A.C. 17:27.

Bid packages may be obtained by registering and downloading at <http://ucnj.org/bid-specs> or in person from the Division of Purchasing (3<sup>rd</sup> floor), Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey or via U.S. Mail per request. Fax requests for bid packages to 908-558-2548 or call 908-527-4130.

Laura M. Scutari, QPA-Director of Purchasing.

**UNION COUNTY BOARD  
OF CHOSEN FREEHOLDERS**

***We're Connected to You!***

## GENERAL SPECIFICATIONS

Revised 4/21/2016  
Goods & Services

### 1. RECEIPT OF BIDS

The Division of Purchasing will receive sealed bids for this work at the Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey 07207 on the date and time and in the place noted on the sheet marked "Notice to Bidders".

Bids for this work should be enclosed in a sealed envelope addressed to the Purchasing Division, County of Union, New Jersey, Union County Administration Building, 10 Elizabethtown Plaza, Elizabeth, New Jersey 07207, with the full name of the bid and the bid opening date and time clearly marked on the outside. Any outer shipping container must be marked in the same way. Refer to the sheet marked "Notice to Bidders" for the correct name of the bid and the bid opening date.

The County will not assume responsibility for bids forwarded by U.S. mail or any other delivery service. It is the bidder's responsibility to see that the bids are presented to the Purchasing Division at the time and place designated. Under no circumstances will a bid be accepted after the time designated for the bid opening.

All Bid Form pages are to be filled out with a typewriter or pen and ink. The bidder in ink must initial erasures or alterations. Bid prices will be accepted only on the Bidding Sheet supplied. In the event there is a discrepancy between any unit price given and the extended total, the unit price will govern. Any discrepancies will be mathematically adjusted.

When two or more low bids are equal in all respects, awards will be made according to the provisions of N.J.S.A. 40A:11-6(d).

The County reserves the right to reject any or all bids and also reserves the right to waive any non-material defects in the bids received.

All delivery costs (FOB: Union County Ship to Address) shall be included in the total bid prices, unless the bid specifications specifically state otherwise.

N.J.S.A. 54:32B-1 et seq. exempts all materials sold to the County of Union from sales or use taxes and these should not be included in the prices provided on the Bidding Sheet.

The Bidder's Signature Page, Non-Collusion Affidavit, and Bidder's Disclosure Statement must be completely filled out and submitted in the sealed bid. If specified, Equipment Statement, Experience Statement, Bid Bond, Consent of Surety, N.J. Public Works Contractor's Registration Certificate, a State of New Jersey Department of the Treasury Business Registration Certificate and List of Sub-contractors must also be included in the sealed bid. Refer to the Bid Document Submission Checklist for all required documents.

### 2. BID AND PERFORMANCE GUARANTEE

If specified, each bidder must furnish a guarantee in the form of a Bid Bond, Certified Check or Bank Cashier's Check in the required amount as specified on the Bid Document Submission Checklist page. Checks shall be drawn to the order of the County of Union, New Jersey.

If specified, each bidder must furnish with the bid, the Consent of Surety form signed by a Surety Company stating that if the bid is accepted the Surety Company which provides the Consent shall be required to furnish a Performance Bond in the amount as specified on the Bid Document Submission Checklist page. Such Surety Company will provide the Contractor with Bonds guaranteeing the faithful performance of the work in accordance with the specifications, and the payment for labor, materials, and all other indebtedness which may accrue on the account of this work. The Performance Bond will be required at the time of the signing of the Contract and will be written by a firm authorized to issue the bonds under the laws of the State of New Jersey and be in a form acceptable to the County Counsel. The County of Union has provided its Consent of Surety form for your use. The use of this form by your Surety Company will expedite the bid review process and eliminate the possibility of having your bid rejected. If, however, you should need to use another form, please use language similar to that used on the Union County form and avoid making any additions or deletions to the Union County form language. The Performance Bond will have a term equal to the entire contract period. In lieu of the Consent of Surety, the Bidder **MAY** submit a Certified Check for the required amount

The County of Union shall award the contract or reject all bids within sixty (60) days; except that the bids of any bidders' who consent thereto may, at the request of the County, be held for consideration such longer periods as may be agreed.

The County will return all bid guarantees after the bids have been opened, read, tabulated and checked except those of the three (3) bidders whose bids are considered the lowest responsible bids. The bid bonds of the low three (3) bidders will be returned within ten (10) days of the date of the award of the contract.

If the successful bidder refuses or neglects to sign the said Agreement and/or fails to furnish the required performance bond, the Surety of such bidder will be held and used by the County as liquidated damages for such refusal or neglect.

### **3. QUALIFICATION OF BIDDERS**

The County of Union may make such investigation, as it deems necessary to determine the ability of bidder to perform the work. The County of Union reserves the right to reject any bid if investigation of such bidder fails to satisfy the County of Union that such bidder is properly qualified to carry out obligations of Contract, and to complete work contemplated therein.

Bidders are required to submit the names and addresses of the officers or principals of the Corporation, Firm or Partnership submitting a proposal or bid. Failure to comply will result in the rejection of such bid as non-responsive.

The County of Union has the right to reject any and all bids from any bidder that is in, or contemplates bankruptcy of any chapter or nature. Said bidder shall notify the County, in writing, of any condition or knowledge of the same.

### **4. RESERVATIONS**

The County reserves the right to reject any or all bids and also reserves the right to waive any non-material defects in the bids received. The contractor shall not assign, transfer, convey, sublet or otherwise dispose of the contract or any part thereof to anyone without the written consent of the County of Union, New Jersey.

### **5. AWARD AND EXECUTION OF CONTRACTS**

The County of Union, in accordance with N.J.S.A. 40A:11-24, shall award the contract or reject all bids within 60 days; except that the bids of any bidders who consent thereto may, at the request of the County be held for consideration for such longer periods as may be agreed.

When two or more low bids are equal in all respects, awards will be made according to the provisions of N.J.S.A. 40A:11-6.1(d).

### **6. BRAND NAMES**

Whenever an item specified by manufacturer's model number, brand or trade name, it is understood that such description is only for the purpose of defining the level of quality desired, and does not in any way restrict bidding to the named brand. Bids on other brands may be submitted by any responsible supplier, provided such brands are equal to or better than the one named in the specifications. However, the burden of proof as to the comparative quality and suitability of alternate or substitute equipment, articles or materials lies with the bidder and, he shall furnish, at his own expense, all information necessary or related thereto as required by the County of Union. The County of Union shall be the sole judge as to the comparative quality and suitability of alternate or substitute equipment, articles, or materials, and the decision shall be final.

The trade name(s) or brand name(s) offered must be shown on the vendor's response bid form pages.

### **7. PATENT CLAIMS**

The successful bidder (contractor) shall protect and save the County harmless from all and every demand for damages, royalties, or fees on any patented invention used by it in connection with the supplies furnished under this contract hereunder, and it shall be the duty of the contractor, if so demanded by the County, to furnish said County with proper legal release or indemnity from and against all such claims and any and all payments due under such contract are furnished if the County so elects.

## **8. INSURANCE REQUIREMENTS**

Vendor shall procure and maintain at all times while the contract is in full force and effect, the following insurance coverage with an insurance company or companies acceptable to the County, with limits not less than those shown below. A Certificate of Insurance shall be filed with the County prior to commencement of the work reflecting the following:

- a) **Commercial General Liability (CGL):** Coverage for all operations including, but not limited to, contractual, products and completed operations, and personal injury with limits no less than \$1,000,000 per occurrence/\$2,000,000 aggregate. The County of Union, its Board of Chosen Freeholders, officers, employees, agents, servants and the State of New Jersey; are included as Additional Insured. The General Liability Insurance coverage is provided on primary and non-contributory basis to the County of Union, et al.
- b) **Automobile Liability:** Coverage for all owned, non-owned and hired vehicles with limits not less than \$1,000,000 per occurrence, combined single limits (CSL) or its equivalent.
- c) **Workers Compensation:** As required by the State of New Jersey and Employers Liability with limits not less than \$1,000,000 per accident for bodily injury or disease.

Where applicable, a waiver of subrogation in favor of the County of Union, its Board of Chosen Freeholders, officers, employees, agents, servants is to be included in those policies of insurance where permitted by law.

**Notice of Cancellation:** Each insurance policy required above shall provide that coverage shall not be canceled, except with notice to the Entity.

**\*Special Risks or Circumstances:** The County reserves the right to modify these requirements, including limits, based on the nature of the risk, prior experience, insurer, coverage, or other special circumstances.

## **9. INDEMNIFICATION REQUIREMENTS**

The Supplier shall indemnify and hold harmless the County and its agents and employees from and against all claims, damages, losses and expenses, including attorney's fees, arising out of or resulting from the performance of the contract which is attributable to personal injury, including bodily injury, property damage and the loss of use resulting therefrom, or the loss of use of tangible property, which has not been physically injured or destroyed, and is caused in whole or in part by an act or omission of the Supplier, any subcontractor of the supplier, any one directly or indirectly employed by any of them or anyone for whose acts any of them may be liable.

## **10. NON-DISCRIMINATION**

The parties to this contract do hereby agree to comply with the provisions of N.J.S.A. 10:2-1 through 10:2-4, N.J.S.A. 10:5-31 through 10:5-38 et seq. (P.L. 1975, c. 127), dealing with discrimination in employment on public contracts and the rules and regulations promulgated pursuant thereto are hereby made a part of this contract and are binding on them. The bidder agrees that it will not discriminate against any employee who is employed in the work to be covered by any contract resulting from this bid because of color, race, creed, religion, national origin or ancestry.

## **11. AMERICANS WITH DISABILITIES ACT OF 1990**

Discrimination on the basis of disability in contracting for the delivery of services is prohibited. Respondents are required to read the Americans with Disabilities language that is part of the documents attached hereto and agree that the provisions of Title II of the Act are made part of the contract. The contractor is obligated to comply with the Act and hold the owner harmless.

## **12. INVESTMENT ACTIVITIES WITH IRAN**

Pursuant to P.L. 2012, c.25, codified as NJSA 52:32-55 et seq., prohibits State and local public contracts with persons or entities engaging in certain investment activities in energy or finance sectors of Iran.

## **13. ROYALTIES AND PATENTS**

The Contractor shall pay all royalties and license fees. He shall defend all suits or claims for infringement of any patent rights and shall hold the County harmless from loss on account thereof.

#### **14. CONTRACTOR'S EMPLOYEES**

The Contractor must employ only suitable and competent labor in the work, and must remove from the work any incompetent, unsuitable, or disorderly person upon complaint from the County.

The parties to any contract resulting from this bid do hereby agree that the provisions of N.J.S.A. 10:2-1 through 10:2-4 (discrimination in employment on public works contracts): 34:11-56.25 et seq. (payment of prevailing rate of wages determined pursuant to N.J.S.A 34:11-56.30 by the Commissioner), and the Rules and Regulations promulgated pursuant thereto, are hereby made a part of any contract and are binding upon them.

There will be no discrimination against any employee who is employed in the work to be covered by any contract resulting from this bid because of age, race, creed, color, national origin, ancestry, marital status or sex.

Any person, firm, or corporation violating the provisions of this Section will be deemed and judged a disorderly person.

#### **15. PAYMENT OF WAGES OR BENEFITS WITHIN TIME**

The County of Union requires all bidders to comply with N.J.S.A. 2C:40 A-2. Failure of an employer to pay wages or benefits within time specified will result in a penalty for the violation.

"In addition to any other penalty or punishment otherwise prescribed by law, any employer who is party to an agreement made with a collective bargaining agent or with an individual employee which requires the payment of (a) wages or of benefits, or (b) contributions for the support of a fund out of which benefits may be paid, including, without limitation upon the generality of the foregoing, any pension fund, welfare fund or any fund for the support of any program or programs in any trade, profession or occupation concerned in such agreement, or other penalties in connection with the employment of any employee or employees and who knowingly and willfully fails or refuses to make such payments within thirty (30) days after such payments are by said agreement to be made, or in the case of wages, if the agreement fails to specify the time of payment, then within the time specified for the payment of wages by Section 2, P.L. 1965, c.173 (N.J.S.A. 34:11-42) is a disorderly person".

If such employer is a corporation, the officer or employee responsible for such willful failure or refusal is a disorderly person.

#### **16. PREFERENCE FOR DOMESTIC PRODUCTS**

Each local unit shall provide, in the specifications for all contracts for county or municipal work or for work for which it will pay any part of the cost, or work which by contract or ordinance it will ultimately own and maintain, that only manufactured and farm products of the United States, wherever available, be used in such work.

#### **17. ON SITE STORAGE**

In the event that it is necessary for the Contractor to stockpile or store materials or equipment on the job site, the Contractor shall inform the County of such necessity and County may offer available space, if any, for storage of such materials or equipment. The contractor shall use said space only for such purpose. Any and all materials which may be stored in such space or which may be brought onto the job site at any time by the Contractor will be at the Contractor's sole risk. The County will not be responsible for loss of or damage to said materials or equipment for any cause whatsoever. The Contractor shall take necessary measures to protect any such storage area and shall be responsible for any and all damages.

#### **18. FINAL CLEAN UP**

Upon completion of each project assigned, the Contractor will remove all equipment, unused materials, rubbish, etc., and will repair, or replace in a manner acceptable to the County, all areas that may have been damaged in the prosecution of the work.

## 19. SUB-LETTING OF WORK

N.J.S.A. 40A:11-16 requires the bidder to list in the bid sheets the name or names of all subcontractors involved in the following types of work: plumbing, heating, ventilation and air conditioning, electrical, ornamental iron, structural steel and steam power. If these trades are expected to be part of the contract, such subcontractors should be listed on the bid sheet entitled "List of Subcontractors". Substitutions of any listed subcontractors pursuant to N.J.S.A. 40A:11-16 will not be permitted except with the consent of the Director.

Except for the List of Subcontractors, pursuant to N.J.S.A. 40A:11-16, no portion of the work will be sublet by the Contractor to any other entities, except with the consent of the Director of Facilities Management. A complete list of approved subcontractors must be submitted to the Director prior to the start of work. All Subcontractors will be subject to N.J.S.A. 34:11-56 et al.

## 20. SAFETY

The Contractor shall observe all rules and regulations of the Federal, State, and local health officials. Attention is directed to Federal, State, and local laws, rules, and regulations concerning construction safety and health standards. The Contractor shall not require any worker to work in surroundings or under conditions that are unsanitary, hazardous, or dangerous to the worker's health or safety.

The Contractor shall admit, without delay and without the presentation of an inspection warrant, any inspector of OSHA or other legally responsible agency involved in safety and health administration upon presentation of proper credentials.

The Contractor shall at times conduct the work to provide for the safety and convenience of the general public and protection of persons and property. The safety provisions of applicable laws, OSHA regulations, building and construction codes, and the rules and regulations of the New Jersey Department of Labor and Commerce shall be observed.

## 21. UTILITIES

The bidder is directed to the fact that the approximate locations of known utility structures and facilities that may be encountered within and adjacent to the limits of the work. The County will advise contractor of the location of these utilities and structures, but the accuracy and completeness of this information is not guaranteed by the County. The bidder is advised to ascertain for himself all the facts concerning the location of these and other utilities.

The Contractor will not proceed with his work until he has made diligent inquiries of all public utility and municipal officials to determine the exact location of all-underground structures and pipes within the site of the work assigned. The corporations, companies, agencies or municipalities owning or controlling the utilities, and the name, and telephone numbers can be obtained from the Division of Facilities Management and their notification and involvement in any work on County locations should be coordinated with the Department. The Contractor will notify utility owners not less than ten (10) days in advance of the time he proposes to perform any work that will endanger or affect their facilities in compliance with **New Jersey One-Call**. In excavating in any part of the work, care must be taken not to remove or damage any gas, water, sewer, or other pipe, conduit, or structure, - public or private - without the concurrence of the owner and the County. The Contractor will, at his own expense, shore up, secure and maintain a continuous flow in such structures, and will keep them in repair until final approval of the work by the Director of Facilities Management.

When pipes or other structures are encountered or when the removal, relocation or protection of these utilities are necessary in carrying out the work as agreed upon with the Department, the Contractor will cooperate with the owner of said utilities and will permit the owners or their agents access to the site of the work in order to relocate or protect their facilities and not hinder or delay unnecessarily the work of the owners in moving same. No extra allowance of payment will be made to the Contractor for the use of any materials, equipment, etc., or the performance of any work in connection with the moving of said structures unless the Contractor is specifically ordered by the County to furnish such materials, equipment, or services.

## 22. PERMITS

The Contractor will obtain all necessary permits required by law and provide the County with necessary approvals prior to commencement of permitted work.

## **23. INSPECTION**

The work must be done in accordance with the work procedures agreed upon by the contractor and the Division of Facilities Management, and will be inspected by the Director of the Department. An inspector may be placed upon the work site at any time by the County to see that the instructions of the County are carried out.

## **24. DAMAGES**

The Contractor will be held responsible for all damages that may occur to work, or to persons or property by reason of the nature of the work or from the elements, or by reason of inadequate protection of the work, or from any carelessness or negligence on his part or on the part of his employees. The County will withhold payments on the work until all suits or claims for damages sustained on, or by reason of, the Contractor will have settled this work.

## **25. DEFAULT OF CONTRACT**

If at any time the work under this contract is abandoned or neglected, or any part thereof is unnecessarily delayed, or if the Contractor will prosecute the work without due diligence, or with an insufficient force to complete the work in the time specified in the opinion of the Director of the Division of Facilities Management, then the Director may declare the Contractor in default, may employ other parties to complete the work, use such material as may have been procured and may procure all other material necessary for the completion of the work called for in this contract. The expense incurred by him in such procedure will be deducted from any moneys due the Contractor. The Contractor or his surety company will pay the amount of the excess to the County on notice from the Director.

## **26. AFFIRMATIVE ACTION REQUIREMENT**

**REQUIRED AFFIRMATIVE ACTION EVIDENCE** – General requirements of P.L. 1975, c. 127. You are hereby put on notice that:

- A. Procurement, Professional & Service Contracts; all successful vendors must submit within seven (7) days of the notice of intent to award or the signing of the contract one of the following:
  - 1. A photocopy of your Federal Letter of Affirmative Action Plan Approval.
  - 2. A photocopy of your Certificate of Employee Information Report.
  - 3. A completed Affirmative Action Employee Information Report (AA302).

If the successful vendor does not submit the affirmative action document within the seven (7) days, the County of Union will declare the vendor as being non-responsive and award the contract to the next lowest bidder.

## **27. TERMINATION OF CONTRACT**

If, through any cause, the successful Supplier fails to fulfill in timely and proper manner its contractual obligations, or if the Supplier violates any of the warranties or stipulations of its contract, the County will thereupon have the right to terminate such contract by giving ten days written notice to the Supplier of such termination and cause therefore, and specifying the effective date of such termination.

In addition, Union County may terminate the Contract without cause by first giving thirty (30) days prior written notice of its intent to do so. Notice hereunder shall be deemed to have been sufficiently given if given in person to the Supplier, or sent by registered mail at the addresses specified in the Contract.

## **28. RIGHT TO KNOW ACT**

The provisions of N.J.S.A. 34:5A-1 et seq. and N.J.A.C 5:89-5 et seq., which require the labeling of all containers of hazardous substances are applicable to this contract. Therefore, all goods offered for purchase to the County or used by a contractor in the course of any construction, maintenance, repair or performance of a concession must be labeled and stored by the contractor in compliance with the provisions of the Act. Containers that the law and rules require to be labeled shall show the Chemical Abstracts Service number of all the components and the chemical name. Further, all applicable Material Safety Data Sheets (MSDS) aka hazardous substance fact Sheet, must be furnished.



**EXHIBIT A**

**MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE  
N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)  
N.J.A.C. 17:27**

**GOODS, PROFESSIONAL SERVICE AND GENERAL SERVICE CONTRACTS**

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union of the contractor's commitments under this chapter and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

The contractor or subcontractor agrees to make good faith efforts to meet targeted county employment goals established in accordance with N.J.A.C. 17:27-5.2.

The contractor or subcontractor agrees to inform in writing its appropriate recruitment agencies including, but not limited to, employment agencies, placement bureaus, colleges, universities, and labor unions, that it does not discriminate on the basis of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, and that it will discontinue the use of any recruitment agency which engages in direct or indirect discriminatory practices.

The contractor or subcontractor agrees to revise any of its testing procedures, if necessary, to assure that all personnel testing conforms with the principles of job-related testing, as established by the statutes and court decisions of the State of New Jersey and as established by applicable Federal law and applicable Federal court decisions.

In conforming with the targeted employment goals, the contractor or subcontractor agrees to review all procedures relating to transfer, upgrading, downgrading and layoff to ensure that all such actions are taken without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex, consistent with the statutes and court decisions of the State of New Jersey, and applicable Federal law and applicable Federal court decisions.

The contractor shall submit to the public agency, after notification of award but prior to execution of a goods and services contract, one of the following three documents:

Letter of Federal Affirmative Action Plan Approval

Certificate of Employee Information Report

Employee Information Report Form AA302 (electronically provided by the Division and distributed to the public agency through the Division's website at [www.state.nj.us/treasury/contract\\_compliance](http://www.state.nj.us/treasury/contract_compliance))

The contractor and its subcontractors shall furnish such reports or other documents to the Division of Public Contracts Equal Employment Opportunity Compliance as may be requested by the office from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Public Contracts Equal Employment Opportunity Compliance for conducting a compliance investigation pursuant to Subchapter 10 of the Administrative Code at N.J.A.C. 17:27.

**EXHIBIT B**

**MANDATORY EQUAL EMPLOYMENT OPPORTUNITY LANGUAGE**  
**N.J.S.A. 10:5-31 et seq. (P.L. 1975, C. 127)**  
**N.J.A.C. 17:27**

**CONSTRUCTION CONTRACTS**

During the performance of this contract, the contractor agrees as follows:

The contractor or subcontractor, where applicable, will not discriminate against any employee or applicant for employment because of age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Except with respect to affectional or sexual orientation and gender identity or expression, the contractor will ensure that equal employment opportunity is afforded to such applicants in recruitment and employment, and that employees are treated during employment, without regard to their age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex. Such equal employment opportunity shall include, but not be limited to the following: employment, up-grading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the Public Agency Compliance Officer setting forth provisions of this nondiscrimination clause.

The contractor or subcontractor, where applicable will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive consideration for employment without regard to age, race, creed, color, national origin, ancestry, marital status, affectional or sexual orientation, gender identity or expression, disability, nationality or sex.

The contractor or subcontractor will send to each labor union, with which it has a collective bargaining agreement, a notice, to be provided by the agency contracting officer, advising the labor union or workers' representative of the contractor's commitments under this act and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

The contractor or subcontractor, where applicable, agrees to comply with any regulations promulgated by the Treasurer, pursuant to N.J.S.A. 10:5-31 et seq., as amended and supplemented from time to time and the Americans with Disabilities Act.

When hiring or scheduling workers in each construction trade, the contractor or subcontractor agrees to make good faith efforts to employ minority and women workers in each construction trade consistent with the targeted employment goal prescribed by N.J.A.C. 17:27-7.2; provided, however, that the Division may, in its discretion, exempt a contractor or subcontractor from compliance with the good faith procedures prescribed by the following provisions, A, B and C, as long as the Division is satisfied that the contractor or subcontractor is employing workers provided by a union which provides evidence, in accordance with standards prescribed by the Division, that its percentage of active "card carrying" members who are minority and women workers is equal to or greater than the targeted employment goal established in accordance with N.J.A.C. 17:27-7.2. The contractor or subcontractor agrees that a good faith effort shall include compliance with the following procedures:

(A) If the contractor or subcontractor has a referral agreement or arrangement with a union for a construction trade, the contractor or subcontractor shall, within three business days of the contract award, seek assurances from the union that it will cooperate with the contractor or subcontractor as it fulfills its affirmative action obligations under this contract and in accordance with the rules promulgated by the Treasurer pursuant to N.J.S.A. 10:5-31 et seq., as supplemented and amended from time to time and the Americans with Disabilities Act. If the contractor or subcontractor is unable to obtain said assurances from the construction trade union at least five business days prior to the commencement of construction work, the contractor or subcontractor agrees to afford equal employment opportunities minority and women workers directly, consistent with this chapter. If the contractor's or subcontractor's prior experience with a construction trade union, regardless of whether the union has provided said assurances, indicates a significant possibility that the trade union will not refer sufficient minority and women workers consistent with affording equal employment opportunities as specified in this chapter, the contractor or subcontractor agrees to be prepared to provide such opportunities to minority and women workers directly, consistent with this chapter, by complying with the hiring or scheduling procedures prescribed under (B) below; and the contractor or subcontractor further agrees to take said action immediately if it determines that the union is not referring minority and women workers consistent with the equal employment opportunity goals set forth in this chapter.

(B) If good faith efforts to meet targeted employment goals have not or cannot be met for each construction trade by adhering to the procedures of (A) above, or if the contractor does not have a referral agreement or arrangement with a union for a construction trade, the contractor or subcontractor agrees to take the following actions:

(1) To notify the public agency compliance officer, the Division, and minority and women referral organizations listed by the Division pursuant to N.J.A.C. 17:27-5.3, of its workforce needs, and request referral of minority and women workers;

(2) To notify any minority and women workers who have been listed with it as awaiting available vacancies;

(3) Prior to commencement of work, to request that the local construction trade union refer minority and women workers to fill job openings, provided the contractor or subcontractor has a referral agreement or arrangement with a union for the construction trade;

(4) To leave standing requests for additional referral to minority and women workers with the local construction trade union, provided the contractor or subcontractor has a referral agreement or arrangement with a union for the construction trade, the State Training and Employment Service and other approved referral sources in the area;

(5) If it is necessary to lay off some of the workers in a given trade on the construction site, layoffs shall be conducted in compliance with the equal employment opportunity and non-discrimination standards set forth in this regulation, as well as with applicable Federal and State court decisions;

(6) To adhere to the following procedure when minority and women workers apply or are referred to the contractor or subcontractor:

(i) The contractor or subcontractor shall interview the referred minority or women worker.

(ii) If said individuals have never previously received any document or certification signifying a level of qualification lower than that required in order to perform the work of the construction trade, the contractor or subcontractor shall in good faith determine the qualifications of such individuals. The contractor or subcontractor shall hire or schedule those individuals who satisfy appropriate qualification standards in conformity with the equal employment opportunity and non-discrimination principles set forth in this chapter. However, a contractor or subcontractor shall determine that the individual at least possesses the requisite skills, and experience recognized by a union, apprentice program or a referral agency, provided the referral agency is acceptable to the Division. If necessary, the contractor or subcontractor shall hire or schedule minority and women workers who qualify as trainees pursuant to these rules. All of the requirements, however, are limited by the provisions of (C) below.

(iii) The name of any interested women or minority individual shall be maintained on a waiting list, and shall be considered for employment as described in (i) above, whenever vacancies occur. At the request of the Division, the contractor or subcontractor shall provide evidence of its good faith efforts to employ women and minorities from the list to fill vacancies.

(iv) If, for any reason, said contractor or subcontractor determines that a minority individual or a woman is not qualified or if the individual qualifies as an advanced trainee or apprentice, the contractor or subcontractor shall inform the individual in writing of the reasons for the determination, maintain a copy of the determination in its files, and send a copy to the public agency compliance officer and to the Division.

(7) To keep a complete and accurate record of all requests made for the referral of workers in any trade covered by the contract, on forms made available by the Division and submitted promptly to the Division upon request.

(C) The contractor or subcontractor agrees that nothing contained in (B) above shall preclude the contractor or subcontractor from complying with the union hiring hall or apprenticeship policies in any applicable collective bargaining agreement or union hiring hall arrangement, and, where required by custom or agreement, it shall send journeymen and trainees to the union for referral, or to the apprenticeship program for admission, pursuant to such agreement or arrangement. However, where the practices of a union or apprenticeship program will result in the exclusion of minorities and women or the failure to refer minorities and women consistent with the targeted county employment goal, the contractor or subcontractor shall consider for employment persons referred pursuant to (B) above without regard to such agreement or arrangement; provided further, however, that the contractor or subcontractor shall not be required to employ women and minority advanced trainees and trainees in numbers which result in the employment of advanced trainees and trainees as a percentage of the total workforce for the construction trade, which percentage significantly exceeds the apprentice to journey worker ratio specified in the applicable collective bargaining agreement, or in the absence of a collective bargaining agreement, exceeds the ratio established by practice in the area for said construction trade. Also, the contractor

or subcontractor agrees that, in implementing the procedures of (B) above, it shall, where applicable, employ minority and women workers residing within the geographical jurisdiction of the union.

After notification of award, but prior to signing a construction contract, the contractor shall submit to the public agency compliance officer and the Division an initial project workforce report (Form AA 201) electronically provided to the public agency by the Division, through its website, for distribution to and completion by the contractor, in accordance with N.J.A.C. 17:27-7. The contractor also agrees to submit a copy of the Monthly Project Workforce Report once a month thereafter for the duration of this contract to the Division and to the public agency compliance officer.

The contractor agrees to cooperate with the public agency in the payment of budgeted funds, as is necessary, for on-the-job and/or off-the-job programs for outreach and training of minorities and women.

(D) The contractor and its subcontractors shall furnish such reports or other documents to the Division of Public Contracts Equal Employment Opportunity Compliance as may be requested by the Division from time to time in order to carry out the purposes of these regulations, and public agencies shall furnish such information as may be requested by the Division of Public Contracts Equal Employment Opportunity Compliance for conducting a compliance investigation pursuant to Subchapter 10 of the Administrative Code (NJAC 17:27).

## **BUSINESS REGISTRATION CERTIFICATE**

### **New Mandatory Requirement – Effective 1/18/2010**

The recently enacted **P.L. 2009, c.315**, requires that effective January 18, 2010; a contracting agency must receive proof of the Proposer's business registration prior to the award of a contract. However, the proof must show that the Proposer was in fact registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

If subcontractors are named on the bid, proof of the business registration for each must be provided prior to the award of a contract. Similarly to the Proposer, the proof must show that each subcontractor was registered with the State of New Jersey Department of the treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

Proof of business registration shall be:

- A copy of a Business Registration Certificate issued by the Department of the Treasury, Division of Revenue; or
- A copy of the web printed version provided by the NJ Division of Revenue

Register online at [www.nj.gov/treasury/revenue/busregcert.shtml](http://www.nj.gov/treasury/revenue/busregcert.shtml). Click the "online" link and then select "Register for Tax and Employer Purposes or call the Division at 609-292-1730.

**Note: A N.J. Certificate of Authority is not acceptable.**

**FAILURE** to submit proof of registration of the Proposer or any subcontractor named on the bid is considered a **MANDATORY REJECTION** of bids (A **NON-WAIVABLE DEFECT**). This covers construction work as well as non-construction bids.

### **IN ADDITION:**

The contractor shall provide written notice to all **subcontractors and suppliers** not specifically named on the bid of the responsibility to submit proof of business registration to the contractor. The requirement of proof of business registration extends down through all levels (tiers) of the project.

Before final payment on the contract is made by the contracting agency, the contractor shall submit an accurate list and the proof of business registration of each subcontractor or supplier used in the fulfillment of the contract, or shall attest that no subcontractors were used.

For the term of the contract, the contractor and each of its affiliates and a subcontractor and each of its affiliates [N.J.S.A. 52:32-44(g)(3)] shall collect and remit to the Director, New Jersey Division of Taxation, the use tax due pursuant to the Sales and Use Tax Act on all sales of tangible personal property delivered into this State, regardless of whether the tangible personal property is intended for a contract with a contracting agency.

A business organization that fails to provide a copy of a business registration as required pursuant to section 1 of P.L.2001,c.134 (C.52:32-44 et al.) or subsection e. or f. of section 92 of P.L.1977,c.110 (C.5:12-92), or that provides false business registration information under the requirements of either of those sections, shall be liable for a penalty of \$25 for each day of violation, not to exceed \$50,000 for each business registration copy not properly provided under a contract with a contracting agency.

(3/27/12)

**INTENT:** It is the purpose and intent of this specification to provide for the purchase and installation of **EIGHT (8) PRISONER TRANSPORT CARGO VAN INSERTS** for the County of Union (The County). The County has evaluated different types of Prisoner Transport Cargo Van Inserts and has determined that a Havis Cargo Van Insert Kit with any and all specified accessories, options and features is best suited for the needs of the County pertaining to safety, quality, performance, and long term operational costs. This specification is not to be interpreted as restrictive, but rather as a measure of the safety, quality and performance against which all bids will be compared. The County reserves the right to reject any or all bids or any part thereof, and to waive any minor technicalities.

**EQUIVALENT PRODUCT:** Bids will be accepted for consideration on any make or model that is equal to or superior to the Prisoner Transport Cargo Van Inserts specified. Further, equivalent products for all accessories carrying a brand name will also be considered. Variations of any features of a proposed equivalent product from the features of the specified brand name may be acceptable if judged to be in the best interest of The County. Decisions of equivalency will be at the sole interpretation of The County. A blanket statement that products proposed will meet all requirements will not be sufficient to establish equivalence. Brochures published by the original manufacturer of the proposed unit should be submitted with the proposal. Bidder must be prepared to demonstrate a unit similar to the one proposed, post bid.

**STANDARD:** The specification herein states the minimum requirements of The County. Unauthorized conditions, limitations, or provisions will be cause for rejection. The County may consider as “irregular” or “non-responsive” and reject any bid not prepared and submitted in accordance with the bid document and specification, or any bid lacking sufficient technical literature to enable The County to make a reasonable determination of compliance to the specification. It will be the bidder’s responsibility to carefully examine each item of the specification. Failure to offer a completed bid or failure to respond to each section of the technical specification (COMPLY: YES/NO) will cause the proposal to be rejected without review as “non-responsive”. All variances, exceptions and/or deviations should be fully described in the appropriate section.

**PAYMENT:** Payment to Vendor is to be made within forty-five (45) days after the receipt of Vendor’s invoice and a signed County voucher attesting to the delivery of the goods and services by some officer or duly designated employee of the using County entity and after approval of the appropriate Department head. The Vendor shall prepare invoices and shall submit them to the office/designated employee of the using County entity.

The vendor will not provide any goods and/or services without a valid and current purchase order from the County unit indicating account number and encumbrance.

**AWARD OF CONTRACT:** A contract will be awarded to bidder submitting the lowest responsible and responsive grand total bid meeting the requirements of this specification pursuant to N.J.S.A. 40A:11-13.

**INSTALLATION TIME:** MUST BE WITHIN 60 days of awarding the bid. .

**DELIVERY & PICK UP:** Will be the responsibility of the Union County’s Motor Vehicle Division. Union County Motor Vehicles, 79 West Grand Street, Elizabeth, NJ 07202. Please call Chris Meehan at (908) 659-7470 to schedule.

**OTHER:** Any questions regarding the bid can be emailed to [ucbids@ucnj.org](mailto:ucbids@ucnj.org) or faxed to the Division of Purchasing, clearly marked with the BID # and BID NAME, at (908) 558-2548. If necessary, the Purchasing Director will then issue a clarification.

**SPECIFICATIONS**

The County of Union requires to convert eight (8) 2017 Chevrolet CG33405 cargo vans to Prisoner Transport Vans (six 2 Compartment and two 3 Compartment). All 8 vans are identical with exception of exterior paint.

**ITEM 1 - PRISONER TRANSPORT SPECIFICATIONS 2 COMPARTMENT**

**GENERAL DESCRIPTION**

It is the intention of this specification to describe a conversion kit capable of installation into a full size cargo van (extended or no-extended) for use as a Law Enforcement Prisoner Transport vehicle. The insert provides seating for ten (10) persons and shall have two (2) separate compartments, which will allow the loading of prisoners into the rear of the van. The kit will be supplied with all Aluminum primary parts and will be capable of transfer into a new vehicle at a later date. Driver side of rear bulkhead, wall and bench assemblies will have accommodations for OEM rear air conditioning heat system. These accommodations will be included regardless if van has OEM rear air conditioning or not. All aluminum parts on bulkheads, walls, ceilings, dividers and benches to have a white powder coat finish.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**FRONT BULKHEAD**

The driver compartment will be protected by a 63" wide X 50" high front bulkhead. It will be constructed from .125" thick aluminum sheet metal. The sheet will be formed to provide a framework and will have additional channel welded in for strength. The frame will have pre-punched holes to align with the wall and bench units. The entire assembly will be attached to bench/walls using ¼" hardware. The upper section of bulkhead will include a .187 thick aluminum X36"wX30"h emergency exit hatch with two (2) heavy duty slide bolts. The hatch will have a perforated area for viewing that is covered with .250" clear polycarbonate.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_



**REAR BULKHEAD: (DOUBLE REAR DOORS)**

The rear OEM doors will be protected by a 63" wide X 50" high bulkhead. It will be constructed from .125" thick aluminum sheet metal. The sheet will be formed to provide a framework and will have additional channel welded in for strength. The frame will have pre-punched holes to align with the wall and bench units. The entire assembly will be attached to the bench/walls using ¼" hardware. This bulkhead will have two (2) rear inner security doors measuring 23" wide X 46" high. The doors will be manufactured from .125" thick aluminum sheet metal. The sheet will be formed to provide a 2.125" thick framework and will have additional channel welded in for strength. An exterior door skin will be attached using .187" diameter aluminum rivets. The upper section of door must have perforated area, which will allow officers to view into the prisoner compartment. Each door includes two (2) heavy-duty rotary slam latches. The latches will be activated by a single, flush mounted, paddle handle that includes a key lock and two (2) keys. A secondary, tamperproof access will be provided to override each latch assembly if necessary. The doors will attach to the bulkhead frame using ¼" hardware and a stainless steel continuous hinge.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CENTER DIVIDER**

A 97" long center divider with no perforations will separate the rear of van into two (2) halves. It will be constructed from .187" thick aluminum plate. It must be securely anchored to the floor, ceiling and bulkheads.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**SIDE COMPARTMENT: (SIDE ENTRY)**

The side compartment will be separated from the two rear compartments by the center divider wall. An additional side separator partition will be attached to the divider and to the passenger side of the insert. The separator partition will be constructed the same as the front bulkhead. The separator must also include an emergency exit hatch (22" wide X30:" high) with two (2) heavy-duty slide bolts. (Padlocks to be provided by end user I desired ) the Emergency exit hatch will also have a 16" wide X 13" high diamond shaped perforated area for viewing and ventilation. A single interior partition with a 30" wide door will be mounted to separate the side compartment bench from the O.E.M. side doors. Framework and door construction will be similar to the rear bulkhead, including dual rotary latches and paddle handle. The OEM doors will not have to be modified. This compartment is designed to minimize leg movement of detainee and provide additional safety to officer.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BENCHES**

Benches will be constructed from .125" thick aluminum with rounded front edges and will include a four-inch (4") wide X full length, rubber "Non Slip" strip on bench tops. The driver side bench will seat five (5) people and will be 13" high X13"deep X97"long. The passenger side bench will seat five (5) people and will be 13" high X13" deep X97"long.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**STORAGE: (UNDERBENCH STORAGE DOOR ASSEMBLY FOR "THIRD" SIDE COMPARTMENT)**

A door frame assembly will fasten into the (vertical) bench face in the side compartment. The door will provide a 10" X 28" opening. Door will hinge down. Includes door frame and hinged door assembly. White powder coat finish, dual tamperproof locks, two (2) keys and gasket seal to minimize water penetration.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**WALLS**

The driver side and passenger side walls will be 38" high X100". Each is constructed from .125" thick aluminum and will be contoured to closely fit the vans interior and the mating bench, ceiling and bulkhead assemblies.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CEILING**

The ceiling for the rear compartments will be 48" wide X 100" long. The complete ceiling assembly will be a four-piece design with flush, overlapping, bolt together seams for added strength. It will be constructed from .125" thick aluminum and will have pre-cut holes for dome lights and air conditioning/ heat vents. The ceiling assembly will bolt to mating walls and bulkheads.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**FLOORING**

The flooring for the rear compartments will be constructed from .125" thick, bright-dipped aluminum tread plate. The main floor is 36" wide X97" long. Additional 7 1/2" X 48" tread plate will be provided for space between rear bulkhead and OEM rear doors. The side compartment flooring will have an additional piece to fill in the step well area.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**REAR STEP**

A rear step shall be supplied with the kit and will bolt directly to the vehicle frame. It will be 48" wide by 10" deep. The step will be constructed from welded steel angle framework, and will have a perforated non slip deck surface. Steel parts will have an E-coat primary coating with a black polyester powder coat finish.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**SIDE SLIDE OUT STEP**

The slide out side step for the side compartment will be 30" wide X 10" deep. The step will be manufactured from welded steel framework with perforated non slip tread surface. It will slide under the van body when not in use. Steel parts will have an E-coat primary coating with a black polyester powder coat finish.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**DOME LIGHTS**

Total of four (4) LED tamper resistant dome lights to be included. The driver side rear compartment will have two (2) 2" diameter LED dome lights. The passenger side rear compartment will have two (2) 2" diameter LED dome lights. Each LED dome light will include primary White color light output and secondary Red light output. All dome lights will be tamper resistant and will include an Off/On/On rocker switch for mounting in driver compartment dash area. Each Led dome light will meet the following specifications. Voltage =10 – 30vDC, 12vDC Amps = 580mA, Correlated Color Temperature = 3000 and Color Rendering Index =90

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**GRAB STRAPS**

Heavy-duty nylon webbing straps will be mounted to the lower section of the wall. There will be one (1) strap per seat location. Straps will be positioned so that each prisoner, with handcuffs behind their back, can hold onto the strap. Each strap will be anchored with 1/2" X 1 1/4" round head tamper proof bolts. The bolts will attach to the bench and wall assemblies. Straps to be made by a certified automotive belt manufacturer.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**SEAT BELTS**

60" long lap belt for each seat location will be securely anchored with 1/2" by 1 3/4" round head bolts. Seat belts and grab straps will use the same mounting points and hardware.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**SEAT DIVIDERS**

Molded reinforced plastic dividers will be securely mounted to the bench tops between each seat location. This will minimize the possibility of persons sliding on the bench. The divider will have smooth rounded edges and will be attached with six (6) button head aluminum rivets. Installations of dividers must be done by the installer at the time of the insert installations.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**LABELS**

The kit will include the following self-adhesive yellow labels with black lettering. Four (4) labels that read "HOLD ON TO STRAPS WHEN VEHICLE IS IN MOTION" Each Label includes lettering in English and Spanish. They will also include a picture of two hands holding a Strap. These labels are for attaching on the prisoner compartment walls.

Two (2) labels that read "DRIVE WITH EXTRA CAUTION WHILE TRANSPORTING PASSENGERS" These labels are for attaching on dash of vehicle cab.

Two (2) labels that read "CAUTION – ADJUSTABLE HEAD RESTRAINT IS A SAFETY DEVICE" ADJUST THE HEADREST AS PER THE OWNERS MANUAL PRIOR TO OPERATING THIS VEHICLE. One of these labels is for attaching on dash of vehicle cab and the other is for attaching to the drivers compartment side of the front bulkhead.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**MISCELLANEOUS**

- 1. When all components of insert are completed assembled and installed, all seams will be sealed with RTV silicone.
- 2. An aluminum plate with white powder coat finish will cover the accommodations in the driver side bench wall and rear bulkhead. This cover will guard the OEM air conditioner/ heat evaporator blower system from detainees and will allow for easy access when removed for service.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**FINISH**

All aluminum parts will have a super durable White polyester powder coat finish. The profile of the aluminum substrate will have proper pretreatment preparations to withstand a minimum of 1,000 hour salt spray exposure (per ASTM-B117 testing). Written test results must be available upon request.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**OPTIONAL EQUIPMENT:**

**PT-A-501 (VENT ADAPTOR KIT)**

(Ductwork kit that attaches to the O.E.M. Rear Heat / AC blower system)A kit will be provided to adapt the chassis OEM rear heat and air conditioning system to the prisoner transport insert. The kit will include a plenum that attaches to the OEM blower housing. From this housing there will be three hose ducts connected to the ceiling of the prisoner unit. Each hose end will have a vandal proof vent guard positioned to provide an even flow of air into each compartment. Controls for the vent adaptor kit will be the pre-existing OEM rear controls.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**PT-A-904 (SOUND DEADENING AND INSULATION)**

Sound Deadening Insulation attached to van interior walls and ceiling. Material will be self-adhesive back polyester foam with a moisture resistant urethane coating. 1"inch thick X 54" inches wide X30' feet long roll shall be cut and attached to the interior of van prior to installation for aluminum insert. This will help deaden road noise improve climate control

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-903 (POWER VENT)**

The power vent will have a rating of 100 cfm. It will mount to the van rood and will be deducted to the ceiling of prisoner unit. The hole in the ceiling is covered with a vent guard. Ventilation holes in guard must be sized to prevent contraband from being hidden inside. The exterior vent cover can extend only 4" above rood and will have a white finish. A switch kit will be included.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_



**PT-A-916 LED REAR LOAD/BACKUP LIGHT**

LED rear load light with white powder coated aluminum mounting bracket. Light will be mounted to van roof with stainless steel hardware and will not interfere with the 3<sup>rd</sup> brake light, but will be positioned to light up rear of vehicle and step. Light will include one switch inside rear of van and one in cab area, each to be wired to turn the light on and off.

LED light specifications

- Voltage input: 10-3-vdc
- 12vdc input = 1.3 amps
- Correlated color temperature: 5000
- Color rendering index: 70+
- Rated watts: 12
- Lumens (white): 1000
- Operating temp: -31 to 131 f/-35 to 55c

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-604 (4 camera video system)**

4 Camera Video system allows for a camera in each compartment and one above rear doors. System has a monitor in the driver's compartment to view up to 4 cameras at once on split screen monitor. Recording is not included. Kit will come with all materials needed to install system. Will require 4 1/2" holes to be cut in each interior prisoner area for cameras.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**PT-A-909 (Intercom system)**

12 volt Intercom System allowing for voice monitoring of rear compartments from drivers area with a push to talk button to speak to prisoners in containment area.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-911 (Audio Visual door alarm)**

Audio Visual alarm to alert operators of the vehicle when doors on prisoner unit are open. There will be a pilot light mounted in the driver's area as well as a buzzer. Requires 2 additional part number PO-52-624 door jamb switches for 3 compartment prisoner unit.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CVS1800SAV Vehicle Specific Chevrolet/GMC Console W/ Brackets /FP Filler Plate**

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**ITEM 2 - PRISONER TRANSPORT SPECIFICATIONS 3 COMPARTMENT**

**GENERAL DESCRIPTION**

It is the intention of this specification to describe a conversion kit capable of installation into a full size cargo van (no-extended) for use as a Law Enforcement Prisoner Transport vehicle. The insert provides seating for ten (10) persons and shall have three (3) separate compartments, which will allow the loading of prisoners into the rear of the van. The kit will be supplied with all Aluminum primary parts and will be capable of transfer into a new vehicle at a later date. Driver side of rear bulkhead, wall and bench assemblies will have accommodations for OEM rear air conditioning heat system. These accommodations will be included regardless if van has OEM rear air conditioning or not. All aluminum parts on bulkheads, walls, ceilings, dividers and benches to have a white powder coat finish.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**FRONT BULKHEAD**

The driver compartment will be protected by a 63" wide X 50" high front bulkhead. It will be constructed from .125" thick aluminum sheet metal. The sheet will be formed to provide a framework and will have additional channel welded in for strength. The frame will have pre-punched holes to align with the wall and bench units. The entire assembly will be attached to bench/walls using ¼" hardware. The upper section of bulkhead will include a .187 thick aluminum X36"wX30"h emergency exit hatch with two (2) heavy duty slide bolts. The hatch will have a perforated area for viewing that is covered with .250" clear polycarbonate.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**REAR BULKHEAD: (DOUBLE REAR DOORS)**

The rear OEM doors will be protected by a 63" wide X 50" high bulkhead. It will be constructed from .125" thick aluminum sheet metal. The sheet will be formed to provide a framework and will have additional channel welded in for strength. The frame will have pre-punched holes to align with the wall and bench units. The entire assembly will be attached to the bench/walls using 1/4" hardware. This bulkhead will have two (2) rear inner security doors measuring 23" wide X 46" high. The doors will be manufactured from .125" thick aluminum sheet metal. The sheet will be formed to provide a 2.125" thick framework and will have additional channel welded in for strength. An exterior door skin will be attached using .187" diameter aluminum rivets. The upper section of door must have perforated area, which will allow officers to view into the prisoner compartment. Each door includes two (2) heavy-duty rotary slam latches. The latches will be activated by a single, flush mounted, paddle handle that includes a key lock and two (2) keys. A secondary, tamperproof access will be provided to override each latch assembly if necessary. The doors will attach to the bulkhead frame using 1/4" hardware and a stainless steel continuous hinge.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CENTER DIVIDER**

A 97" long center divider with no perforations will separate the rear of van into two (2) halves. It will be constructed from .187" thick aluminum plate. It must be securely anchored to the floor, ceiling and bulkheads.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**SIDE COMPARTMENT: (SIDE ENTRY)**

The side compartment will be separated from the two rear compartments by the center divider wall. An additional side separator partition will be attached to the divider and to the passenger side of the insert. The separator partition will be constructed the same as the front bulkhead. The separator must also include an emergency exit hatch (22" wide X30:" high) with two (2) heavy-duty slide bolts. (Padlocks to be provided by end user I desired ) the Emergency exit hatch will also have a 16" wide X 13" high diamond shaped perforated area for viewing and ventilation. A single interior partition with a 30" wide door will be mounted to separate the side compartment bench from the O.E.M. side doors. Framework and door construction will be similar to the rear bulkhead, including dual rotary latches and paddle handle. The OEM doors will not have to be modified. This compartment is designed to minimize leg movement of detainee and provide additional safety to officer.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**BENCHES**

Benches will be constructed from .125" thick aluminum with rounded front edges and will include a four-inch (4") wide X full length, rubber "Non Slip" strip on bench tops. The driver side bench will seat five (5) people and will be 13" high X13"deep X97"long. The passenger side bench will seat three (3) people and will be 13" high X13" deep X 58.5"long. The bench for the 3<sup>rd</sup> side entry compartment will seat two (2) people and will be 13" high X 13" high X13" deep X 38.5" long. This bench will mount against center divider facing passenger side of van and will also have an 11.5" X 31.5" cover plate on front of bench. This plate is removable (at installation) to allow for the mounting of the optional under bench locking storage door.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**STORAGE: (UNDERBENCH STORAGE DOOR ASSEMBLY FOR "THIRD" SIDE COMPARTMENT)**

A door frame assembly will fasten into the (vertical) bench face in the side compartment. The door will provide a 10" X 28" opening. Door will hinge down. Includes door frame and hinged door assembly. White powder coat finish, dual tamperproof locks, two (2) keys and gasket seal to minimize water penetration.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**WALLS**

The driver side and passenger side walls will be 38" high X100". The passenger side rear wall will be 38" high by 60" long. Each is constructed from .125" thick aluminum and will be contoured to closely fit the vans interior and the mating bench, ceiling and bulkhead units. Wall for side entry compartment is the center divider.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**CEILING**

The ceiling for the rear compartments will be 48" wide X 100" long. The complete ceiling assembly will be a four-piece design with flush, overlapping, bolt together seams for added strength. It will be constructed from .125" thick aluminum and will have pre-cut holes for dome lights and air conditioning/ heat vents. The ceiling assembly will bolt to mating walls and bulkheads.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**FLOORING**

The flooring for the rear compartments will be constructed from .125" thick, bright-dipped aluminum tread plate. The main floor is 36" wide X97" long. Additional 7 1/2" X 48" tread plate will be provided for space between rear bulkhead and OEM rear doors. The side compartment flooring will have an additional piece to fill in the step well area.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**REAR STEP**

A rear step shall be supplied with the kit and will bolt directly to the vehicle frame. It will be 48" wide by 10" deep. The step will be constructed from welded steel angle framework, and will have a perforated non slip deck surface. Steel parts will have an E-coat primary coating with a black polyester powder coat finish.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**SIDE SLIDE OUT STEP**

The slide out side step for the side compartment will be 30" wide X 10" deep. The step will be manufactured from welded steel framework with perforated non slip tread surface. It will slide under the van body when not in use. Steel parts will have an E-coat primary coating with a black polyester powder coat finish.

EXACT COMPLIANCE:  YES  NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**DOME LIGHTS**

Total of four (4) LED tamper resistant dome lights to be included. The driver side rear compartment will have two (2) 2" diameter LED dome lights. The passenger side rear compartment will have one (1) 2" diameter LED dome light. The passenger side front compartment will have one(1) 2" diameter LED dome light. Each LED dome light will include primary White color light output and secondary Red light output. All dome lights will be tamper resistant and will include an Off/On/On rocker switch for mounting in driver compartment dash area. Each Led dome light will meet the following specifications. Voltage =10 – 30vDC, 12vDC Amps = 580mA, Correlated Color Temperature = 3000 and Color Rendering Index =90

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**GRAB STRAPS**

Heavy-duty nylon webbing straps will be mounted to the lower section of the wall. There will be one (1) strap per seat location. Straps will be positioned so that each prisoner, with handcuffs behind their back, can hold onto the strap. Each strap will be anchored with 1/2" X 1 1/4" round head tamper proof bolts. The bolts will attach to the bench and wall assemblies. Straps to be made by a certified automotive belt manufacturer.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**SEAT BELTS**

60" long lap belt for each seat location will be securely anchored with 1/2" by 1 3/4" round head bolts. Seat belts and grab straps will use the same mounting points and hardware.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_



**SEAT DIVIDERS**

Molded reinforced plastic dividers will be securely mounted to the bench tops between each seat location. This will minimize the possibility of persons sliding on the bench. The divider will have smooth rounded edges and will be attached with six (6) button head aluminum rivets. Installations of dividers must be done by the installer at the time of the insert installations.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**LABELS**

The kit will include the following self-adhesive yellow labels with black lettering. Four (4) labels that read "HOLD ON TO STRAPS WHEN VEHICLE IS IN MOTION" Each Label includes lettering in English and Spanish. They will also include a picture of two hands holding a Strap. These labels are for attaching on the prisoner compartment walls.

Two (2) labels that read "DRIVE WITH EXTRA CAUTION WHILE TRANSPORTING PASSENGERS" These labels are for attaching on dash of vehicle cab.

Two (2) labels that read "CAUTION – ADJUSTABLE HEAD RESTRAINT IS A SAFETY DEVICE" ADJUST THE HEADREST AS PER THE OWNERS MANUAL PRIOR TO OPERATING THIS VEHICLE. One of these labels is for attaching on dash of vehicle cab and the other is for attaching to the drivers compartment side of the front bulkhead.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**MISCELLANEOUS**

- 1. When all components of insert are completed assembled and installed, all seams will be sealed with RTV silicone.
- 2. An aluminum plate with white powder coat finish will cover the accommodations in the driver side bench wall and rear bulkhead. This cover will guard the OEM air conditioner/ heat evaporator blower system from detainees and will allow for easy access when removed for service.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**FINISH**

All aluminum parts will have a super durable White polyester powder coat finish. The profile of the aluminum substrate will have proper pretreatment preparations to withstand a minimum of 1,000 hour salt spray exposure (per ASTM-B117 testing). Written test results must be available upon request.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**OPTIONAL EQUIPMENT:**

**PT-A-501 (VENT ADAPTOR KIT)**

(Ductwork kit that attaches to the O.E.M. Rear Heat / AC blower system)A kit will be provided to adapt the chassis OEM rear heat and air conditioning system to the prisoner transport insert. The kit will include a plenum that attaches to the OEM blower housing. From this housing there will be three hose ducts connected to the ceiling of the prisoner unit. Each hose end will have a vandal proof vent guard positioned to provide an even flow of air into each compartment. Controls for the vent adaptor kit will be the pre-existing OEM rear controls.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**PT-A-904 (SOUND DEADENING AND INSULATION)**

Sound Deadening Insulation attached to van interior walls and ceiling. Material will be self-adhesive back polyester foam with a moisture resistant urethane coating. 1"inch thick X 54" inches wide X30' feet long roll shall be cut and attached to the interior of van prior to installation for aluminum insert. This will help deaden road noise improve climate control

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-903 (POWER VENT)**

The power vent will have a rating of 100 cfm. It will mount to the van rood and will be deducted to the ceiling of prisoner unit. The hole in the ceiling is covered with a vent guard. Ventilation holes in guard must be sized to prevent contraband from being hidden inside. The exterior vent cover can extend only 4" above rood and will have a white finish. A switch kit will be included.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**PT-A-916 LED REAR LOAD/BACKUP LIGHT**

LED rear load light with white powder coated aluminum mounting bracket. Light will be mounted to van roof with stainless steel hardware and will not interfere with the 3<sup>rd</sup> brake light, but will be positioned to light up rear of vehicle and step. Light will include one switch inside rear of van and one in cab area, each to be wired to turn the light on and off.

**LED light specifications**

- Voltage input: 10-3-vdc
- 12vdc input = 1.3 amps
- Correlated color temperature: 5000
- Color rendering index: 70+
- Rated watts: 12
- Lumens (white): 1000
- Operating temp: -31 to 131 f/-35 to 55c
- Light housing size 4.94" wide X 1.75"high X 1.75 deep

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-604 (4 camera video system)**

4 Camera Video system allows for a camera in each compartment and one above rear doors. System has a monitor in the driver's compartment to view up to 4 cameras at once on split screen monitor. Recording is not included. Kit comes with all materials needed to install system. Will require 4 1/2" holes to be cut in each interior prisoner area for cameras.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

**PT-A-909 (Intercom system)**

12 volt Intercom System allowing for voice monitoring of rear compartments from drivers area with a push to talk button to speak to prisoners in containment area.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**PT-A-911 (Audio Visual door alarm)**

Audio Visual alarm to alert operators of the vehicle when doors on prisoner unit are open. There will be a pilot light mounted in the driver's area as well as a buzzer. Requires 2 additional part number PO-52-624 door jamb switches for 3 compartment prisoner unit.

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**CVS1800SAV Vehicle Specific Chevrolet/GMC Console W/ Brackets /FP Filler Plate**

EXACT COMPLIANCE:    \_\_\_ YES    \_\_\_ NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

The following items are to be installed for both 2 & 3 Compartment Vans:

**(8) Whelen Lighting and Siren Packages**

Each van will be outfitted with the following and will follow exact Manufacturers practices and procedures.

- 1) 259SLSA6 Siren & Switchbox
- 1) SA315P Speaker
- 1) SAK1 Speaker Bracket
- 2) VTX609J Omnidirectional Super LED Light Head w/ 9' cable
- 4) VTX609C Semi Hemispherical Super Led Clear Light head w/cable
- 2) IONJ Super LED Split Red/Blue Universal Light

Whelen IB2DEDE LIBERTY 2 FRONT LIGHTBAR – Please see attached diagram for wiring and color specifications. NOTE: may bid an OR EQUAL, but color and location/configuration cannot vary.

Whelen IB2DEDE LIBERTY 2 REAR LIGHTBAR - Please see attached diagram for wiring and color specifications. NOTE: may bid an OR EQUAL, but color and location/configuration cannot vary.

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**A minimum of one year warranty on all installations is required.**

EXACT COMPLIANCE:     YES     NO\*

\*DEVIATIONS: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_


The Vans to be upfitted are Chevrolet CG33405 Cargo Vans with all standard equipment included from the Factory.

The following is a list of GM Factory Options and order codes also included with these vans to assist in the bid.


- L96 – V8 6.0L Vortech Engine
- G80 Locking Differential
- C69 Rear Air Conditioning
- C36 Auxiliary Rear Heater
- RFM Delete Rear Cargo Area Flooring
- RS6 Side & Rear Door Trim Delete
- TR9 Auxiliary Lighting
- 83S SEO 97 db Back Up Alarm
- VXW Molded Assist Steps

## Liberty™ II WC Light Bar


### Configuration



### Lenses



### Internal Harness Connectors and Colors



## Liberty™ II WC Light Bar


### Line Items

QTY	Model #	Description
1	IB2DEDE	64" Liberty™ II WC Series
1	IAS	Add Two Super-LED® Alley Lights
1	ITL12	Add Two Long Super-LED® Takedown Lights
2	IBDL0	Add DUO+™ Series Linear-LED® Flasher, 1 Long White/Red
1	IBDSD	Add DUO+™ Series Linear-LED® Flasher, 1 Short White/Red
1	IBDSE	Add DUO+™ Series Linear-LED® Flasher, 1 Short White/Blue
2	IBDL0	Add DUO+™ Series Linear-LED® Flasher, 1 Long White/Blue
1	MKEZ64	Mounting bracket for: 2007 - 2014 CHEV. TRUCK, for bar length(s): 52", 54", 55"
1	IBDLR	Add DUO+™ Series Linear-LED® Flasher, 1 Long Red/Red
1	IBDLB	Add DUO+™ Series Linear-LED® Flasher, 1 Long Blue/Blue




## Liberty™ II WC Light Bar


### Configuration



### Lenses



### Internal Harness Connectors and Colors



## Liberty™ II WC Light Bar

### Line Items

QTY	Model #	Description
1	1B20EDE	64" Liberty™ II WC Series
1	1A3	Add Two Super-LED® Alley Lights
1	1TL12	Add Two Long Super-LED® Takedown Lights
2	1BDLD	Add DUO+™ Series Linear-LED® Flasher, 1 Long White/Red
1	1BDSD	Add DUO+™ Series Linear-LED® Flasher, 1 Short White/Red
1	1BDSE	Add DUO+™ Series Linear-LED® Flasher, 1 Short White/Blue
2	1BDLE	Add DUO+™ Series Linear-LED® Flasher, 1 Long White/Blue
1	1BDLR	Add DUO+™ Series Linear-LED® Flasher, 1 Long Red/Red
1	1BDLB	Add DUO+™ Series Linear-LED® Flasher, 1 Long Blue/Blue

HAVING CAREFULLY READ THE NOTICE TO BIDDERS, SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS, THE UNDERSIGNED HEREBY AGREES TO PROVIDE AND INSTALL **PRISONER TRANSPORT CARGO VAN INSERTS** FOR THE DIVISION OF MOTOR VEHICLES OF THE COUNTY OF UNION IN ACCORDANCE TO THE SPECIFICATIONS. DO NOT ALTER THE FORMAT OF THE BID FORM PAGE IN ANY MANNER UNDER THE PENALTY OF DISQUALIFICATION.

<u>ITEM #</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>		<u>UNIT PRICE</u>	<u>SUB TOTAL</u>
1	2 COMPARTMENT	6	X	\$ _____	= \$ _____
2	3 COMPARTMENT	2	X	\$ _____	= \$ _____
				GRAND TOTAL \$	_____

BRAND: \_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

BIDDER SIGNATURE PAGE

Rev. 9/20/05

1. If doing business under a **trade name, partnership** or a **sole proprietorship**, you must submit the bid under **exact title** of the trade name, partnership, or proprietorship, and the bid must be signed by either the **owner** or a **partner** and **witnessed** by a **notary public**.
2. If a **Corporation**, the bid must be signed by the **President** or **Vice President** and **witnessed** by **Corporate Secretary**, (Corporate title must be exact) and **affix corporate seal**.
3. Other persons **authorized** by **Corporate Resolution** to execute agreements in its behalf may also sign the bid documents (pages).
4. The Person who signs this bid form **must also sign** the **Non-Collusion Affidavit**.
5. You **cannot** witness your own signature.

\_\_\_\_\_  
NAME OF BIDDER

\_\_\_\_\_  
SIGNATURE  
CORPORATE SECRETARY

\_\_\_\_\_  
ADDRESS OF BIDDER  
\_\_\_\_\_

\_\_\_\_\_  
PRINT NAME AND TITLE  
CORPORATE SECRETARY

TELEPHONE: \_\_\_\_\_

FAX: \_\_\_\_\_

EMAIL: \_\_\_\_\_

BY: \_\_\_\_\_  
SIGNATURE

\_\_\_\_\_  
DATE

**AFFIX CORPORATE SEAL**

\_\_\_\_\_  
PRINT OR TYPE NAME AND TITLE

**WARNING:** FAILURE TO FULLY, ACCURATELY, AND COMPLETELY SUPPLY THE INFORMATION REQUESTED ON THIS PAGE MAY RESULT IN THE REJECTION OF YOUR BID AS NON-RESPONSIVE

# BUSINESS REGISTRATION Mandatory Requirement

P.L. 2009, c.315, requires that effective January 18, 2010; a contracting agency must receive proof of the bidder's business registration prior to the award of a contract. However, the proof must show that the bidder was in fact registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

If subcontractors are named on the bid, proof of the business registration for each must be provided prior to the award of a contract. Similarly to the bidder, the proof must show that each subcontractor was registered with the State of New Jersey Department of the Treasury, Division of Revenue and obtained the business registration prior to the receipt of bids.

Proof of business registration shall be:

- A copy of a Business Registration Certificate issued by the Department of Treasury, Division of Revenue; or
- A copy of the web printed version provided by the NJ Division of Revenue

STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE FOR STATE AGENCY AND CASINO SERVICE CONTRACTORS	
<b>TAXPAYER NAME:</b> TAX REGISTRATION TEST ACCOUNT	<b>TRADE NAME:</b> CLIENT REGISTRATION
<b>TAXPAYER IDENTIFICATION:</b> 870-087-302/300	<b>SEQUENCE NUMBER:</b> 0907330
<b>ADDRESS:</b> 847 ROEBLING AVE TRENTON NJ 08611	<b>ISSUANCE DATE:</b> 02/14/04
<b>EFFECTIVE DATE:</b> 01/01/01	<i>Joh &amp; Family</i>
<b>FORM BRQ(06-01)</b>	<small>This Certificate is not to be used as an invoice. It shall be submitted by employer of state contract.</small>

STATE OF NEW JERSEY BUSINESS REGISTRATION CERTIFICATE	
<b>Taxpayer Name:</b>	TAX REG TEST ACCOUNT
<b>Trade Name:</b>	
<b>Address:</b>	847 ROEBLING AVE TRENTON, NJ 08611
<b>Certificate Number:</b>	1093907
<b>Date of Issuance:</b>	October 14, 2004
<b>For Office Use Only:</b>	
	20041014112833833

ATTACH BRC HERE

**STATEMENT OF OWNERSHIP DISCLOSURE**

N.J.S.A. 52:25-24.2 (P.L. 1977, c.33, as amended by P.L. 2016, c.43)

**This statement shall be completed, certified to, and included with all bid and proposal submissions. Failure to submit the required information is cause for automatic rejection of the bid or proposal.**

**Name of Organization:** \_\_\_\_\_

**Organization Address:** \_\_\_\_\_

**Part I Check the box that represents the type of business organization:**

- Sole Proprietorship (skip Parts II and III, execute certification in Part IV)
- Non-Profit Corporation (skip Parts II and III, execute certification in Part IV)
- For-Profit Corporation (any type)                       Limited Liability Company (LLC)
- Partnership     Limited Partnership                       Limited Liability Partnership (LLP)
- Other (be specific): \_\_\_\_\_

**Part II**

The list below contains the names and addresses of all stockholders in the corporation who own 10 percent or more of its stock, of any class, or of all individual partners in the partnership who own a 10 percent or greater interest therein, or of all members in the limited liability company who own a 10 percent or greater interest therein, as the case may be. **(COMPLETE THE LIST BELOW IN THIS SECTION)**

**OR**

No one stockholder in the corporation owns 10 percent or more of its stock, of any class, or no individual partner in the partnership owns a 10 percent or greater interest therein, or no member in the limited liability company owns a 10 percent or greater interest therein, as the case may be. **(SKIP TO PART IV)**

**(Please attach additional sheets if more space is needed):**

Name of Individual or Business Entity	Home Address (for Individuals) or Business Address

**Part III DISCLOSURE OF 10% OR GREATER OWNERSHIP IN THE STOCKHOLDERS, PARTNERS OR LLC MEMBERS LISTED IN PART II**

If a bidder has a direct or indirect parent entity which is publicly traded, and any person holds a 10 percent or greater beneficial interest in the publicly traded parent entity as of the last annual federal Security and Exchange Commission (SEC) or foreign equivalent filing, ownership disclosure can be met by providing links to the website(s) containing the last annual filing(s) with the federal Securities and Exchange Commission (or foreign equivalent) that contain the name and address of each person holding a 10% or greater beneficial interest in the publicly traded parent entity, along with the relevant page numbers of the filing(s) that contain the information on each such person. Attach additional sheets if more space is needed.

Website (URL) containing the last annual SEC (or foreign equivalent) filing	Page #'s

Please list the names and addresses of each stockholder, partner or member owning a 10 percent or greater interest in any corresponding corporation, partnership and/or limited liability company (LLC) listed in Part II other than for any publicly traded parent entities referenced above. The disclosure shall be continued until names and addresses of every noncorporate stockholder, and individual partner, and member exceeding the 10 percent ownership criteria established pursuant to N.J.S.A. 52:25-24.2 has been listed. Attach additional sheets if more space is needed.

Stockholder/Partner/Member and Corresponding Entity Listed in Part II	Home Address (for Individuals) or Business Address

**Part IV Certification**

I, being duly sworn upon my oath, hereby represent that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I acknowledge: that I am authorized to execute this certification on behalf of the bidder/proposer; that the *County of Union* is relying on the information contained herein and that I am under a continuing obligation from the date of this certification through the completion of any contracts with *County of Union* to notify the *County of Union* in writing of any changes to the information contained herein; that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I am subject to criminal prosecution under the law and that it will constitute a material breach of my agreement(s) with the, permitting the *County of Union* to declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print):		Title:	
Signature:		Date:	

NON-COLLUSION AFFIDAVIT

Rev. 1/22/93

STATE OF \_\_\_\_\_

SS:

COUNTY OF \_\_\_\_\_

I \_\_\_\_\_ of the City of \_\_\_\_\_, in the County of \_\_\_\_\_ and the State of \_\_\_\_\_, of full age, being duly sworn according to law, on my oath depose and say that: I am \_\_\_\_\_ of the firm of \_\_\_\_\_, the bidder making the Proposal for the above named project, and that I executed the said Proposal with full authority to do so; that said bidder has not, directly or indirectly, entered into any agreement, participation in any collusion, or otherwise taken any action in restraint of free, competitive bidding in connection with the above named project; and that all statements contained in said Proposal and in this Affidavit are true and correct, and made with full knowledge that the COUNTY OF UNION, NEW JERSEY relies upon the truth of the statements contained in said Proposal and in the statements contained in the affidavit in awarding the contract for the said project.

I further warrant that no person or selling agency has been employed or retained to solicit or secure such contract upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except bona fide employees or bona fide established commercial or selling agencies maintained by \_\_\_\_\_ (N.J.S.A. 52:34-15).

NAME OF CONTRACTOR

\_\_\_\_\_  
Sign Name Here

(Original signature only; stamped signature not accepted)

Subscribed and sworn to before Me this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

\_\_\_\_\_  
Notary Public of the State of \_\_\_\_\_

My Commission expires \_\_\_\_\_

NOTE TO NOTARY: WHEN COMPLETING THIS JURAT, ALL NOTARIES MUST:

- 1. Indicate date. 2. Indicate State. 3. Sign name. 4. Affix name by Printing it, typing it, using a rubber stamp, using an impression seal or using a mechanical stamp.

Note: The person who signed the bid form for the bidder should sign this form also.

WARNING: IF YOU FAIL TO FULLY, ACCURATELY AND COMPLETELY FILL OUT THIS AFFIDAVIT OF NON-COLLUSION, YOU BID WILL BE REJECTED.

**AFFIRMATIVE ACTION REQUIREMENT**

Rev. 6/29/93

**REQUIRED AFFIRMATIVE ACTION EVIDENCE**

General Requirements of P.L. 1975, c. 127: You are hereby put on notice that:

**A. Procurement, Professional & Service Contracts**

All successful vendors must submit within seven days of the notice of intent to award or the signing of the contract one of the following: **PLEASE CHECK ONE**

A photocopy of your Federal Letter of Affirmative Action Plan Approval

OR

A photocopy of your Certificate of Employee Information Report

OR

A completed Affirmative Action Employee Information Report (AA302)

If successful vendor does not submit the affirmative action document within the seven days the County of Union will declare the vendor as being non-responsive and award the contract to the next lowest bidder.

\_\_\_\_\_  
Print or type FIRM NAME here

\_\_\_\_\_  
Sign NAME and TITLE here  
(Original signature only, stamped signature not accepted)

\_\_\_\_\_  
Print or type NAME and TITLE here

\_\_\_\_\_  
Print or type DATE



AMERICANS WITH DISABILITIES ACT

EQUAL OPPORTUNITY FOR INDIVIDUALS WITH DISABILITIES

The contractor and the **County of Union** (hereafter "Owner") do hereby agree that the provisions of Title II of the Americans With Disabilities Act of 1990 (the "Act") (42 U.S.C. S12.101 et seq.), which prohibits discrimination on the basis of disability by public entities in all services, programs and activities provided or made available by public entities, and the rules and regulations promulgated pursuant thereto, are made a part of this contract. In providing any aid, benefit, or service on behalf of the Owner pursuant to this contract, the contractor agrees that the performance shall be in strict compliance with the Act. In the event the contractor, its agents, servants, employees, or subcontractors violate or are alleged to have violated the Act during the performance of this contract, the contractor shall defend the Owner in any action or administrative proceeding commenced pursuant to this Act. The contractor shall indemnify, protect, and save harmless the Owner, its agents, servants, and employees from and against any and all suits, claims, losses, demands, or damages of whatever kind or nature arising out of or claimed to arise out of the alleged violation. The contractor shall, at its own expense, appear, defend, any pay any and all charges for legal services and any and all costs and other expenses arising from such action or administrative proceeding or incurred in connection therewith. In any and all complaints brought pursuant to the Owner's grievance procedure, the contractor agrees to abide by any decision of the Owner which is rendered pursuant to said grievance procedure. If any action or administrative proceeding results in an award of damages against the Owner, or if the Owner incurs any expense to cure a violation of the ADA which has been brought pursuant to its grievance procedure, the contractor shall satisfy and discharge the same at its own expense.

The Owner shall, as soon as practicable after a claim has been made against it, give written notice thereof to the contractor along with full and complete particulars of the claim. If any action or administrative proceeding is brought against the Owner or any of its agents, servants, and employees, the Owner shall expeditiously forward or have forwarded to the contractor every demand, complaint, notice, summons, pleading, or other process received by the Owner or its representatives.

It is expressly agreed and understood that any approval by the Owner of the services provided by the contractor pursuant to this contract will not relieve the contractor of the obligation to comply with the Act and to defend, indemnify, protect, and save harmless the Owner pursuant to this paragraph.

It is further agreed and understood that the Owner assumes no obligation to indemnify or save harmless the contractor, its agents, servants, employees and subcontractors for any claim which may arise out of their performance of this Agreement. Furthermore, the contractor expressly understands and agrees that the provisions of this indemnification clause shall in no way limit the contractor's obligations assumed in this Agreement, nor shall they be construed to relieve the contractor from any liability, nor preclude the Owner from taking any other actions available to it under any other provisions of this Agreement or otherwise at law.

Name \_\_\_\_\_ (Please print or type)

Signature \_\_\_\_\_ Date \_\_\_\_\_

NAME OF BIDDER: \_\_\_\_\_

COUNTY OF UNION NEW JERSEY  
Division of Purchasing

DISCLOSURE OF INVESTMENT ACTIVITIES IN IRAN

Solicitation Number: \_\_\_\_\_ Bidder/Offeror: \_\_\_\_\_

Pursuant to Public law 2012, c. 25, any person or entity that submits a bid or proposal or otherwise proposes to enter into or renew a contract must complete the certification below to attest, under penalty of perjury, that the person or entity, or one of the person or entity's parents, subsidiaries, or affiliates, is not identified on a list created and maintained by the Department of the Treasury as a person or entity engaging in investment activities in Iran. If the Director finds a person or entity to be in violation of the principles which are the subject of the law, s/he shall take action as may be appropriate and provided by law, rule or contract, including but not limited to, imposing sanctions, seeking compliance, recovering damages, declaring the party in default and seeking debarment or suspension of the person or entity.

**I certify, pursuant to Public Law 2012, c. 25, that the person or entity listed above for which I am authorized to bid/renew:**

[ ] is not providing goods or services of \$20,000,000 or more in the energy sector of Iran, including a person or entity that provides oil or liquefied natural gas tankers, or products used to construct or maintain pipe lines used to transport oil or liquefied natural gas, for the energy sector of Iran, AND

[ ] is not a financial institution that extends \$20,000,000 or more in credit to another person or entity, for 45 days or more, if that person or entity will use the credit to provide goods or services in the energy sector in Iran.

In the event that a person or entity is unable to make the above certification because it or one of its parents, subsidiaries, or affiliates has engaged in the above-referenced activities, a detailed, accurate and precise description of the activities must be provided in part 2 below to the Division of Purchase under penalty of perjury. Failure to provide such will result in the proposal being rendered as non-responsive and appropriate penalties, fines and/or sanctions will be assessed as provided by law.

**PART 2: PLEASE PROVIDE FURTHER INFORMATION RELATED TO INVESTMENT ACTIVITIES IN IRAN.** You must provide, accurate and precise description of the activities of the bidding person/entity, or one of its parents, subsidiaries or affiliates, engaging in the investment activities in Iran outlined above by completing the boxes below.

Name \_\_\_\_\_ Relationship to Bidder/Offeror \_\_\_\_\_

Description of Activities \_\_\_\_\_

Duration of Engagement \_\_\_\_\_ Anticipated Cessation Date \_\_\_\_\_

Bidder/Offeror Contact Name \_\_\_\_\_ Contact Phone Number \_\_\_\_\_

Certification: I, being duly sworn upon my oath, hereby represent and state that the foregoing information and any attachments thereto to the best of my knowledge are true and complete. I attest that I am authorized to execute this certification on behalf of the above referenced person or entity. I acknowledge that Union County is relying on the information contained herein and hereby acknowledge that I am under a continuing obligation from the date of this certification through the completion of any contracts with the County to notify the County in writing of any changes to the answers of information contained herein. I acknowledge that I am aware that it is a criminal offense to make a false statement or misrepresentation in this certification, and if I do so, I recognize that I am subject to criminal prosecution under the law and that it will also constitute a material breach of my agreement(s) with Union County, New Jersey and that the County at its option may declare any contract(s) resulting from this certification void and unenforceable.

Full Name (Print) \_\_\_\_\_ Signature \_\_\_\_\_

Title \_\_\_\_\_ Date \_\_\_\_\_

COUNTY OF UNION  
ACKNOWLEDGEMENT OF RECEIPT OF ADDENDA

The undersigned Bidder hereby acknowledges receipt of the following Addenda(s):

<u>Addendum Number</u>	<u>Dated</u>	<u>Acknowledge Receipt</u> (Initial)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

Acknowledged for: \_\_\_\_\_  
(Name of Bidder)

By: \_\_\_\_\_  
(Signature of Authorized Representative)

Name: \_\_\_\_\_  
(Print or Type)

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Please Do Not submit if you did not receive Addenda(s)

NAME OF BIDDER: \_\_\_\_\_