BIDDER SIGNATURE PAGE

Rev. 9/20/05

1. If doing business under a **trade name, partnership** or a **sole proprietorship**, you must submit the bid under **exact title** of the trade name, partnership, or proprietorship, and the bid must be signed by either the **owner** or a **partner** and **witnessed** by a **notary public**.

2. If a **Corporation**, the bid must be signed by the **President** or **Vice President** and **witnessed** by **Corporate Secretary**, (Corporate title must be exact) and **affix corporate seal**.

3. Other persons **authorized** by **Corporate Resolution** to execute agreements in its behalf may also sign the bid documents (pages).

4. The Person who signs this bid form **must also sign** the **Non-Collusion Affidavit**.

5. You **cannot** witness your own signature.

Carol Smith
SIGNATURE
CORPORATE SECRETARY

Carol Smith Corp Sec
PRINT NAME AND TITLE
CORPORATE SECRETARY

Winner Ford
NAME OF BIDDER

250 Berlin Rd
ADDRESS OF BIDDER

Cherry Hill, NJ 08034

TELEPHONE: 856-214-0755

FAX: 856-488-1915

EMAIL: MARAHuschak@WinnerFord.com

BY: [signature]
SIGNATURE

1/22/20
DATE

AFFIX CORPORATE SEAL

Richard Coyle, Vice President
PRINT OR TYPE NAME AND TITLE

WARNING: FAILURE TO FULLY, ACCURATELY, AND COMPLETELY SUPPLY THE INFORMATION REQUESTED ON THIS PAGE MAY RESULT IN THE REJECTION OF YOUR BID AS NON-RESPONSIVE

HAVING CAREFULLY READ THE NOTICE TO BIDDERS, SPECIFICATIONS AND INSTRUCTIONS TO BIDDERS, THE UNDERSIGNED HEREBY AGREES TO PROVIDE AND AERIAL LIFT TRUCKS FOR THE DIVISION OF MOTOR VEHICLES OF THE COUNTY OF UNION IN ACCORDANCE TO THE SPECIFICATIONS. **DO NOT ALTER THE FORMAT OF THE BID FORM PAGE IN ANY MANNER UNDER THE PENALTY OF DISQUALIFICATION.**

QUANTITY (MORE OR LESS)	DESCRIPTION	x	UNIT PRICE	=	TOTAL
2	AERIAL LIFT TRUCK	x	$ 126,697.00	=	$ 253,394.00

CAB & CHASSIS & BODY MAKE, MODEL, YEAR F-550 FORD 2020 F56 BRAND FX FIBERGLASS SERVICE BODY

LIFT MAKE, MODEL, YEAR DON A LIFT DPM 2 32

Service Shop Location: _____

_____

BASED ON MANUFACTURERS PRODUCTION SCHEDULE AT TIME OF AWARD

DELIVERY* _____ DAYS AFTER AWARD OR ORDER (MAY BE A FACTOR IN AWARD)

*NOTE: DELIVERY MUST BE WITHIN 300 DAYS

NAME OF BIDDER: Winner Ford

STATE OF NEW JERSEY

BUSINESS REGISTRATION CERTIFICATE

FOR STATE AGENCY AND CASINO SERVICE CONTRACTORS

DEPARTMENT OF TREASURY
DIVISION OF REVENUE
PO BOX 252
TRENTON, N J 08646-0252

TAXPAYER NAME:

CHAS. S. WINNER, INC.

TRADE NAME:

WINNER FORD OF CHERRY HILL

TAXPAYER IDENTIFICATION#

210-611-021/000

CONTRACTOR CERTIFICATION#

0061445

ADDRESS

250 HADDONFIELD BERLIN RD
CHERRY HILL NJ 08034

ISSUANCE DATE:

09/13/01

EFFECTIVE DATE:

08/28/46

Patricia A. Chiacchio

Director, Division of Revenue

FORM-BRC(08-01)

This Certificate is NOT assignable or transferable. It must be conspicuously displayed at above address

EXTENSION FORM FOR UNION COUNTY
COOPERATIVE PRICING SYSTEM

ACCOMMODATION OF LOCAL CONTRACTING UNITS WITHIN THE COUNTY OF UNION:

[✓] **CHECK HERE** IF WILLING TO PROVIDE THE GOODS AND SERVICES HEREIN BID UPON TO LOCAL GOVERNMENTAL CONTRACTING UNITS LOCATED WITHIN THE COUNTY OF UNION, UNION COUNTY COOPERATIVE PRICING SYSTEM **# CK-06-UNION** WITHOUT SUBSTITUTION OR DEVIATION FROM SPECIFICATIONS, SIZE FEATURES, QUALITY, PRICE OR AVAILABILITY AS HEREIN SET FORTH. IT IS UNDERSTOOD THAT ORDERS WILL BE PLACED DIRECTLY BY THE CONTRACTING UNITS, SUBJECT TO THE OVERALL TERMS OF THE CONTRACT TO BE AWARDED BY THE COUNTY OF UNION, AND THAT NO ADDITIONAL SERVICE OR DELIVERY CHARGES WILL BE ALLOWED EXCEPT AS PERMITTED BY THESE SPECIFICATIONS.

[ ] **CHECK HERE** IF **NOT** WILLING TO EXTEND PRICES TO CONTRACTING UNITS LOCATED IN THE COUNTY OF UNION AFFECT CONSIDERATION OF THIS BID WITH RESPECT TO THE NEEDS OF THE COUNTY OF UNION.

IF THE LOWEST RESPONSIBLE BIDDER DOES NOT EXTEND HIS PRICES TO THE REGISTERED MEMBERS, THE CONTRACT FOR THE STATED NEEDS OF UNION COUNTY WILL BE AWARDED TO SAID LOWEST RESPONSIBLE BIDDER AND SPECIFICALLY **NOT** MADE AVAILABLE TO CONTRACTING UNITS WITHIN THE COUNTY.

_____
Initial

2020 FORD F550XLT REGULAR CAB 4X2 DRW WITH 60" CAB TO AXEL AND 145" WHEEL BASE

OPTION NUMBER	DESCRIPTION
663A	99N 7.3L 2VL V8 GASOLINE ENGINE, 44G 10 SPEED AUTOMATIC TRANSMISSION, 19.5 ARGENT STEEL WHEELS AND 84" CAB TO AXEL

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

_____

X8L	LIMITED SLIP 4.88 REAR AXLE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

TGJ	BSW A/P TIRES

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

17V	XLT VALUE PACKAGE INCLUDES: PATS ANTI-THEFT SYSTEM, ACCESSORY DELAY, MANUAL FOLDING POWER ADJUSTABLE MIRRORS W/ INTEGRATED TURN SIGNALS, MY KEY OWNER CONTROLS, POWER FRONT DRIVERS SEAT, REMOTE KEYLESS ENTRY AND UPGRADED XLLT INTERIOR PANELS.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

_____

_____

_____

_____

NAME OF BIDDER Winner Ford

67P 7500 LB. FRONT SUSPENSION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

91M MY FORD SYNC - FACTORY-INSTALLED, INTEGRATED IN-VEHICLE COMMUNICATIONS AND ENTERTAINMENT SYSTEM THAT ALLOWS USERS TO MAKE HANDS-FREE TELEPHONE CALLS, CONTROL MUSIC AND PERFORM OTHER FUNCTIONS WITH THE USE OF VOICE COMMANDS.

EXACT COMPLIANCE: YES _____ NO* ✓

*DEVIATIONS SYNC STANDARD.

90L POWER EQUIPMENT GROUP

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

60C LANE DEPARTURE WARNING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

63A UTILITY LIGHTING PACKAGE - LED LIGHTING REPLACES ALL INCANDESCING ON CAB & CHASSIS LIGHTING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

595 FOG LAMPS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER WINNER FORD

62R TRANSMISSION POWER TAKE OFF

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

63A UTILITY LIGHTING SYSTEM - ADDITIONAL LIGHTING FOR UPFITTING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

18B PLATFORM RUNNING BOARDS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

872 REAR VIEW CAMERA & PREP KIT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

43B FIXED REAR WINDOW WITH DEFROST

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

166 CARPET DELETE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

76S REMOTE START SYSTEM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

913 RADIO PACKAGE

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS STANDARD ON XLT

61S SPLASH GUARDS

EXACT COMPLIANCE: YES ____ NO* ✓

*DEVIATIONS ONLY AVAILABLE ON F-350

61L FRONT WHEEL WELL

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS ____

91G AMBER WHITE WARNING STROBES

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS ____

Z1 OXFORD WHITE EXTERIOR

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS ____

3S MEDIUM GRAY HD VINYL INTERIOR

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS CLOTH ONLY. VINYL NA ON XLT

CAB & CHASSIS WARRANTY SHOULD BE 3 YEARS MECHANICAL, ENGINE, TRANSMISSION, TRANSFER CASE, DRIVE TRAIN INCLUDING DIFFERENTIAL AND DRIVE SHAFT, AXELS & BEARINGS. AIR CONDITIONING & HEATING AND VENTILATION & 3 YEARS PAINT, TRIM AND RUST-THROUGH INCLUDING SHEET METAL, TRIM, KNOBS AND HANDLES AND LIGHTS & LENSES.

EXACT COMPLIANCE: YES ✓ NO* ____

*DEVIATIONS ____

NAME OF BIDDER WINNER FORD

TRUCK-MOUNTED AERIAL WORK PLATFORM INSTALLED BEHIND CAB ON CARGO AREA

2 MAN LIFT BASKET

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

39 FOOT WORKING HEIGHT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

34 FOOT HEIGHT TO BOTTOM OF PLATFORM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

27'6" SIDE REACH

EXACT COMPLIANCE: YES _____ NO* ✓

*DEVIATIONS 25' 4"

600 LB. PLATFORM CAPACITY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

BOOM RANGE OF MOTION SHOULD GIVE THE OPERATOR ACCESS TO THE GROUND AT THE TRUCKS TAIL SHAFT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

180-DEGREE HYDRAULIC POWERED BASKET ROTATION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

FULL PRESSURE HYDRAULIC LEVER TYPE CONTROLS AT BASE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

PROPORTIONAL JOYSTICK CONTROLS TO OPERATE MAIN AND LOWER BOOM UP/ DOWN, IN/ OUT AND ROTATIONAL FUNCTIONS IN BASKET

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

JOYSTICK CONTROL SHOULD NOT WORK WITHOUT TRIGGER TYPE DEAD MAN ACTIVATION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

BASKET ROTATION CONTROLS ARE LEVER TYPE WITH LIFT UP LOCK OUT DEAD MAN ACTIVATION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ENGINE START/STOP IN BUCKET

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

17" SHEER BALL ROTATION WITH ENCLOSE WORM GEAR

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

360-DEGREE CONTINUOUS ROTATION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER _____

SAFETY HARNESS AND LANYARD

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

PRIMARY HYDRAULIC POWER LIFT PROVIDED BY PTO HYDRAULIC PUMP, MOUNTED TO TRUCK'S TRANSMISSION, WHICH PRODUCES UP TO 6GPM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

24" X 42" X 42: FIBERGLASS BUCKET WITH DOOR

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STEP-IN ACCESS TO BUCKET FROM REAR TAIL SHELF OF SERVICE BODY. NO STEPS OR LADDERS REQUIRED. BUCKET TO HAVE HYDRAULIC VERTICAL LIFT THAT ALLOWS THE BUCKET TO RAISE 21" WITHOUT REPOSITIONING THE BOOM OR ARTICULATING ARM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

_____

_____

GREASELESS MAINTENANCE FREE BUSHINGS ON BOOM PIVOT POINTS.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ONE GREASE FITTING AT BOOMS ROTATION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

ADJUSTABLE UPPER AND LOWER UHMW POLYETHYLENE SUPPORT WEAR PADS MUST BE OF ¼" THICK. INNER AND OUTER SLIDE PADS SHOULD BE ADJUSTED OR REPLACED WITHOUT TAKING THE BOOM APART.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

INNER TELESCOPIC BOOM SHOULD BE CONSTRUCTED OF FILAMENT WOUND FIBERGLASS, 7" X 9" OUTSIDE DIAMETER DIMENSIONS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

OUTER BOOM TO HAVE MINIMUM 21" INSULATION GAP IN THE RETRACTED POSITION, 8" X 10" OUTSIDE DIMENSIONS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

THE SECTION OF THE MAIN BOOM THAT HOUSES THE INTERNAL CABLE TRACK SHOULD BE EXPANDED TO 8" X 14" TO ALLOW THE HOSES AND CABLE TRACK TO OPERATE ABOVE THE MINIMUM BEND REQUIREMENT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

15 – GALLON HYDRAULIC RESERVOIR LOCATED WITHIN THE AERIAL LIFTS BASE TO PROTECT IT FROM SHIFTING CARGO

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

AERIAL LIFTS BASE TO PROVIDE A HYDRAULIC RESERVOIR FILL INDICATOR THAT SHOULD BE CLEARLY VISIBLE AND LABELED TO INDICATE THE CONDITION OF THE OIL LEVEL

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winnan Fire

ALL STEEL CONSTRUCTION OF LIFTS PEDESTAL AND BASE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

46KV CATEGORY "D" RATING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

BOOM IS EXTENDED/RETRACTED BY HYDRAULIC CYLINDER WITH HOLDING VALVE. EXTENSION BY CABLE OR CHAIN IS NOT ACCEPTABLE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ALL ELECTRICAL HYDRAULIC COMPONENTS SHOULD BE WITHIN THE PEDESTAL AND BOOM SECTIONS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

BOOM REST MOUNTED IN THE REAR OF THE SERVICE BODY WITH SINGLE ACTION LEVER TIE DOWN

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

BASKETS STOWED HEIGHT MUST BE HIGH ENOUGH TO ALLOW CLEARANCE FOR 6" TAIL BOARD

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

TWO YEARS PARTS AND LABOR WARRANTY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

COMPLETE OPERATIONAL AND SAFETY TRAINING OF AERIAL LIFT AND RELATED COMPONENT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

EACH UNIT SHOULD INCLUDE A SEPARATE OPERATOR'S MANUAL AND A SEPARATE PARTS/MAINTENANCE MANUAL.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

MINIMUM TRUCK GVWR REQUIRED IS 19,000 LBS.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

MINIMUM FRONT AXLE / SPRING WRIGHT RATING IS 7000 LBS.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

12 VOLT EMERGENCY DC BACK UP MOTOR WIRED TO TRUCK'S BATTERY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

PEDESTAL OF AERIAL DEVICE 3 IS NOT TO EXCEED 3.5 SQUARE FEET OF STORAGE SPACE IN CARGO AREA.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

MID-MOUNT H-FRAME OUTRIGGERS WITH SUBFRAME

HYDRAULIC ACTIVATED OUTRIGGERS SHOULD BE ATTACHED TO THE FRAME OF THE CHASSIS BETWEEN THE CAB AND THE BODY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

A SUBFRAME ATTACHED TO THE FRAME OF THE TRUCK SHOULD SECURE THE OUTRIGGERS AND THE AERIAL LIFT TO FORM ONE INTEGRAL MOUNT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

OUTRIGGERS SHOULD NOT EXTEND BEYOND THE WIDTH OF THE SERVICE BODY WHEN DEPLOYED

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

THE OUTRIGGER LEGS SHOULD CONSIST OF INNER AND OUTER TELESCOPING STRUCTURAL TUBING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ADJUSTABLE POLYETHYLENE WEAR PADS TO PREVENT WEAR AND VIBRATION DURING ROAD TRANSPORT SHOULD CENTER THE INNER AND OUTER TUBES

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

A MANUAL DIVERTER VALVE DIRECTS FLOW FROM THE LIFT TO THE OUTRIGGERS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

CONTROL FOR EACH CYLINDER SHOULD BE SUPPLIED AND MOUNTED AT THE REAR OF THE CHASSIS SO THE OUTRIGGER LEGS CAN BE SEEN WHEN IN USE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

THE COMPLETED UNIT SHOULD BE CERTIFIED AS PASSING A.N.S.I. A92.2 STABILIZATION TESTS WITH THE USE OF ONE SETS OF OUTRIGGERS. SUCCESSFUL BIDDER SHOULD DEMONSTRATE THESE CAPABILITIES UPON DELIVERY.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winnen Ford

FIBERGLASS SERVICE BODY- 11' SERVICE BODY

FIBERGLASS COMPARTMENT CONSTRUCTION

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

124 1/4" LONG X 94" WIDE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

20" TOOL PACK DEPTH

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

42" TOOL PACK HEIGHT

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NONSKID COMPARTMENT TOPS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

RECESSED DOOR OPENINGS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

FLOW THROUGH VENTILATION IN BODY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

FIBERGLASS DOORS WITH AUTOMOTIVE TYPE DOOR SEALS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STAINLESS STEEL DOOR LATCHES AND HARDWARE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STAINLESS STEEL HINGES AND DOOR CABLES

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

GELCOAT EXTERIOR SURFACES

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STEEL UNDERSTRUCTURE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ALUMINUM TREAD PLATE FLOOR

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

SMOOTH ALUMINUM HEADER PANEL

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winnon Fam

FULL-LENGTH ALUMINUM DRIP RAILS

EXACT COMPLIANCE: YES _____ NO* ✓

*DEVIATIONS NEW DESIGN - NO LONGER REQUIRED

LED EXTERIOR LIGHT PACKAGE WITH LIGHTS IN TAIL SHELF

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STREET SIDE 1 & 2 – FRONT COMPARTMENT TO 2 ADJUSTABLE SHELVES WITH DIVIDER TRAYS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STREET SIDE HORIZONTAL COMPARTMENT – DIVIDER TRAYS ON BOTTOM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

STREET SIDE REAR – ADJUSTABLE SHELVES WITH DIVIDER TRAYS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

CURB SIDE – FRONT ADJUSTABLE DIVIDER TRAYS AND ADJUSTABLE SHELVING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

CURB SIDE HORIZONTAL, ONE SHELF W/ DIVIDER TRAY ON BOTTOM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Wilson Fox

CURB SIDE REAR 4 LOCKING SWIVEL HOOKS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ALUMINUM CUTOUT FOR TWO WHEEL CHOCKS IN WHEEL WELL

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

FIBERGLOW COMPARTMENT LIGHTING

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

36" ALUMINUM TAIL SHELF W/ ANTI-SKID COATING

EXACT COMPLIANCE: YES _____ NO* ✓

*DEVIATIONS EXCEED 46"

CURBSIDE STEP ACCESS WITH GRAB HANDLES ON THE BODY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

REAR OF CARGO AREA TO HAVE TAIL BOARD HOLDER W/ BOARD

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

CURBSIDE WHEEL WELL TO HAVE WHEEL CHOCK HOLDERS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

MISCELLANEOUS ACCESSORIES

87 DB BACK UP ALARM

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ALUMINUM HEAD ACHE RACK & REAR CAB WINDOW PROTECTOR

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

TWO AMBER STROBES MOUNTED ON HEADACHE RACK W/ 360 DEGREE VISIBILITY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

FOUR CORNED AMBER STROBES MOUNTED IN FRONT BUMPER OF TRUCK CAB & CHASSIS AND REAR TAIL SHELF OF AERIAL SERVICE BODY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

DIRECTIONAL AMBER STROBE BAR MOUNTED IN TAIL SHELF OF SERVICE BODY

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

AUXILIARY DC POWER SOURCE – TWO SIX VOLT DEEP CYCLE BATTERIES WIRED TO TRUCK ALTERNATOR W/ ISOLATOR. MOUNTED TO LIFTS PEDESTAL INSIDE CARGO AREA OF SERVICE BODY.

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

2000 WATT MAXIMUM DC TO AC POWER INVERTER WIRED TO AUXILIARY POWER SOURCE

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

AC POWER OUTLET MOUNTED IN REAR CURBSIDE OF TAIL SHELF AND WIRED TO INVERTER

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

HYDRAULIC TOOL CIRCUIT MOUNTED AT REAR OF BODY ON TAIL SHELF

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

ALUMINUM DIAMOND PLATE STORAGE BOX AND LADDER HOLDER 127 5/8" LONG X 18" X 20"

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

TWO RUBBER CHOCKS

EXACT COMPLIANCE: YES ✓ NO* _____

*DEVIATIONS _____

NAME OF BIDDER Winner Ford

WARRANTY

ATTACH OR PROVIDE DESCRIPTION OF WARRANTY FOR CAB/CHASSIS AND LIFT.

Attached

NAME OF BIDDER: Winner Ford

OPERATOR MANUAL

ATTACH COPY OF THE OPERATOR MANUAL FOR THE CAB/CHASSIS AND LIFT.

Upon Issuance of Purchase Order

NAME OF BIDDER: Winner Ford

PARTS AND SERVICE MANUAL

ATTACH COPY OF THE PARTS AND SERVICE MANUAL FOR THE CAB/CHASSIS AND LIFT.

Upon Issuance of Purchase Order

NAME OF BIDDER: Winner Ford

MANUFACTURER'S STATEMENT OF ORIGIN

ATTACH OR PROVIDE COPY OF MANUFACTURER'S STATEMENT OF ORIGIN.

Available At Time of Delivery

NAME OF BIDDER: Winner Ford

REFERENCES

ATTACH OR PROVIDE COPY OF THREE (3) REFERENCES.

NAME OF BIDDER: Winner Fony

WINNER Ford
CHERRY HILL · winnerford.com

Customer references

New Jersey State Police
River Rd
West Trenton, N.J. 08628
Bob Tiscione Fleet Administrator
609-882-2000 x 2835 2000+ VEHICLES

New Jersey Dept. of Treasury
33 W. State St
Trenton, N.J. 08625
Manan Desai Purchasing Supervisor
609-984-6237 500+ VEHICLES

Cherry Hill Twp P.D.
820 Mercer St
Cherry Hill,NJ 08002
Lt Steve Lyons
856 432 8819 75+ VEHICLES

City of Philadelphia
1401 JFK Blvd.
Philadelphia, Pa 19102
Bud Lipski Fleet Manager
215-686-1875 200+ VEHICLES

Commonwealth of Pennsylvania
20th and Herr St
Harrisburg ,Pa 17120
Rick Binker , State Police Transportation Director
717-787-6909 2000+ VEHICLES

City of Camden
6th & Market St
Camden Nj 08101
Cheryl Pine
856 432 8819 300 + VEHICLES

Southeastern Pennsylvania Transportation Authority
1234 Market St
Philadelphia,Pa 19107
Joseph Chimenti
Project Manager
215 580 8161 200 + VEHICLES

Additional Available Upon Request